南方机械
SOUMAC
空 | 压 | 机 | 事 | 业 | 部

COMPRESSOR FILTERS
CATALOG

SOUTHERN MACHINERY LIMITED
No. 57 Anhua Road, Yuanshan Street, Longgang District, Shenzhen, China
TEL: +86-755-28287672
WEB: www.soumac.com

FACTORY #1 ADDRESS:
F7-8, Building 10, No. 2 Huangchong Industrial Road, Zhongtang Town, Dongguan City, Guangdong
TEL: +86-769-22185135

FACTORY #2 ADDRESS:
F8-9, Building 2, No. 18 Dongjiang Road, Zhongtang Town, Dongguan City, Guangdong
TEL: +86-769-22185135


FACTORY #1


FACTORY #2

Brief Introduction

Southern Machinery Limited was established in 2009, has two factories of 20000M2 area in Dongguan city. We have imported equipment and strong working team. We make the filters according to ISO9001 standards and programs, and now we have more than 5000 numbers of filters, with annually output up to 5 million pieces. Based on high quality and excellent service, our products have been enjoying a high prestige in domestic and international market.

We are specialized in the developing and manufacturing of all kinds of filters for heavy duty vehicles and machineries. We produce high-quality fuel filters, oil filters, air filters, hydraulic filters, fuel water separators, oil air separators, used for heavy duty machinery, engineering machinery, truck engines, generator, air compressor etc.

Our products are mainly replaceable with Fleetguard filters, Donaldson filters, Mann filters, Caterpillar filters, Volvo filters, Parker Racor filters, Iveco filters, Deutz filters, Dongfeng Cummins filters, John deere filters, Nissan filters, Mitsubishi filters, Komatsu filters, Suzuki filters, Isuzu filters, Mercedes Benz filters, Atlas Copco filters, Ingersoll Rand filters, FS Airman filters, Sullair filters, Compair filters, Kaeser filters, Thermo King filters etc.


To provide customers with high-quality products and excellent services at reasonable price, and under the principle of "Integrity, Credibility and Win-Win Situation", our company enjoys a good reputation in the overseas markets.



HIGH QUALITY
FILTERS WITH LONGER SERVICE LIFE FOR COMPRESSOR INDUSTRIAL

Replaceable with:

Atlas Copco · IR · SULLAIR · KAESER COMPRESSORS · Chicago Pneumatic · CompAir · KOBELCO · HITACHI · ALMiG since 1923 · ELGi · AIRMAN · MANN FILTER · Quincy COMPRESSOR



Warranty Terms

Backed by consistently high product quality and proven technical performance, we have grown into a leading manufacturer in China's air compressor filter industry. Our technology center is the driving force behind our new product R&D, and our commitment to innovation never stops. As we continue to improve our existing products, we are also developing new ones to meet evolving market demands and reinforce our competitive edge. All air filters and oil filters carry a 2,000-hour service life warranty, and oil separators a 4,000-hour warranty.

Our Manufacturing Facility


Processing Area



Processing Area



Processing Area


Processing Area


Processing Area


Processing Area


Processing Area


Packing Area




Raw Media


Raw Media



Raw Media


Warehouse

Contents



Oil Separator 08-62




Air Filter 63-103



Spin-on Separator 104-108

Oil Filter 109-122





SC-6001

SPECIFICATIONS

Flange Size:	123 mm
Outer Dia.:	72 mm
Inner Dia.:	35 mm
Body Height:	132 mm
Total Height:	138 mm

CROSS REFERENCE

Atlas Copco	1613901400
Sotras	DE4025



SC-6002

SPECIFICATIONS

Flange Size:	220 mm
Outer Dia.:	135 mm
Inner Dia.:	88 mm
Body Height:	250 mm
Total Height:	262 mm

CROSS REFERENCE

Atlas Copco	1612386900
Sotras	DC3001



SC-6003

SPECIFICATIONS

Flange Size:	220 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	172mm
Total Height:	172 mm

CROSS REFERENCE

Atlas Copco	1613692100
Sotras	DC3066



SC-6004

SPECIFICATIONS

Flange Size:	238 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	173 mm
Total Height:	173 mm

CROSS REFERENCE

Atlas Copco	2901034300
Atlas Copco	1613750200



SC-6005

SPECIFICATIONS

Flange Size:	203 mm
Outer Dia.:	130 mm
Inner Dia.:	75 mm
Body Height:	140 mm
Total Height:	140 mm

CROSS REFERENCE

Atlas Copco	1613077900
Sotras	DE4033



SC-6006

SPECIFICATIONS

Flange Size:	203 mm
Outer Dia.:	130 mm
Inner Dia.:	75 mm
Body Height:	154 mm
Total Height:	154 mm

CROSS REFERENCE

Atlas Copco	2901077901
Atlas Copco	1622051600



SC-6007

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	170 mm
Inner Dia.:	123 mm
Body Height:	305 mm
Total Height:	317 mm

CROSS REFERENCE

Atlas Copco	1202641400
Atlas Copco	2901006101



SC-6008

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	230mm
Total Height:	230 mm

CROSS REFERENCE

Atlas Copco	1613688000
Sotras	DC3065



SC-6009

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	175mm
Total Height:	175 mm

CROSS REFERENCE

Atlas Copco	1613839700
Atlas Copco	2901056600



SC-6010

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	178mm
Total Height:	178 mm

CROSS REFERENCE

Atlas Copco	1613839702
Atlas Copco	2901056602



SC-6011

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	250 mm
Total Height:	250 mm

CROSS REFERENCE

Atlas Copco	1622314000
Atlas Copco	2901162600



SC-6012

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	220 mm
Total Height:	220 mm

CROSS REFERENCE

Atlas Copco	2901164300
Atlas Copco	1622646000



SC-6013

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	220 mm
Inner Dia.:	157 mm
Body Height:	350 mm
Total Height:	350 mm

CROSS REFERENCE

Atlas Copco	1613730600
Atlas Copco	1202741900



SC-6014

SPECIFICATIONS

Flange Size:	400 mm
Outer Dia.:	240 mm
Inner Dia.:	176 mm
Body Height:	297 mm
Total Height:	297 mm

CROSS REFERENCE

Atlas Copco	2901043200
Atlas Copco	1613800700



SC-6015

SPECIFICATIONS

Flange Size:	363 mm
Outer Dia.:	220 mm
Inner Dia.:	157 mm
Body Height:	250 mm
Total Height:	250 mm

CROSS REFERENCE

Atlas Copco	2901077400
Atlas Copco	1613955900



SC-6016

SPECIFICATIONS

Flange Size:	363 mm
Outer Dia.:	220 mm
Inner Dia.:	157 mm
Body Height:	275 mm
Total Height:	275 mm

CROSS REFERENCE

Atlas Copco	2901085800
Atlas Copco	1613984000



SC-6017

SPECIFICATIONS

Flange Size:	363 mm
Outer Dia.:	220 mm
Inner Dia.:	157 mm
Body Height:	275 mm
Total Height:	275 mm

CROSS REFERENCE

Atlas Copco	2901056622
Atlas Copco	1622365600



SC-6018

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	275 mm
Total Height:	275 mm

CROSS REFERENCE

Atlas Copco	1622569300
Atlas Copco	2901162601



SC-6019

SPECIFICATIONS

Flange Size:	500 mm
Outer Dia.:	350 mm
Inner Dia.:	260 mm
Body Height:	445 mm
Total Height:	445 mm

CROSS REFERENCE

Atlas Copco	2906009800
Atlas Copco	1614642300



SC-6020

SPECIFICATIONS

Flange Size:	597 mm
Outer Dia.:	350 mm
Inner Dia.:	260 mm
Body Height:	275 mm
Total Height:	275 mm

CROSS REFERENCE

Atlas Copco	2906056400
Atlas Copco	1614905400



SC-6021

SPECIFICATIONS

Flange Size:	597 mm
Outer Dia.:	350 mm
Inner Dia.:	260 mm
Body Height:	280 mm
Total Height:	280 mm

CROSS REFERENCE

Atlas Copco	2906075100
Atlas Copco	1621938400



SC-6022

SPECIFICATIONS

Flange Size:	597 mm
Outer Dia.:	350 mm
Inner Dia.:	260 mm
Body Height:	350 mm
Total Height:	350 mm

CROSS REFERENCE

Atlas Copco	2906026400
Atlas Copco	1614905600



SC-6023

SPECIFICATIONS

Flange Size:	597 mm
Outer Dia.:	350 mm
Inner Dia.:	260 mm
Body Height:	350 mm
Total Height:	350 mm

CROSS REFERENCE

Atlas Copco	2906075200
Atlas Copco	1621938500



SC-6024

SPECIFICATIONS

Flange Size:	500 mm
Outer Dia.:	400 mm
Inner Dia.:	310 mm
Body Height:	600 mm
Total Height:	600 mm

CROSS REFERENCE

Atlas Copco	2906020200
Atlas Copco	1614704800




SC-6025

SPECIFICATIONS

Flange Size:	597 mm
Outer Dia.:	350 mm
Inner Dia.:	260 mm
Body Height:	545 mm
Total Height:	545 mm

CROSS REFERENCE

Atlas Copco	1614952100
Atlas Copco	2906058800



SC-6026

SPECIFICATIONS

Flange Size:	597 mm
Outer Dia.:	350 mm
Inner Dia.:	260 mm
Body Height:	545 mm
Total Height:	545 mm

CROSS REFERENCE

Atlas Copco	2906075300
Atlas Copco	1621938600



SC-6027

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	170 mm
Inner Dia.:	123 mm
Body Height:	305 mm
Total Height:	317 mm

CROSS REFERENCE

Atlas Copco	1202641400
Atlas Copco	1613324300




SC-6028

SPECIFICATIONS

Flange Size:	100 mm
Outer Dia.:	100 mm
Inner Dia.:	45 mm
Body Height:	350 mm
Total Height:	350 mm

CROSS REFERENCE

Atlas Copco	1614532900
Atlas Copco	1641532900



SC-6029

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	170 mm
Inner Dia.:	110 mm
Body Height:	485 mm
Total Height:	497 mm

CROSS REFERENCE

Atlas Copco	1616283600
Atlas Copco	2901008500



SC-6030

SPECIFICATIONS

Flange Size:	400 mm
Outer Dia.:	275 mm
Inner Dia.:	220 mm
Body Height:	815 mm
Total Height:	815 mm

CROSS REFERENCE

Atlas Copco	2989004100
Atlas Copco	2911001700



SC-6031

SPECIFICATIONS

Flange Size:	106 mm
Outer Dia.:	80 mm
Inner Dia.:	45 mm
Body Height:	290 mm
Total Height:	290 mm

CROSS REFERENCE

Atlas Copco	2901009901
Atlas Copco	1513005800



SC-6032

SPECIFICATIONS

Flange Size:	240 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	186 mm
Total Height:	186 mm

CROSS REFERENCE

Atlas Copco	2901196300
Atlas Copco	1625703600



SC-6033

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	180 mm
Total Height:	180 mm

CROSS REFERENCE

Atlas Copco	2901905600
Atlas Copco	1631050200



SC-6034

SPECIFICATIONS

Flange Size:	400 mm
Outer Dia.:	263/216 mm
Inner Dia.:	164 mm
Body Height:	348 mm
Total Height:	360 mm

CROSS REFERENCE

Atlas Copco	2911001600
Atlas Copco	1626032300



SC-6035

SPECIFICATIONS

Flange Size:	175 mm
Outer Dia.:	175 mm
Inner Dia.:	45 mm
Body Height:	250 mm
Total Height:	280 mm

CROSS REFERENCE

Atlas Copco	2911007500
Atlas Copco	1604039380



SC-6036

SPECIFICATIONS

Flange Size:	126 mm
Outer Dia.:	122 mm
Inner Dia.:	28/28 mm
Body Height:	179 mm
Total Height:	198 mm

CROSS REFERENCE

Atlas Copco	2911006800
Atlas Copco	1613943600



SC-6037

SPECIFICATIONS

Flange Size:	225 mm
Outer Dia.:	220 mm
Inner Dia.:	62/44 mm
Body Height:	335 mm
Total Height:	365 mm

CROSS REFERENCE

Atlas Copco	2911011700
Atlas Copco	1604132883



SC-6038

SPECIFICATIONS

Flange Size:	400 mm
Outer Dia.:	263/216 mm
Inner Dia.:	165 mm
Body Height:	438 mm
Total Height:	450 mm

CROSS REFERENCE

Atlas Copco	1615548500
Atlas Copco	2911001801



SC-6039

SPECIFICATIONS

Flange Size:	400 mm
Outer Dia.:	263/216 mm
Inner Dia.:	165 mm
Body Height:	545 mm
Total Height:	557 mm

CROSS REFERENCE

Atlas Copco	1615633800
Atlas Copco	2911001900



SC-6040

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	275 mm
Total Height:	275 mm

CROSS REFERENCE

Atlas Copco	1622569301
Fleetguard	AS2507



SC-6041

SPECIFICATIONS

Flange Size:	597 mm
Outer Dia.:	350 mm
Inner Dia.:	265 mm
Body Height:	275 mm
Total Height:	275 mm

CROSS REFERENCE

Atlas Copco	1621938700
Atlas Copco	1621907700




SC-6042

SPECIFICATIONS

Flange Size:	550 mm
Outer Dia.:	400 mm
Inner Dia.:	315 mm
Body Height:	280 mm
Total Height:	280 mm

CROSS REFERENCE

Atlas Copco	1623051600
Atlas Copco	2906095400



SC-6043

SPECIFICATIONS

Flange Size:	550 mm
Outer Dia.:	400 mm
Inner Dia.:	315 mm
Body Height:	450 mm
Total Height:	450 mm

CROSS REFERENCE

Atlas Copco	2906095500
Atlas Copco	1623051500



SC-6044

SPECIFICATIONS

Flange Size:	550 mm
Outer Dia.:	400 mm
Inner Dia.:	315 mm
Body Height:	615 mm
Total Height:	615 mm

CROSS REFERENCE

Atlas Copco	1623051400
Atlas Copco	2906095600



SC-6045

SPECIFICATIONS

Flange Size:	550 mm
Outer Dia.:	400 mm
Inner Dia.:	315 mm
Body Height:	695 mm
Total Height:	695 mm

CROSS REFERENCE

Atlas Copco	1092003018
Atlas Copco	3001501005



SC-6046

SPECIFICATIONS

Flange Size:	289 mm
Outer Dia.:	200 mm
Inner Dia.:	157 mm
Body Height:	272 mm
Total Height:	272 mm

CROSS REFERENCE

Atlas Copco	2901920040
Atlas Copco	1625725300



SC-6047

SPECIFICATIONS

Flange Size:	98 mm
Outer Dia.:	70/72 mm
Inner Dia.:	44 mm
Body Height:	346 mm
Total Height:	387 mm

CROSS REFERENCE

Atlas Copco	1625390494
Quincy	1625390414



SC-6048

SPECIFICATIONS

Flange Size:	238 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	200 mm
Total Height:	200 mm

CROSS REFERENCE

Ceccato	6229046900
Ceccato	6221376300



SC-6049

SPECIFICATIONS

Flange Size:	238 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	275 mm
Total Height:	275 mm

CROSS REFERENCE

Atlas Copco	6221374100
Atlas Copco	6219028800



SC-6050

SPECIFICATIONS

Flange Size:	238 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	375 mm
Total Height:	375 mm

CROSS REFERENCE

Atlas Copco	6221374000
Ceccato	6221338300



SC-6051

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	380 mm
Total Height:	380 mm

CROSS REFERENCE

Atlas Copco	2901905800
Atlas Copco	1631105500



SC-6052

SPECIFICATIONS

Flange Size:	220 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	230 mm
Total Height:	242 mm

CROSS REFERENCE

Atlas Copco	2911001300
Atlas Copco	1619549800



SC-6053

SPECIFICATIONS

Flange Size:	345 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	273 mm
Total Height:	273 mm

CROSS REFERENCE

Atlas Copco	2901905900
Atlas Copco	1631106900



SC-6054

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	250 mm
Total Height:	250 mm

CROSS REFERENCE

Atlas Copco	1622314001
Atlas Copco	2901162600



SC-6055

SPECIFICATIONS

Flange Size:	248 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	290 mm
Total Height:	290 mm

CROSS REFERENCE

Atlas Copco	1615654600
Atlas Copco	2911002800



SC-6056

SPECIFICATIONS

Flange Size:	262 mm
Outer Dia.:	255 mm
Inner Dia.:	54/86.5 mm
Body Height:	348 mm
Total Height:	383 mm

CROSS REFERENCE

Atlas Copco	2911011600
Atlas Copco	1604259382



SC-6057

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	230 mm
Total Height:	242 mm

CROSS REFERENCE

Atlas Copco	2911001500
Atlas Copco	1614437300



SC-6058

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	162 mm
Inner Dia.:	100 mm
Body Height:	180 mm
Total Height:	180 mm

CROSS REFERENCE

Bolaite	1625165754



SC-6059

SPECIFICATIONS

Flange Size:	220 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	173 mm
Total Height:	173 mm

CROSS REFERENCE

Atlas Copco	1202872200
Atlas Copco	2911001400



SC-6060

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	175 mm
Total Height:	175 mm

CROSS REFERENCE

Atlas Copco	1625165717



SC-6061

SPECIFICATIONS

Flange Size:	273 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	340 mm
Total Height:	340 mm

CROSS REFERENCE

Quincy	1627412010
Quincy	124487-020



SC-6062

SPECIFICATIONS

Flange Size:	600 mm
Outer Dia.:	530 mm
Inner Dia.:	464 mm
Body Height:	920 mm
Total Height:	920 mm

CROSS REFERENCE

Quincy	2013402046
Sotras	DB2392



SC-6063

SPECIFICATIONS

Flange Size:	600 mm
Outer Dia.:	274 mm
Inner Dia.:	213 mm
Body Height:	720 mm
Total Height:	720 mm

CROSS REFERENCE

Quincy	122117-7
Quincy	2013402007



SC-6064

SPECIFICATIONS

Flange Size:	550 mm
Outer Dia.:	400 mm
Inner Dia.:	314 mm
Body Height:	700 mm
Total Height:	700 mm

CROSS REFERENCE

Atlas Copco	1630801200
Atlas Copco	3002605130



SC-6065

SPECIFICATIONS

Flange Size:	220 mm
Outer Dia.:	168 mm
Inner Dia.:	122 mm
Body Height:	160 mm
Total Height:	172/186 mm

CROSS REFERENCE

Atlas Copco	2911001200
Atlas Copco	1619624800



SC-6066

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	370 mm
Total Height:	370 mm

CROSS REFERENCE

Atlas Copco	2205269477



SC-6067

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	220 mm
Total Height:	220 mm

CROSS REFERENCE

Atlas Copco	1625430125
Atlas Copco	1622646001



SC-6068

SPECIFICATIONS

Flange Size:	240 mm
Outer Dia.:	132 mm
Inner Dia.:	75 mm
Body Height:	155 mm
Total Height:	155 mm

CROSS REFERENCE

Atlas Copco	1625703700
Atlas Copco	2901196400



SC-6069

SPECIFICATIONS

Flange Size:	135 mm
Outer Dia.:	88 mm
Inner Dia.:	44/27 mm
Body Height:	235 mm
Total Height:	255 mm

CROSS REFERENCE

Atlas Copco	1626016380
Atlas Copco	2911016000



SC-6070

SPECIFICATIONS

Flange Size:	102 mm
Outer Dia.:	62 mm
Inner Dia.:	29 mm
Body Height:	130 mm
Total Height:	148 mm

CROSS REFERENCE

Atlas Copco	2911009300
Atlas Copco	2911010500



SC-6071

SPECIFICATIONS

Flange Size:	292 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	350 mm
Total Height:	350 mm

CROSS REFERENCE

Bolaite	1625165727
Atlas Copco	1625106671



SC-6072

SPECIFICATIONS

Flange Size:	262 mm
Outer Dia.:	262 mm
Inner Dia.:	76/45 mm
Body Height:	440 mm
Total Height:	469 mm

CROSS REFERENCE

Atlas Copco	1604032081
Atlas Copco	2911014802



SC-6073

SPECIFICATIONS

Flange Size:	440 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	500 mm
Total Height:	500 mm

CROSS REFERENCE

United OSD	1101900010



SC-6074

SPECIFICATIONS

Flange Size:	160 mm
Outer Dia.:	160 mm
Inner Dia.:	118 mm
Body Height:	490 mm
Total Height:	515 mm

CROSS REFERENCE

Atlas Copco	1635646692
Atlas Copco	1094805800



SC-6075

SPECIFICATIONS

Flange Size:	180 mm
Outer Dia.:	120 mm
Inner Dia.:	50 mm
Body Height:	340 mm
Total Height:	367 mm

CROSS REFERENCE

Atlas Copco	1094132180
HiFi Filter	OA1275



SC-6076

SPECIFICATIONS

Flange Size:	342 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	374 mm
Total Height:	374 mm

CROSS REFERENCE

Atlas Copco	2901918000
Atlas Copco	1631202110



SC-6077

SPECIFICATIONS

Flange Size:	400 mm
Outer Dia.:	237 mm
Inner Dia.:	176 mm
Body Height:	330 mm
Total Height:	330 mm

CROSS REFERENCE

Atlas Copco	2901990098
Atlas Copco	1649800141



SC-6078

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	220 mm
Total Height:	220 mm

CROSS REFERENCE

Atlas Copco	2911643000



SC-6079

SPECIFICATIONS

Flange Size:	280 mm
Outer Dia.:	280 mm
Inner Dia.:	200 mm
Body Height:	360 mm
Total Height:	360 mm

CROSS REFERENCE

Atlas Copco	2906904500
Atlas Copco	1621865100



SC-6080

SPECIFICATIONS

Flange Size:	500 mm
Outer Dia.:	345 mm
Inner Dia.:	264 mm
Body Height:	320 mm
Total Height:	320 mm

CROSS REFERENCE

Atlas Copco	1094805800
Atlas Copco	3002605770



SC-6081

SPECIFICATIONS

Flange Size:	260 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	225 mm
Total Height:	225 mm

CROSS REFERENCE

Atlas Copco	2204213899
Atlas Copco	2204223635



SC-6082

SPECIFICATIONS

Flange Size:	290 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	340 mm
Total Height:	340 mm

CROSS REFERENCE

Atlas Copco	1625181171



SC-6083

SPECIFICATIONS

Flange Size:	305 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	280 mm
Total Height:	280 mm

CROSS REFERENCE

Atlas Copco	1092900355
Atlas Copco	1092900356



SC-6084

SPECIFICATIONS

Flange Size:	410 mm
Outer Dia.:	238 mm
Inner Dia.:	170 mm
Body Height:	325 mm
Total Height:	325 mm

CROSS REFERENCE

Atlas Copco	1092900362



SC-6085

SPECIFICATIONS

Flange Size:	310 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	275 mm
Total Height:	275 mm

CROSS REFERENCE

Atlas Copco	1092900357
Atlas Copco	1092900358




SC-6086

SPECIFICATIONS

Flange Size:	550 mm
Outer Dia.:	397 mm
Inner Dia.:	315 mm
Body Height:	380 mm
Total Height:	380 mm

CROSS REFERENCE

Atlas Copco	1092137310
Atlas Copco	1092137398



SC-6087

SPECIFICATIONS

Flange Size:	550 mm
Outer Dia.:	397 mm
Inner Dia.:	315 mm
Body Height:	480 mm
Total Height:	480 mm

CROSS REFERENCE

Atlas Copco	3002604840
Atlas Copco	1092137300




SC-6088

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	170 mm
Inner Dia.:	120 mm
Body Height:	370 mm
Total Height:	370 mm

CROSS REFERENCE

Atlas Copco	6211385100
Creyssensac	411113676



SC-6089

SPECIFICATIONS

Flange Size:	400 mm
Outer Dia.:	275 mm
Inner Dia.:	220 mm
Body Height:	500 mm
Total Height:	500 mm

CROSS REFERENCE

Atlas Copco	2911002100
Atlas Copco	2252631301



SC-6090

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	370 mm
Total Height:	370 mm

CROSS REFERENCE

Atlas Copco	6211367600
Ceccato	41113676



SC-6101

SPECIFICATIONS

Flange Size:	196 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	217 mm
Total Height:	217 mm

CROSS REFERENCE

Ingersoll Rand	39751391
Atlas Copco	2255300320



SC-6102

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	160 mm
Total Height:	160 mm

CROSS REFERENCE

Ingersoll Rand	54595442
Ingersoll Rand	42545368



SC-6103

SPECIFICATIONS

Flange Size:	195 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	230 mm
Total Height:	230 mm

CROSS REFERENCE

Ingersoll Rand	92754688
Mann Filter	LE13014X



SC-6104

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	265 mm
Inner Dia.:	210 mm
Body Height:	190 mm
Total Height:	190 mm

CROSS REFERENCE

Ingersoll Rand	54601513
Ingersoll Rand	39894597



SC-6105

SPECIFICATIONS

Flange Size:	375 mm
Outer Dia.:	275 mm
Inner Dia.:	210 mm
Body Height:	430 mm
Total Height:	430 mm

CROSS REFERENCE

Ingersoll Rand	54509427
Mann Filter	4930455131



SC-6106

SPECIFICATIONS

Flange Size:	430 mm
Outer Dia.:	346 mm
Inner Dia.:	264 mm
Body Height:	468 mm
Total Height:	468 mm

CROSS REFERENCE

Atlas Copco	2658374918
Ingersoll Rand	22219174



SC-6107

SPECIFICATIONS

Flange Size:	430 mm
Outer Dia.:	346 mm
Inner Dia.:	264 mm
Body Height:	468 mm
Total Height:	468 mm

CROSS REFERENCE

Ingersoll Rand	39890678
Ingersoll Rand	39863881



SC-6108

SPECIFICATIONS

Flange Size:	430 mm
Outer Dia.:	380 mm
Inner Dia.:	280 mm
Body Height:	415 mm
Total Height:	415 mm

CROSS REFERENCE

Ingersoll Rand	39890660
Ingersoll Rand	39863873



SC-6109

SPECIFICATIONS

Flange Size:	336 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	355 mm
Total Height:	355 mm

CROSS REFERENCE

Ingersoll Rand	39863817
Ingersoll Rand	99273906



SC-6110

SPECIFICATIONS

Flange Size:	505 mm
Outer Dia.:	375 mm
Inner Dia.:	240 mm
Body Height:	585 mm
Total Height:	585 mm

CROSS REFERENCE

Ingersoll Rand	22402317
Ingersoll Rand	36754406



SC-6111

SPECIFICATIONS

Flange Size:	372 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	455mm
Total Height:	455 mm

CROSS REFERENCE

Ingersoll Rand	39863865
Ingersoll Rand	39831912



SC-6112

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	275 mm
Inner Dia.:	213 mm
Body Height:	250 mm
Total Height:	265 mm

CROSS REFERENCE

Ingersoll Rand	92699198
Ingersoll Rand	92101153



SC-6113

SPECIFICATIONS

Flange Size:	434 mm
Outer Dia.:	395 mm
Inner Dia.:	320 mm
Body Height:	620 mm
Total Height:	620 mm

CROSS REFERENCE

Ekomak	MKN000922
Ingersoll Rand	36932495



SC-6114

SPECIFICATIONS

Flange Size:	177 mm
Outer Dia.:	132 mm
Inner Dia.:	75 mm
Body Height:	306 mm
Total Height:	306 mm

CROSS REFERENCE

Ingersoll Rand	54625842
Mann Filter	LE 13 007



SC-6115

SPECIFICATIONS

Flange Size:	112 mm
Outer Dia.:	75 mm
Inner Dia.:	28 mm
Body Height:	220 mm
Total Height:	235 mm

CROSS REFERENCE

Ingersoll Rand	92824473
Sotras	DB2136



SC-6116

SPECIFICATIONS

Flange Size:	177 mm
Outer Dia.:	132 mm
Inner Dia.:	75 mm
Body Height:	305 mm
Total Height:	305 mm

CROSS REFERENCE

Ingersoll Rand	98286650
Ingersoll Rand	92078609



SC-6117

SPECIFICATIONS

Flange Size:	383 mm
Outer Dia.:	275 mm
Inner Dia.:	209 mm
Body Height:	460 mm
Total Height:	460 mm

CROSS REFERENCE

Ingersoll Rand	23566938
Mann Filter	LE40 001



SC-6118

SPECIFICATIONS

Flange Size:	328 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	250 mm
Total Height:	250 mm

CROSS REFERENCE

Ingersoll Rand	92719434
Sotras	DB2060



SC-6119

SPECIFICATIONS

Flange Size:	380 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	430 mm
Total Height:	430 mm

CROSS REFERENCE

Ingersoll Rand	23782386



SC-6120

SPECIFICATIONS

Flange Size:	297 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	332 mm
Total Height:	332 mm

CROSS REFERENCE

Ingersoll Rand	22402242
Doosan	46555952



SC-6121

SPECIFICATIONS

Flange Size:	273 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	430 mm
Total Height:	442 mm

CROSS REFERENCE

Ingersoll Rand	83603496
Atlas Copco	2255300511



SC-6122

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	135 mm
Inner Dia.:	88 mm
Body Height:	305 mm
Total Height:	317 mm

CROSS REFERENCE

Ingersoll Rand	93604031
Compair	A00489174



SC-6123

SPECIFICATIONS

Flange Size:	330 mm
Outer Dia.:	238 mm
Inner Dia.:	170 mm
Body Height:	210 mm
Total Height:	210 mm

CROSS REFERENCE

Ingersoll Rand	38008587
Ingersoll Rand	54639802



SC-6124

SPECIFICATIONS

Flange Size:	440 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	500 mm
Total Height:	500 mm

CROSS REFERENCE

Ingersoll Rand	88181755
Ingersoll Rand	92765783



SC-6125

SPECIFICATIONS

Flange Size:	252 mm
Outer Dia.:	174 mm
Inner Dia.:	100 mm
Body Height:	235 mm
Total Height:	235 mm

CROSS REFERENCE

Ingersoll Rand	35858927
Ingersoll Rand	35083880



SC-6126

SPECIFICATIONS

Flange Size:	165 mm
Outer Dia.:	110 mm
Inner Dia.:	60 mm
Body Height:	100 mm
Total Height:	100 mm

CROSS REFERENCE

Ingersoll Rand	22305577
Mann Filter	LE4006



SC-6127

SPECIFICATIONS

Flange Size:	165 mm
Outer Dia.:	110 mm
Inner Dia.:	60 mm
Body Height:	250 mm
Total Height:	250 mm

CROSS REFERENCE

Ingersoll Rand	92522135
Mann Filter	LE 9035



SC-6128

SPECIFICATIONS

Flange Size:	187 mm
Outer Dia.:	124 mm
Inner Dia.:	64 mm
Body Height:	238 mm
Total Height:	276 mm

CROSS REFERENCE

Ingersoll Rand	39846787
Ingersoll Rand	39843693



SC-6129

SPECIFICATIONS

Flange Size:	430 mm
Outer Dia.:	346 mm
Inner Dia.:	264 mm
Body Height:	420 mm
Total Height:	420 mm

CROSS REFERENCE

Ingersoll Rand	54509500



SC-6130

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	274 mm
Inner Dia.:	208 mm
Body Height:	500 mm
Total Height:	500 mm

CROSS REFERENCE

Ingersoll Rand	89285761
Ingersoll Rand	22958144



SC-6131

SPECIFICATIONS

Flange Size:	165 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	230 mm
Total Height:	230 mm

CROSS REFERENCE

Ingersoll Rand	88200753
Kaeser	6.3789.0



SC-6132

SPECIFICATIONS

Flange Size:	165 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	250 mm
Total Height:	250 mm

CROSS REFERENCE

Ingersoll Rand	88200357
Ingersoll Rand	92128883



SC-6133

SPECIFICATIONS

Flange Size:	240 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	265 mm
Total Height:	265 mm

CROSS REFERENCE

Ingersoll Rand	39734892
Mann Filter	LE 15 011



SC-6134

SPECIFICATIONS

Flange Size:	335 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	325 mm
Total Height:	325 mm

CROSS REFERENCE

Ingersoll Rand	22291280
Ingersoll Rand	35856376



SC-6135

SPECIFICATIONS

Flange Size:	388 mm
Outer Dia.:	292 mm
Inner Dia.:	213 mm
Body Height:	280 mm
Total Height:	280 mm

CROSS REFERENCE

Ingersoll Rand	36891315
Ingersoll Rand	228788474



SC-6136

SPECIFICATIONS

Flange Size:	298 mm
Outer Dia.:	220 mm
Inner Dia.:	157 mm
Body Height:	330 mm
Total Height:	330 mm

CROSS REFERENCE

Ingersoll Rand	36762250
Ingersoll Rand	33762250



SC-6137

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	230 mm
Total Height:	230 mm

CROSS REFERENCE

Ingersoll Rand	39831888
Atlas Copco	2255300504



SC-6138

SPECIFICATIONS

Flange Size:	132 mm
Outer Dia.:	132 mm
Inner Dia.:	76 mm
Body Height:	130 mm
Total Height:	130 mm

CROSS REFERENCE

Ingersoll Rand	93505519
Mann Filter	LE 6010



SC-6139

SPECIFICATIONS

Flange Size:	265 mm
Outer Dia.:	170 mm
Inner Dia.:	108 mm
Body Height:	282 mm
Total Height:	282 mm

CROSS REFERENCE

Ingersoll Rand	38008579
Mann Filter	LE15013X




SC-6140

SPECIFICATIONS

Flange Size:	240 mm
Outer Dia.:	200 mm
Inner Dia.:	133 mm
Body Height:	150 mm
Total Height:	150 mm

CROSS REFERENCE

Ingersoll Rand	39895610
Ingersoll Rand	22089551



SC-6141

SPECIFICATIONS

Flange Size:	134 mm
Outer Dia.:	134 mm
Inner Dia.:	86 mm
Body Height:	147 mm
Total Height:	147 mm

CROSS REFERENCE

Ingersoll Rand	42412452
Ingersoll Rand	39316054



SC-6142

SPECIFICATIONS

Flange Size:	296 mm
Outer Dia.:	275 mm
Inner Dia.:	210 mm
Body Height:	250 mm
Total Height:	250 mm

CROSS REFERENCE

Ingersoll Rand	54721345
Ingersoll Rand	22111975



SC-6143

SPECIFICATIONS

Flange Size:	298 mm
Outer Dia.:	264 mm
Inner Dia.:	200 mm
Body Height:	330 mm
Total Height:	330 mm

CROSS REFERENCE

Ingersoll Rand	36732666
Ingersoll Rand	22402341



SC-6144

SPECIFICATIONS

Flange Size:	180 mm
Outer Dia.:	146 mm
Inner Dia.:	82 mm
Body Height:	292 mm
Total Height:	292 mm

CROSS REFERENCE

Ingersoll Rand	36845303
Ingersoll Rand	36514057



SC-6145

SPECIFICATIONS

Flange Size:	183 mm
Outer Dia.:	146 mm
Inner Dia.:	84 mm
Body Height:	252 mm
Total Height:	252 mm

CROSS REFERENCE

Ingersoll Rand	54447373
Ingersoll Rand	36845311



SC-6146

SPECIFICATIONS

Flange Size:	375 mm
Outer Dia.:	275 mm
Inner Dia.:	210 mm
Body Height:	400 mm
Total Height:	400 mm

CROSS REFERENCE

Soumac	SC-6146



SC-6147

SPECIFICATIONS

Flange Size:	297 mm
Outer Dia.:	238 mm
Inner Dia.:	171 mm
Body Height:	277 mm
Total Height:	277 mm

CROSS REFERENCE

Ingersoll Rand	23708423
Mann Filter	LE21007



SC-6148

SPECIFICATIONS

Flange Size:	165 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	130 mm
Total Height:	130 mm

CROSS REFERENCE

Ingersoll Rand	88226238
Ingersoll Rand	89264774



SC-6149

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	270 mm
Inner Dia.:	180 mm
Body Height:	440 mm
Total Height:	440 mm

CROSS REFERENCE

Ingersoll Rand	54641519
Keltec	KV800-026P



SC-6150

SPECIFICATIONS

Flange Size:	215 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	165 mm
Total Height:	165 mm

CROSS REFERENCE

Ingersoll Rand	22570691
Mann Filter	LE7001



SC-6151

SPECIFICATIONS

Flange Size:	328 mm
Outer Dia.:	275 mm
Inner Dia.:	220 mm
Body Height:	305 mm
Total Height:	305 mm

CROSS REFERENCE

Ingersoll Rand	92038595
Mann Filter	LE27006



SC-6152

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	270 mm
Inner Dia.:	200 mm
Body Height:	436 mm
Total Height:	436 mm

CROSS REFERENCE

Ingersoll Rand	22402291
Keltec	KV960-005



SC-6153

SPECIFICATIONS

Flange Size:	185 mm
Outer Dia.:	150 mm
Inner Dia.:	85 mm
Body Height:	300 mm
Total Height:	300 mm

CROSS REFERENCE

Soumac	SC-6153



SC-6154

SPECIFICATIONS

Flange Size:	245 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	235 mm
Total Height:	235 mm

CROSS REFERENCE

Ingersoll Rand	24163537



SC-6155

SPECIFICATIONS

Flange Size:	240 mm
Outer Dia.:	162 mm
Inner Dia.:	100 mm
Body Height:	230 mm
Total Height:	230 mm

CROSS REFERENCE

Ingersoll Rand	23675010
Mann Filter	LE13037x



SC-6156

SPECIFICATIONS

Flange Size:	70 mm
Outer Dia.:	70 mm
Inner Dia.:	28 mm
Body Height:	96 mm
Total Height:	126 mm

CROSS REFERENCE

Ingersoll Rand	24850760
Ingersoll Rand	24771180



SC-6157

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	264 mm
Inner Dia.:	190 mm
Body Height:	255 mm
Total Height:	255 mm

CROSS REFERENCE

Soumac	SC-6157



SC-6158

SPECIFICATIONS

Flange Size:	182 mm
Outer Dia.:	146 mm
Inner Dia.:	83 mm
Body Height:	280 mm
Total Height:	280 mm

CROSS REFERENCE

Keltec	KV220-023P



SC-6159

SPECIFICATIONS

Flange Size:	440 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	350 mm
Total Height:	350 mm

CROSS REFERENCE

Ingersoll Rand	93188019
Ingersoll Rand	88181763



SC-6160

SPECIFICATIONS

Flange Size:	339 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	460 mm
Total Height:	460 mm

CROSS REFERENCE

Ingersoll Rand	47758714001



SC-6201

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	248 mm
Total Height:	248 mm

CROSS REFERENCE

Sullair	02250121-500
Sullair	02250137-895



SC-6202

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	264 mm
Inner Dia.:	180 mm
Body Height:	275 mm
Total Height:	275 mm

CROSS REFERENCE

Sullair	02250100-755
Sullair	02250100-753



SC-6203

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	140 mm
Inner Dia.:	83 mm
Body Height:	235 mm
Total Height:	235 mm

CROSS REFERENCE

Sullair	02250100-756
Sullair	02250100-754



SC-6204

SPECIFICATIONS

Flange Size:	270 mm
Outer Dia.:	205 mm
Inner Dia.:	133 mm
Body Height:	405 mm
Total Height:	405 mm

CROSS REFERENCE

Sullair	250034-116
Sullair	02250061-137



SC-6205

SPECIFICATIONS

Flange Size:	270 mm
Outer Dia.:	102 mm
Inner Dia.:	58 mm
Body Height:	360 mm
Total Height:	360 mm

CROSS REFERENCE

Sullair	02250061-138
Sullair	250042-862



SC-6206

SPECIFICATIONS

Flange Size:	350 mm
Outer Dia.:	275 mm
Inner Dia.:	190 mm
Body Height:	620 mm
Total Height:	620 mm

CROSS REFERENCE

Sullair	250034-085
Curtis	RN27527



SC-6207

SPECIFICATIONS

Flange Size:	350 mm
Outer Dia.:	140 mm
Inner Dia.:	83 mm
Body Height:	460 mm
Total Height:	460 mm

CROSS REFERENCE

Sullair	02250048-734
Sullair	02250047-808



SC-6208

SPECIFICATIONS

Flange Size:	353 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	660 mm
Total Height:	660 mm

CROSS REFERENCE

Sullair	250034-122
Sullair	250034-121



SC-6209

SPECIFICATIONS

Flange Size:	353 mm
Outer Dia.:	173 mm
Inner Dia.:	98 mm
Body Height:	457 mm
Total Height:	457 mm

CROSS REFERENCE

Sullair	250034-134
Sullair	250034-133



SC-6210

SPECIFICATIONS

Flange Size:	597 mm
Outer Dia.:	480 mm
Inner Dia.:	380 mm
Body Height:	570 mm
Total Height:	570 mm

CROSS REFERENCE

Sullair	250034-124
Sullair	250034-123



SC-6211

SPECIFICATIONS

Flange Size:	597 mm
Outer Dia.:	275 mm
Inner Dia.:	190 mm
Body Height:	430 mm
Total Height:	430 mm

CROSS REFERENCE

Sullair	250034-130
Sullair	250034-129



SC-6212

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	230 mm
Total Height:	242 mm

CROSS REFERENCE

Sullair	250034-114
ELGI	010350060



SC-6213

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	170 mm
Total Height:	170 mm

CROSS REFERENCE

Sullair	250034-112
Sullair	250034-143



SC-6214

SPECIFICATIONS

Flange Size:	429 mm
Outer Dia.:	375 mm
Inner Dia.:	286 mm
Body Height:	615 mm
Total Height:	615 mm

CROSS REFERENCE

Sullair	250034-082
Keltec	KV1450-005P



SC-6215

SPECIFICATIONS

Flange Size:	350 mm
Outer Dia.:	272 mm
Inner Dia.:	208 mm
Body Height:	500 mm
Total Height:	500 mm

CROSS REFERENCE

Sullair	250034-086
Keltec	KV840-002P



SC-6216

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	165/135 mm
Inner Dia.:	75 mm
Body Height:	260 mm
Total Height:	275 mm

CROSS REFERENCE

Sullair	260017-001
Chicopee	CEV511SP




SC-6217

SPECIFICATIONS

Flange Size:	590 mm
Outer Dia.:	482 mm
Inner Dia.:	370 mm
Body Height:	920 mm
Total Height:	920 mm

CROSS REFERENCE

Sullair	02250109-319
Sullair	250034-126



SC-6218

SPECIFICATIONS

Flange Size:	590 mm
Outer Dia.:	274 mm
Inner Dia.:	189 mm
Body Height:	676 mm
Total Height:	676 mm

CROSS REFERENCE

Sullair	02250109-321
Sullair	250034-132



SC-6219

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	175 mm
Total Height:	175 mm

CROSS REFERENCE

Sullair	68561857
Mann Filter	LE8004X



SC-6220

SPECIFICATIONS

Flange Size:	140 mm
Outer Dia.:	69 mm
Inner Dia.:	50 mm
Body Height:	202 mm
Total Height:	226 mm

CROSS REFERENCE

Sullair	02250160-773
Sullair	02250215-617



SC-6221

SPECIFICATIONS

Flange Size:	81 mm
Outer Dia.:	81 mm
Inner Dia.:	33 mm
Body Height:	255 mm
Total Height:	293 mm

CROSS REFERENCE

Sullair	02250106-791
Sullair	02250106-789



SC-6222

SPECIFICATIONS

Flange Size:	273 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	285 mm
Total Height:	285 mm

CROSS REFERENCE

Kaishan	537704312100
Atlas Copco	1627410123



SC-6223

SPECIFICATIONS

Flange Size:	295 mm
Outer Dia.:	240 mm
Inner Dia.:	178 mm
Body Height:	368 mm
Total Height:	368 mm

CROSS REFERENCE

Sullair	88290019-362
Keltec	KV265-030



SC-6224

SPECIFICATIONS

Flange Size:	295 mm
Outer Dia.:	264 mm
Inner Dia.:	180 mm
Body Height:	280 mm
Total Height:	280 mm

CROSS REFERENCE

Sullair	88291009-035
Keltec	KV570-030P



SC-6225

SPECIFICATIONS

Flange Size:	295 mm
Outer Dia.:	150 mm
Inner Dia.:	83 mm
Body Height:	235 mm
Total Height:	235 mm

CROSS REFERENCE

Sullair	88291009-036
Keltec	KV105-049



SC-6226

SPECIFICATIONS

Flange Size:	108 mm
Outer Dia.:	108 mm
Inner Dia.:	57 mm
Body Height:	205 mm
Total Height:	214 mm

CROSS REFERENCE

Sullair	88290015-567
Keltec	KD85-047P



SC-6227

SPECIFICATIONS

Flange Size:	140 mm
Outer Dia.:	140 mm
Inner Dia.:	68 mm
Body Height:	341 mm
Total Height:	361 mm

CROSS REFERENCE

Sullair	02250160-774
Sullair	02250215-621



SC-6228

SPECIFICATIONS

Flange Size:	84 mm
Outer Dia.:	82/41 mm
Inner Dia.:	32 mm
Body Height:	126 mm
Total Height:	143 mm

CROSS REFERENCE

GSU	178232143



SC-6229

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	170/132 mm
Inner Dia.:	75 mm
Body Height:	260 mm
Total Height:	275 mm

CROSS REFERENCE

Soumac	SC-6229



SC-6230

SPECIFICATIONS

Flange Size:	273 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	279 mm
Total Height:	279 mm

CROSS REFERENCE

Sullair	250034-087
Sullair	250005-547



SC-6231

SPECIFICATIONS

Flange Size:	275 mm
Outer Dia.:	275 mm
Inner Dia.:	213 mm
Body Height:	413 mm
Total Height:	413 mm

CROSS REFERENCE

Sullair	250028-244
Sullair	409805-007



SC-6232

SPECIFICATIONS

Flange Size:	55 mm
Outer Dia.:	55 mm
Inner Dia.:	30 mm
Body Height:	177 mm
Total Height:	220 mm

CROSS REFERENCE

Sullair	250028-033
Sullair	250025-264



SC-6233

SPECIFICATIONS

Flange Size:	525 mm
Outer Dia.:	378 mm
Inner Dia.:	264 mm
Body Height:	690 mm
Total Height:	690 mm

CROSS REFERENCE

Sullair	88298001-705
Keltec	KV2200-029P



SC-6234

SPECIFICATIONS

Flange Size:	525 mm
Outer Dia.:	213 mm
Inner Dia.:	133 mm
Body Height:	610 mm
Total Height:	610 mm

CROSS REFERENCE

Sullair	88298002-137
Keltec	KV900-064P



SC-6235

SPECIFICATIONS

Flange Size:	273 mm
Outer Dia.:	220 mm
Inner Dia.:	157 mm
Body Height:	230 mm
Total Height:	230 mm

CROSS REFERENCE

Sotras	DB2105
Ceccato	640919



SC-6236

SPECIFICATIONS

Flange Size:	84 mm
Outer Dia.:	82/41 mm
Inner Dia.:	32 mm
Body Height:	126 mm
Total Height:	143 mm

CROSS REFERENCE

Sullair	88290015-049
HiFi	OA1252




SC-6237

SPECIFICATIONS

Flange Size:	560 mm
Outer Dia.:	475 mm
Inner Dia.:	380 mm
Body Height:	770 mm
Total Height:	770 mm

CROSS REFERENCE

Sullair	88298004-776



SC-6238

SPECIFICATIONS

Flange Size:	560 mm
Outer Dia.:	270 mm
Inner Dia.:	190 mm
Body Height:	425 mm
Total Height:	425 mm

CROSS REFERENCE

Sullair	88298004-783



SC-6239

SPECIFICATIONS

Flange Size:	275 mm
Outer Dia.:	210 mm
Inner Dia.:	133 mm
Body Height:	400 mm
Total Height:	400 mm

CROSS REFERENCE

Sullair	88291006-940



SC-6240

SPECIFICATIONS

Flange Size:	354 mm
Outer Dia.:	300 mm
Inner Dia.:	235 mm
Body Height:	663 mm
Total Height:	663 mm

CROSS REFERENCE

Sullair	250034-120
ELGI	220413260



SC-6241

SPECIFICATIONS

Flange Size:	354 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	585 mm
Total Height:	585 mm

CROSS REFERENCE

Sullair	250034-128
ELGI	220413270



SC-6242

SPECIFICATIONS

Flange Size:	350 mm
Outer Dia.:	292 mm
Inner Dia.:	220 mm
Body Height:	448 mm
Total Height:	448 mm

CROSS REFERENCE

Sullivan	3052100004



SC-6243

SPECIFICATIONS

Flange Size:	350 mm
Outer Dia.:	168 mm
Inner Dia.:	92 mm
Body Height:	355 mm
Total Height:	355 mm

CROSS REFERENCE

Sullivan	3052100012



SC-6244

SPECIFICATIONS

Flange Size:	180 mm
Outer Dia.:	145/110 mm
Inner Dia.:	65 mm
Body Height:	260 mm
Total Height:	322 mm

CROSS REFERENCE

Champion	561371
Sotras	DB2403



SC-6245

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	240/170 mm
Inner Dia.:	90 mm
Body Height:	345 mm
Total Height:	405 mm

CROSS REFERENCE

Soumac	SC-6245



SC-6246

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	250 mm
Inner Dia.:	160 mm
Body Height:	615 mm
Total Height:	615 mm

CROSS REFERENCE

Soumac	SC-6246



SC-6247

SPECIFICATIONS

Flange Size:	360 mm
Outer Dia.:	360 mm
Inner Dia.:	200 mm
Body Height:	300 mm
Total Height:	300 mm

CROSS REFERENCE

Soumac	SC-6247



SC-6248

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	200 mm
Total Height:	200 mm

CROSS REFERENCE

CrossAir	01.14.03.02000.003



SC-6249

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	95 mm
Inner Dia.:	45 mm
Body Height:	162 mm
Total Height:	162 mm

CROSS REFERENCE

CrossAir	01.14.01.02000.003



SC-6250

SPECIFICATIONS

Flange Size:	190 mm
Outer Dia.:	190/115 mm
Inner Dia.:	140/61 mm
Body Height:	455 mm
Total Height:	480 mm

CROSS REFERENCE

Sullair	02250168-375
Sullair	02250168-415




SC-6251

SPECIFICATIONS

Flange Size:	138 mm
Outer Dia.:	69 mm
Inner Dia.:	59.5 mm
Body Height:	324 mm
Total Height:	348 mm

CROSS REFERENCE

Sullair	02250106-645
Sullair	02250106-706



SC-6252

SPECIFICATIONS

Flange Size:	215 mm
Outer Dia.:	183/122 mm
Inner Dia.:	78 mm
Body Height:	324 mm
Total Height:	375 mm

CROSS REFERENCE

Champion	561431
Keltec	KV90-035



SC-6253

SPECIFICATIONS

Flange Size:	273 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	300 mm
Total Height:	300 mm

CROSS REFERENCE

Soumac	SC-6253



SC-6254

SPECIFICATIONS

Flange Size:	330 mm
Outer Dia.:	270 mm
Inner Dia.:	200 mm
Body Height:	230 mm
Total Height:	230 mm

CROSS REFERENCE

Seize	2090117



SC-6255

SPECIFICATIONS

Flange Size:	460 mm
Outer Dia.:	345 mm
Inner Dia.:	264 mm
Body Height:	396 mm
Total Height:	396 mm

CROSS REFERENCE

Atlas Copco	175BH-03-40008



SC-6256

SPECIFICATIONS

Flange Size:	335 mm
Outer Dia.:	265 mm
Inner Dia.:	190 mm
Body Height:	400 mm
Total Height:	400 mm

CROSS REFERENCE

Sullivan	3052100003



SC-6257

SPECIFICATIONS

Flange Size:	335 mm
Outer Dia.:	145 mm
Inner Dia.:	90 mm
Body Height:	300 mm
Total Height:	300 mm

CROSS REFERENCE

Sullivan	3072200002



SC-6258

SPECIFICATIONS

Flange Size:	133 mm
Outer Dia.:	133 mm
Inner Dia.:	67 mm
Body Height:	278 mm
Total Height:	290 mm

CROSS REFERENCE

Sullair	88292019-845



SC-6259

SPECIFICATIONS

Flange Size:	500 mm
Outer Dia.:	395 mm
Inner Dia.:	315 mm
Body Height:	500 mm
Total Height:	500 mm

CROSS REFERENCE

Sullivan	3240500002



SC-6260

SPECIFICATIONS

Flange Size:	500 mm
Outer Dia.:	265 mm
Inner Dia.:	190 mm
Body Height:	460 mm
Total Height:	460 mm

CROSS REFERENCE

Sullivan	3240600001



SC-6301

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	203 mm
Total Height:	203 mm

CROSS REFERENCE

Compair	100007587
Gardner Denver	ZS1212836



SC-6302

SPECIFICATIONS

Flange Size:	273 mm
Outer Dia.:	220 mm
Inner Dia.:	157 mm
Body Height:	305 mm
Total Height:	305 mm

CROSS REFERENCE

Compair	100005424
Compair	ZS1063829



SC-6303

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	292 mm
Inner Dia.:	220 mm
Body Height:	400 mm
Total Height:	400 mm

CROSS REFERENCE

Fusheng	91111-001
Jaguar	OLA00150N



SC-6304

SPECIFICATIONS

Flange Size:	439 mm
Outer Dia.:	393 mm
Inner Dia.:	305 mm
Body Height:	370 mm
Total Height:	370 mm

CROSS REFERENCE

Compair	A11427274
Mann Filter	LE46001X



SC-6305

SPECIFICATIONS

Flange Size:	439 mm
Outer Dia.:	393 mm
Inner Dia.:	305 mm
Body Height:	515 mm
Total Height:	515 mm

CROSS REFERENCE

Compair	A11427474
Compair	ZS1149273



SC-6306

SPECIFICATIONS

Flange Size:	439 mm
Outer Dia.:	393 mm
Inner Dia.:	305 mm
Body Height:	480 mm
Total Height:	480 mm

CROSS REFERENCE

Compair	A11427374
Compair	A10494474



SC-6307

SPECIFICATIONS

Flange Size:	72 mm
Outer Dia.:	41 mm
Inner Dia.:	26 mm
Body Height:	201 mm
Total Height:	213 mm

CROSS REFERENCE

Ingersoll Rand	39894598
Sotras	DA1080



SC-6308

SPECIFICATIONS

Flange Size:	72 mm
Outer Dia.:	41 mm
Inner Dia.:	26 mm
Body Height:	204 mm
Total Height:	234 mm

CROSS REFERENCE

Sotras	DA1081
Compair	70539



SC-6309

SPECIFICATIONS

Flange Size:	72 mm
Outer Dia.:	41 mm
Inner Dia.:	26 mm
Body Height:	254 mm
Total Height:	284 mm

CROSS REFERENCE

Mattei	59180
Sotras	DA1082




SC-6310

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	160 mm
Total Height:	172 mm

CROSS REFERENCE

Compair	98262/102
Mann Filter	LE9015X



SC-6311

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	230 mm
Total Height:	230 mm

CROSS REFERENCE

Compair	98262-121
HiFi Filter	OS5131



SC-6312

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	250 mm
Total Height:	280 mm

CROSS REFERENCE

Compair	98262/194
Mann Filter	LE14004



SC-6313

SPECIFICATIONS

Flange Size:	273 mm
Outer Dia.:	220 mm
Inner Dia.:	157 mm
Body Height:	230 mm
Total Height:	300 mm

CROSS REFERENCE

Compair	98262-162
Ekomak	MKN000917



SC-6314

SPECIFICATIONS

Flange Size:	348 mm
Outer Dia.:	300 mm
Inner Dia.:	245 mm
Body Height:	450 mm
Total Height:	450 mm

CROSS REFERENCE

Compair	98262/26
Mann Filter	LE43002x



SC-6315

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	300 mm
Inner Dia.:	245 mm
Body Height:	600 mm
Total Height:	612 mm

CROSS REFERENCE

Compair	98262-78
Fusheng	91101-075



SC-6316

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	350 mm
Total Height:	350 mm

CROSS REFERENCE

Compair	98262/173
Gardner Denver	ZS1192230



SC-6317

SPECIFICATIONS

Flange Size:	99 mm
Outer Dia.:	99 mm
Inner Dia.:	60 mm
Body Height:	133 mm
Total Height:	137 mm

CROSS REFERENCE

Hitachi	5372E633



SC-6318

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	445 mm
Total Height:	445 mm

CROSS REFERENCE

Compair	A13010674
Compair	A10651874



SC-6319

SPECIFICATIONS

Flange Size:	165 mm
Outer Dia.:	132 mm
Inner Dia.:	75 mm
Body Height:	140 mm
Total Height:	152 mm

CROSS REFERENCE

Compair	98262-120
Mann Filter	LE6009X



SC-6320

SPECIFICATIONS

Flange Size:	210 mm
Outer Dia.:	125 mm
Inner Dia.:	65 mm
Body Height:	190 mm
Total Height:	190 mm

CROSS REFERENCE

CompAir	QX201653



SC-6321

SPECIFICATIONS

Flange Size:	328 mm
Outer Dia.:	275 mm
Inner Dia.:	220 mm
Body Height:	305 mm
Total Height:	317 mm

CROSS REFERENCE

CompAir	98262-23
Kaeser	6.1961.0



SC-6322

SPECIFICATIONS

Flange Size:	250 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	230 mm
Total Height:	242 mm

CROSS REFERENCE

CompAir	98262/108
Mann Filter	LE13006



SC-6323

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	350 mm
Total Height:	350 mm

CROSS REFERENCE

CompAir	98262/188
CompAir	100004873



SC-6324

SPECIFICATIONS

Flange Size:	320 mm
Outer Dia.:	245 mm
Inner Dia.:	185 mm
Body Height:	400 mm
Total Height:	400 mm

CROSS REFERENCE

Unknow	100HP



SC-6325

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	475 mm
Total Height:	475 mm

CROSS REFERENCE

CompAir	QX103383
Apureda	3221130480



SC-6326

SPECIFICATIONS

Flange Size:	247 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	165 mm
Total Height:	165 mm

CROSS REFERENCE

Gardner Denver	ZS1087415
HiFi Filter	OS5272



SC-6327

SPECIFICATIONS

Flange Size:	238 mm
Outer Dia.:	162 mm
Inner Dia.:	100 mm
Body Height:	290 mm
Total Height:	290 mm

CROSS REFERENCE

Union Tech	810052-050A
Sanfam	KB8416



SC-6328

SPECIFICATIONS

Flange Size:	220 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	163 mm
Total Height:	160 mm

CROSS REFERENCE

Gardner Denver	ZS1110143
Gardner Denver	ZS1087414



SC-6329

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	200 mm
Total Height:	212 mm

CROSS REFERENCE

Compair	98262-021
Sotras	DB2002



SC-6330

SPECIFICATIONS

Flange Size:	305 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	596 mm
Total Height:	596 mm

CROSS REFERENCE

Gardner Denver	ESM66049
Sotras	DB2153



SC-6331

SPECIFICATIONS

Flange Size:	273 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	318 mm
Total Height:	330 mm

CROSS REFERENCE

Compair	98262-77
Sotras	DB2013



SC-6332

SPECIFICATIONS

Flange Size:	84 mm
Outer Dia.:	84 mm
Inner Dia.:	28 mm
Body Height:	330 mm
Total Height:	330 mm

CROSS REFERENCE

RotorComp	115518
Mann Filter	LE9007



SC-6333

SPECIFICATIONS

Flange Size:	340 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	305 mm
Total Height:	305 mm

CROSS REFERENCE

Kaishan	5631130306
Keltec	KV615-013



SC-6334

SPECIFICATIONS

Flange Size:	350 mm
Outer Dia.:	264 mm
Inner Dia.:	210 mm
Body Height:	255 mm
Total Height:	255 mm

CROSS REFERENCE

Denair	1503-F5-10
Denair	1503F510



SC-6335

SPECIFICATIONS

Flange Size:	192 mm
Outer Dia.:	192 mm
Inner Dia.:	134 mm
Body Height:	340 mm
Total Height:	346 mm

CROSS REFERENCE

Sakura	SA-7911
Denyo	DPS270SS



SC-6336

SPECIFICATIONS

Flange Size:	240 mm
Outer Dia.:	162 mm
Inner Dia.:	100 mm
Body Height:	450 mm
Total Height:	450 mm

CROSS REFERENCE

Soumac	SC-6336



SC-6337

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	465 mm
Total Height:	465 mm

CROSS REFERENCE

Hanbell	4213-73



SC-6338

SPECIFICATIONS

Flange Size:	240 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	230 mm
Total Height:	230 mm

CROSS REFERENCE

Elite Air	181030108004Y



SC-6339

SPECIFICATIONS

Flange Size:	335 mm
Outer Dia.:	292 mm
Inner Dia.:	220 mm
Body Height:	305 mm
Total Height:	305 mm

CROSS REFERENCE

August	W9030064



SC-6340

SPECIFICATIONS

Flange Size:	230 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	248 mm
Total Height:	248 mm

CROSS REFERENCE

Soumac	SC-6340



SC-6341

SPECIFICATIONS

Flange Size:	275 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	258 mm
Total Height:	258 mm

CROSS REFERENCE

Soumac	SC-6341



SC-6342

SPECIFICATIONS

Flange Size:	218 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	160 mm
Total Height:	231 mm

CROSS REFERENCE

Compair	98262/8045
Mann Filter	LE9008



SC-6343

SPECIFICATIONS

Flange Size:	130 mm
Outer Dia.:	130 mm
Inner Dia.:	0 mm
Body Height:	205 mm
Total Height:	205 mm

CROSS REFERENCE

Zenix	K320000003



SC-6344

SPECIFICATIONS

Flange Size:	215 mm
Outer Dia.:	215 mm
Inner Dia.:	0 mm
Body Height:	270 mm
Total Height:	270 mm

CROSS REFERENCE

Zenix	K320000013



SC-6345

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	170 mm
Inner Dia.:	54 mm
Body Height:	250 mm
Total Height:	250 mm

CROSS REFERENCE

Zenix	K320000004



SC-6346

SPECIFICATIONS

Flange Size:	430 mm
Outer Dia.:	372 mm
Inner Dia.:	280 mm
Body Height:	695 mm
Total Height:	695 mm

CROSS REFERENCE

Kaishan	537704312470



SC-6347

SPECIFICATIONS

Flange Size:	273 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	370 mm
Total Height:	370 mm

CROSS REFERENCE

Rotair	157145S
Sotras	DB2165



SC-6348

SPECIFICATIONS

Flange Size:	115 mm
Outer Dia.:	90 mm
Inner Dia.:	40 mm
Body Height:	125 mm
Total Height:	125 mm

CROSS REFERENCE

Soumac	SC-6348



SC-6349P

SPECIFICATIONS

Flange Size:	360 mm
Outer Dia.:	265 mm
Inner Dia.:	200 mm
Body Height:	490 mm
Total Height:	490 mm

CROSS REFERENCE

Soumac	SC-6349P



SC-6350P

SPECIFICATIONS

Flange Size:	310 mm
Outer Dia.:	265 mm
Inner Dia.:	200 mm
Body Height:	230 mm
Total Height:	230 mm

CROSS REFERENCE

Other	2024112105
Other	ASEG190310G



SC-6351

SPECIFICATIONS

Flange Size:	118 mm
Outer Dia.:	118 mm
Inner Dia.:	67 mm
Body Height:	198 mm
Total Height:	200 mm

CROSS REFERENCE

Mitsuiseiki	7210044080400



SC-6352

SPECIFICATIONS

Flange Size:	267 mm
Outer Dia.:	213 mm
Inner Dia.:	150 mm
Body Height:	280 mm
Total Height:	280 mm

CROSS REFERENCE

Comaro	04.03.211520



SC-6353

SPECIFICATIONS

Flange Size:	292 mm
Outer Dia.:	240 mm
Inner Dia.:	180 mm
Body Height:	530 mm
Total Height:	530 mm

CROSS REFERENCE

Hitachi	59061610
Hitachi	59062490G



SC-6354

SPECIFICATIONS

Flange Size:	118 mm
Outer Dia.:	118 mm
Inner Dia.:	67 mm
Body Height:	248 mm
Total Height:	250 mm

CROSS REFERENCE

Mitsuiseiki	7112200807621
Airman	34220-13001



SC-6355

SPECIFICATIONS

Flange Size:	118 mm
Outer Dia.:	118 mm
Inner Dia.:	67 mm
Body Height:	270 mm
Total Height:	272 mm

CROSS REFERENCE

Mitsui Seiki	7210404080700
Sotras	DA1271



SC-6356

SPECIFICATIONS

Flange Size:	118 mm
Outer Dia.:	118 mm
Inner Dia.:	67 mm
Body Height:	442 mm
Total Height:	444 mm

CROSS REFERENCE

Mitsui Seiki	7212302080100
Mitsui Seiki	7212302080121



SC-6357

SPECIFICATIONS

Flange Size:	83 mm
Outer Dia.:	83 mm
Inner Dia.:	48 mm
Body Height:	139 mm
Total Height:	139 mm

CROSS REFERENCE

Hitachi	59002660
Sotras	DA1602



SC-6358

SPECIFICATIONS

Flange Size:	238 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	278 mm
Total Height:	278 mm

CROSS REFERENCE

Mitsui Seiki	50HP



SC-6359

SPECIFICATIONS

Flange Size:	118 mm
Outer Dia.:	118 mm
Inner Dia.:	67 mm
Body Height:	288 mm
Total Height:	290 mm

CROSS REFERENCE

Mitsui Seiki	20HP
Sanfam	SA209



SC-6360

SPECIFICATIONS

Flange Size:	292 mm
Outer Dia.:	255 mm
Inner Dia.:	182 mm
Body Height:	620 mm
Total Height:	620 mm

CROSS REFERENCE

Mitsui Seiki	ZD230W



SC-6361P

SPECIFICATIONS

Flange Size:	410 mm
Outer Dia.:	345 mm
Inner Dia.:	265 mm
Body Height:	620 mm
Total Height:	620 mm

CROSS REFERENCE

Mitsui Seiki	Z1505ASH



SC-6362

SPECIFICATIONS

Flange Size:	410 mm
Outer Dia.:	345 mm
Inner Dia.:	265 mm
Body Height:	330 mm
Total Height:	360 mm

CROSS REFERENCE

Mitsui Seiki	7112708254500
Keltec	KV300-041



SC-6363

SPECIFICATIONS

Flange Size:	115 mm
Outer Dia.:	115 mm
Inner Dia.:	65 mm
Body Height:	505 mm
Total Height:	505 mm

CROSS REFERENCE

Mann	LE19002
Sotras	DA1005



SC-6364

SPECIFICATIONS

Flange Size:	382 mm
Outer Dia.:	345 mm
Inner Dia.:	280 mm
Body Height:	300 mm
Total Height:	300 mm

CROSS REFERENCE

LG	C318034159



SC-6365

SPECIFICATIONS

Flange Size:	240 mm
Outer Dia.:	174 mm
Inner Dia.:	121 mm
Body Height:	200 mm
Total Height:	230 mm

CROSS REFERENCE

Airman	34220-07400
Mitsui Seiki	7110450394504



SC-6366

SPECIFICATIONS

Flange Size:	252 mm
Outer Dia.:	216 mm
Inner Dia.:	157 mm
Body Height:	270 mm
Total Height:	270 mm

CROSS REFERENCE

Sanfam	SB361



SC-6367

SPECIFICATIONS

Flange Size:	240 mm
Outer Dia.:	174 mm
Inner Dia.:	121 mm
Body Height:	120 mm
Total Height:	145 mm

CROSS REFERENCE

Keltec	KV41-018



SC-6368

SPECIFICATIONS

Flange Size:	240 mm
Outer Dia.:	174 mm
Inner Dia.:	121 mm
Body Height:	140 mm
Total Height:	168 mm

CROSS REFERENCE

Mitsui Seiki	20HP



SC-6369

SPECIFICATIONS

Flange Size:	240 mm
Outer Dia.:	174 mm
Inner Dia.:	121 mm
Body Height:	160 mm
Total Height:	190 mm

CROSS REFERENCE

Mitsui Seiki	7110004391200
Mitsui Seiki	7110004391220



SC-6370

SPECIFICATIONS

Flange Size:	195 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	205 mm
Total Height:	205 mm

CROSS REFERENCE

Ziqi	15220602
Keltec	KV66-097



SC-6401

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	170 mm
Inner Dia.:	122 mm
Body Height:	305 mm
Total Height:	317 mm

CROSS REFERENCE

Fusheng	91108-020
Ingersoll Rand	93618171



SC-6402

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	440 mm
Total Height:	440 mm

CROSS REFERENCE

Fusheng	91101-040
Kaeser	6.3541.0



SC-6403

SPECIFICATIONS

Flange Size:	273 mm
Outer Dia.:	220 mm
Inner Dia.:	257 mm
Body Height:	600 mm
Total Height:	612 mm

CROSS REFERENCE

Fusheng	91101-050
Kaeser	6.2014.0



SC-6404

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	300 mm
Inner Dia.:	245 mm
Body Height:	820 mm
Total Height:	832 mm

CROSS REFERENCE

Fusheng	91101-175
Sotras	DB2055



SC-6405

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	300 mm
Inner Dia.:	245 mm
Body Height:	1000 mm
Total Height:	1012 mm

CROSS REFERENCE

Fusheng	91101-200
Sotras	DB2147



SC-6406

SPECIFICATIONS

Flange Size:	570 mm
Outer Dia.:	475 mm
Inner Dia.:	400 mm
Body Height:	900 mm
Total Height:	920 mm

CROSS REFERENCE

Fusheng	91101-300
Compair	98262-13



SC-6407

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	305 mm
Total Height:	305 mm

CROSS REFERENCE

Fusheng	91111-003
Fusheng	2116010158



SC-6408

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	500 mm
Total Height:	500 mm

CROSS REFERENCE

Fusheng	91111-007
Compair	98262/174



SC-6409

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	600 mm
Total Height:	600 mm

CROSS REFERENCE

Fusheng	91111-008
Kobelco	PS-CE03-501




SC-6410

SPECIFICATIONS

Flange Size:	240 mm
Outer Dia.:	140 mm
Inner Dia.:	125 mm
Body Height:	765 mm
Total Height:	788 mm

CROSS REFERENCE

Fusheng	2605700580
Gardner Denver	306EAU6013



SC-6411

SPECIFICATIONS

Flange Size:	670 mm
Outer Dia.:	533 mm
Inner Dia.:	430 mm
Body Height:	820 mm
Total Height:	820 mm

CROSS REFERENCE

Donaldson	P538623
Gardner Denver	EAY80129



SC-6412

SPECIFICATIONS

Flange Size:	245 mm
Outer Dia.:	210 mm
Inner Dia.:	133 mm
Body Height:	305 mm
Total Height:	305 mm

CROSS REFERENCE

Fusheng	75KW/13Bar



SC-6413

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	700 mm
Total Height:	700 mm

CROSS REFERENCE

Fusheng	91111-002
Ingersoll Rand	93516862



SC-6414P

SPECIFICATIONS

Flange Size:	350 mm
Outer Dia.:	292 mm
Inner Dia.:	220 mm
Body Height:	500 mm
Total Height:	500 mm

CROSS REFERENCE

Seize	2090026



SC-6415

SPECIFICATIONS

Flange Size:	440 mm
Outer Dia.:	345 mm
Inner Dia.:	270 mm
Body Height:	340 mm
Total Height:	340 mm

CROSS REFERENCE

Soumac	SC-6415



SC-6416

SPECIFICATIONS

Flange Size:	432 mm
Outer Dia.:	345 mm
Inner Dia.:	270 mm
Body Height:	600 mm
Total Height:	600 mm

CROSS REFERENCE

Fusheng	2116010163



SC-6417

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	450 mm
Total Height:	450 mm

CROSS REFERENCE

Fusheng	175HP



SC-6418

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	410 mm
Total Height:	410 mm

CROSS REFERENCE

Fusheng	9610112-216041-M



SC-6419

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	690 mm
Total Height:	690 mm

CROSS REFERENCE

Fusheng	40M3
Sanfam	SB164



SC-6420

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	185 mm
Inner Dia.:	115 mm
Body Height:	675 mm
Total Height:	675 mm

CROSS REFERENCE

Fusheng	40M3
Sanfam	SC268



SC-6421

SPECIFICATIONS

Flange Size:	440 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	500 mm
Total Height:	500 mm

CROSS REFERENCE

Fusheng	28-30M3
Sanfam	SB167



SC-6422

SPECIFICATIONS

Flange Size:	248 mm
Outer Dia.:	213 mm
Inner Dia.:	150 mm
Body Height:	305 mm
Total Height:	305 mm

CROSS REFERENCE

Fusheng	2118025716
Airman	34220-09901



SC-6423

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	305 mm
Total Height:	305 mm

CROSS REFERENCE

ELGI	010451050
ELGI	B006700770012



SC-6424

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	132 mm
Inner Dia.:	75 mm
Body Height:	160 mm
Total Height:	160 mm

CROSS REFERENCE

Soumac	SC-6424



SC-6425

SPECIFICATIONS

Flange Size:	160 mm
Outer Dia.:	115 mm
Inner Dia.:	66 mm
Body Height:	340 mm
Total Height:	340 mm

CROSS REFERENCE

Soumac	SC-6425



SC-6426

SPECIFICATIONS

Flange Size:	240 mm
Outer Dia.:	172 mm
Inner Dia.:	118 mm
Body Height:	240 mm
Total Height:	270 mm

CROSS REFERENCE

Soumac	SC-6426



SC-6427P

SPECIFICATIONS

Flange Size:	545 mm
Outer Dia.:	400 mm
Inner Dia.:	315 mm
Body Height:	518 mm
Total Height:	518 mm

CROSS REFERENCE

Fusheng	2116010085
Apureda	3221240525



SC-6428P

SPECIFICATIONS

Flange Size:	545 mm
Outer Dia.:	275 mm
Inner Dia.:	208 mm
Body Height:	450 mm
Total Height:	450 mm

CROSS REFERENCE

Fusheng	2116010086
Apureda	3221227462



SC-6429

SPECIFICATIONS

Flange Size:	138 mm
Outer Dia.:	138 mm
Inner Dia.:	93 mm
Body Height:	400 mm
Total Height:	400 mm

CROSS REFERENCE

Kobelco	P-CE03-577
Kobelco	P-CE03-595



SC-6430

SPECIFICATIONS

Flange Size:	247 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	310 mm
Total Height:	310 mm

CROSS REFERENCE

Fusheng	21M3/21bar
Sanfam	SB157



SC-6431

SPECIFICATIONS

Flange Size:	345 mm
Outer Dia.:	264 mm
Inner Dia.:	180 mm
Body Height:	325 mm
Total Height:	325 mm

CROSS REFERENCE

Comaro	04.03.217520
Kaishan	55275345325



SC-6432

SPECIFICATIONS

Flange Size:	292 mm
Outer Dia.:	255 mm
Inner Dia.:	160 mm
Body Height:	600 mm
Total Height:	620 mm

CROSS REFERENCE

Airman	34220-08400
Airman	34220-07600



SC-6433

SPECIFICATIONS

Flange Size:	167 mm
Outer Dia.:	108 mm
Inner Dia.:	65 mm
Body Height:	122 mm
Total Height:	142 mm

CROSS REFERENCE

Apureda	3221111122



SC-6434

SPECIFICATIONS

Flange Size:	290 mm
Outer Dia.:	252 mm
Inner Dia.:	190 mm
Body Height:	520 mm
Total Height:	532 mm

CROSS REFERENCE

Airman	PDS655



SC-6435

SPECIFICATIONS

Flange Size:	175 mm
Outer Dia.:	175 mm
Inner Dia.:	122 mm
Body Height:	286 mm
Total Height:	290 mm

CROSS REFERENCE

Fusheng	P3515B165-1



SC-6436

SPECIFICATIONS

Flange Size:	110 mm
Outer Dia.:	110 mm
Inner Dia.:	60 mm
Body Height:	72 mm
Total Height:	95 mm

CROSS REFERENCE

Kobelco	PCE0355501
Apureda	3221111095



SC-6437

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	550 mm
Total Height:	550 mm

CROSS REFERENCE

Fusheng	2116010160



SC-6438

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	255 mm
Inner Dia.:	195 mm
Body Height:	370 mm
Total Height:	370 mm

CROSS REFERENCE

Air Plus	C18110132D



SC-6439

SPECIFICATIONS

Flange Size:	240 mm
Outer Dia.:	170 mm
Inner Dia.:	115 mm
Body Height:	187 mm
Total Height:	215 mm

CROSS REFERENCE

Mitsuiseiki	9127518505
Donaldson	P814122



SC-6440

SPECIFICATIONS

Flange Size:	310 mm
Outer Dia.:	310 mm
Inner Dia.:	240 mm
Body Height:	250 mm
Total Height:	250 mm

CROSS REFERENCE

Soumac	SC-6440



SC-6441

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	270 mm
Inner Dia.:	190 mm
Body Height:	305 mm
Total Height:	305 mm

CROSS REFERENCE

Fusheng	2116010175
Fusheng	2116010162



SC-6442

SPECIFICATIONS

Flange Size:	250 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	305 mm
Total Height:	305 mm

CROSS REFERENCE

Airman	34220-07800
ELGI	B676801



SC-6443

SPECIFICATIONS

Flange Size:	265 mm
Outer Dia.:	265 mm
Inner Dia.:	0 mm
Body Height:	250 mm
Total Height:	250 mm

CROSS REFERENCE

Zenix	K320000005



SC-6444

SPECIFICATIONS

Flange Size:	210 mm
Outer Dia.:	120 mm
Inner Dia.:	70 mm
Body Height:	160 mm
Total Height:	180 mm

CROSS REFERENCE

Soumac	SC-6444



SC-6445

SPECIFICATIONS

Flange Size:	162 mm
Outer Dia.:	115 mm
Inner Dia.:	65 mm
Body Height:	340 mm
Total Height:	340 mm

CROSS REFERENCE

Rotair	157141S
Abac	9056176



SC-6446P

SPECIFICATIONS

Flange Size:	290 mm
Outer Dia.:	255 mm
Inner Dia.:	190 mm
Body Height:	395 mm
Total Height:	395 mm

CROSS REFERENCE

Kobelco	1000169447
Kobelco	1000284894



SC-6447

SPECIFICATIONS

Flange Size:	436 mm
Outer Dia.:	400 mm
Inner Dia.:	320 mm
Body Height:	500 mm
Total Height:	500 mm

CROSS REFERENCE

Kaeser	6.2017.0
Kaeser	6.1930.1



SC-6448P

SPECIFICATIONS

Flange Size:	290 mm
Outer Dia.:	255 mm
Inner Dia.:	190 mm
Body Height:	495 mm
Total Height:	495 mm

CROSS REFERENCE

Kobelco	1000166699
Kobelco	1000229179



SC-6449

SPECIFICATIONS

Flange Size:	110 mm
Outer Dia.:	110 mm
Inner Dia.:	70 mm
Body Height:	140 mm
Total Height:	150 mm

CROSS REFERENCE

Apureda	3221110141



SC-6450

SPECIFICATIONS

Flange Size:	303 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	490 mm
Total Height:	490 mm

CROSS REFERENCE

YooChang	55B100S



SC-6451

SPECIFICATIONS

Flange Size:	370 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	310 mm
Total Height:	310 mm

CROSS REFERENCE

SCR	25300160-121



SC-6452

SPECIFICATIONS

Flange Size:	400 mm
Outer Dia.:	240 mm
Inner Dia.:	180 mm
Body Height:	460 mm
Total Height:	460 mm

CROSS REFERENCE

Unknow	196915422



SC-6453

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	245 mm
Inner Dia.:	195 mm
Body Height:	300 mm
Total Height:	300 mm

CROSS REFERENCE

Soumac	SC-6453



SC-6454

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	245 mm
Inner Dia.:	180 mm
Body Height:	390 mm
Total Height:	390 mm

CROSS REFERENCE

Soumac	SC-6454



SC-6455

SPECIFICATIONS

Flange Size:	163 mm
Outer Dia.:	125 mm
Inner Dia.:	70 mm
Body Height:	193 mm
Total Height:	193 mm

CROSS REFERENCE

Kaishan	537704312040
Sanfam	KB8312



SC-6456

SPECIFICATIONS

Flange Size:	430 mm
Outer Dia.:	350 mm
Inner Dia.:	264 mm
Body Height:	550 mm
Total Height:	550 mm

CROSS REFERENCE

Hitachi	59056580
Jaguar	OLA0350



SC-6457

SPECIFICATIONS

Flange Size:	360 mm
Outer Dia.:	272 mm
Inner Dia.:	205 mm
Body Height:	245 mm
Total Height:	245 mm

CROSS REFERENCE

Derman	14400070



SC-6458

SPECIFICATIONS

Flange Size:	360 mm
Outer Dia.:	272 mm
Inner Dia.:	205 mm
Body Height:	260 mm
Total Height:	260 mm

CROSS REFERENCE

Langair	55KW



SC-6459

SPECIFICATIONS

Flange Size:	400 mm
Outer Dia.:	292 mm
Inner Dia.:	213 mm
Body Height:	420 mm
Total Height:	420 mm

CROSS REFERENCE

SCR	25300200-022



SC-6460

SPECIFICATIONS

Flange Size:	440 mm
Outer Dia.:	292 mm
Inner Dia.:	213 mm
Body Height:	314 mm
Total Height:	314 mm

CROSS REFERENCE

United OSD	0751900010



SC-6461

SPECIFICATIONS

Flange Size:	430 mm
Outer Dia.:	345 mm
Inner Dia.:	264 mm
Body Height:	500 mm
Total Height:	500 mm

CROSS REFERENCE

Seize	2090034
Elang	AH-02270



SC-6462

SPECIFICATIONS

Flange Size:	328 mm
Outer Dia.:	275 mm
Inner Dia.:	220 mm
Body Height:	400 mm
Total Height:	412 mm

CROSS REFERENCE

Mann Filter	LE35002X
Boge	575000204



SC-6463

SPECIFICATIONS

Flange Size:	117 mm
Outer Dia.:	90 mm
Inner Dia.:	40 mm
Body Height:	172 mm
Total Height:	172 mm

CROSS REFERENCE

Soumac	SC-6463



SC-6464

SPECIFICATIONS

Flange Size:	80 mm
Outer Dia.:	80 mm
Inner Dia.:	37 mm
Body Height:	230 mm
Total Height:	245 mm

CROSS REFERENCE

Unknow	TA02-12528



SC-6465

SPECIFICATIONS

Flange Size:	335 mm
Outer Dia.:	270 mm
Inner Dia.:	190 mm
Body Height:	410 mm
Total Height:	410 mm

CROSS REFERENCE

Quincy	124487-018
Quincy	147879-002



SC-6466P

SPECIFICATIONS

Flange Size:	290 mm
Outer Dia.:	198 mm
Inner Dia.:	133 mm
Body Height:	330 mm
Total Height:	330 mm

CROSS REFERENCE

ELGI	B006704620012
ELGI	X018332



SC-6467

SPECIFICATIONS

Flange Size:	273 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	160 mm
Total Height:	160 mm

CROSS REFERENCE

Mann Filter	LE12001X
Worthington	6221373950



SC-6468

SPECIFICATIONS

Flange Size:	260 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	360 mm
Total Height:	360 mm

CROSS REFERENCE

Soumac	SC-6468



SC-6469

SPECIFICATIONS

Flange Size:	120 mm
Outer Dia.:	90 mm
Inner Dia.:	40 mm
Body Height:	165 mm
Total Height:	165 mm

CROSS REFERENCE

Ganey	Q/GN001-050 -90/120/165



SC-6470

SPECIFICATIONS

Flange Size:	243 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	243 mm
Total Height:	243 mm

CROSS REFERENCE

Air Plus	LS181137P-127
Air Plus	C318034038



SC-6471

SPECIFICATIONS

Flange Size:	185 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	200 mm
Total Height:	200 mm

CROSS REFERENCE

Feihe	3221113219



SC-6472

SPECIFICATIONS

Flange Size:	135 mm
Outer Dia.:	90 mm
Inner Dia.:	40 mm
Body Height:	140 mm
Total Height:	140 mm

CROSS REFERENCE

Xinlei	A1.5.018.010
Xinlei	A1.5.018.041



SC-6473

SPECIFICATIONS

Flange Size:	273 mm
Outer Dia.:	198 mm
Inner Dia.:	133 mm
Body Height:	305 mm
Total Height:	305 mm

CROSS REFERENCE

Soumac	SC-6473



SC-6474

SPECIFICATIONS

Flange Size:	430 mm
Outer Dia.:	345 mm
Inner Dia.:	265 mm
Body Height:	625 mm
Total Height:	625 mm

CROSS REFERENCE

Soumac	SC-6474



SC-6475

SPECIFICATIONS

Flange Size:	190 mm
Outer Dia.:	150 mm
Inner Dia.:	83 mm
Body Height:	210 mm
Total Height:	210 mm

CROSS REFERENCE

Compair	43-1038
Compair	43-889-1



SC-6476

SPECIFICATIONS

Flange Size:	345 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	315 mm
Total Height:	315 mm

CROSS REFERENCE

Compair	A10884974
Compair	A10651774



SC-6477

SPECIFICATIONS

Flange Size:	350 mm
Outer Dia.:	213 mm
Inner Dia.:	110 mm
Body Height:	400 mm
Total Height:	400 mm

CROSS REFERENCE

Chigo	30M3/35bar



SC-6478

SPECIFICATIONS

Flange Size:	180 mm
Outer Dia.:	105 mm
Inner Dia.:	60 mm
Body Height:	147 mm
Total Height:	147 mm

CROSS REFERENCE

Soumac	SC-6478



SC-6479

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	270 mm
Inner Dia.:	190 mm
Body Height:	250 mm
Total Height:	250 mm

CROSS REFERENCE

Fusheng	2116010168
Fusheng	2116010174



SC-6480P

SPECIFICATIONS

Flange Size:	500 mm
Outer Dia.:	400 mm
Inner Dia.:	310 mm
Body Height:	750 mm
Total Height:	750 mm

CROSS REFERENCE

Elang	YF000911



SC-6481

SPECIFICATIONS

Flange Size:	250 mm
Outer Dia.:	198 mm
Inner Dia.:	133 mm
Body Height:	250 mm
Total Height:	250 mm

CROSS REFERENCE

Soumac	SC-6481



SC-6501

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	165 mm
Inner Dia.:	100 mm
Body Height:	305 mm
Total Height:	305 mm

CROSS REFERENCE

Sotras	DB2132
Jaguar	OLA0075N



SC-6502

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	400 mm
Total Height:	400 mm

CROSS REFERENCE

Elgi	010452250
Kaeser	6.3668.0



SC-6503

SPECIFICATIONS

Flange Size:	328 mm
Outer Dia.:	275 mm
Inner Dia.:	209 mm
Body Height:	400 mm
Total Height:	400 mm

CROSS REFERENCE

Fusheng	91111-004
Kaeser	6.3523.0



SC-6504

SPECIFICATIONS

Flange Size:	328 mm
Outer Dia.:	275 mm
Inner Dia.:	209 mm
Body Height:	500 mm
Total Height:	500 mm

CROSS REFERENCE

Sotras	DB2084
Liutech	2205406502



SC-6505

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	108 mm
Inner Dia.:	60 mm
Body Height:	150 mm
Total Height:	150 mm

CROSS REFERENCE

Jaguar	OLA0015N
Jaguar	324150096000



SC-6505T

SPECIFICATIONS

Flange Size:	165 mm
Outer Dia.:	108 mm
Inner Dia.:	60 mm
Body Height:	150 mm
Total Height:	150 mm

CROSS REFERENCE

Soumac	SC-6505T



SC-6506

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	165 mm
Inner Dia.:	100 mm
Body Height:	230 mm
Total Height:	230 mm

CROSS REFERENCE

Sotras	DB2186
Jaguar	OLA0050N



SC-6506H

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	165 mm
Inner Dia.:	100 mm
Body Height:	230 mm
Total Height:	230 mm

CROSS REFERENCE

Jaguar	OLA0050N(HP)
Jaguar	324150131000



SC-6507

SPECIFICATIONS

Flange Size:	120 mm
Outer Dia.:	90 mm
Inner Dia.:	40 mm
Body Height:	120 mm
Total Height:	120 mm

CROSS REFERENCE

Soumac	SC-6507



SC-6508

SPECIFICATIONS

Flange Size:	120 mm
Outer Dia.:	90 mm
Inner Dia.:	40 mm
Body Height:	150 mm
Total Height:	150 mm

CROSS REFERENCE

Soumac	SC-6508



SC-6509

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	160 mm
Total Height:	160 mm

CROSS REFERENCE

Jaguar	OLA0020N
Mann Filter	LE 7004 x



SC-6509T

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	120 mm
Inner Dia.:	75 mm
Body Height:	160 mm
Total Height:	160 mm

CROSS REFERENCE

Soumac	SC-6509T



SC-6509H

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	160 mm
Total Height:	160 mm

CROSS REFERENCE

Hannimike	15KW/16bar
Jaguar	OLA0020N(HP)



SC-6510

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	200 mm
Total Height:	200 mm

CROSS REFERENCE

Fusheng	2116010176
Jaguar	OLA0030N



SC-6510H

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	200 mm
Total Height:	200 mm

CROSS REFERENCE

Hanbell	4213-85
Hannimike	HM23009



SC-6510T

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	128 mm
Inner Dia.:	60 mm
Body Height:	200 mm
Total Height:	200 mm

CROSS REFERENCE

Soumac	SC-6510T



SC-6511

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	180 mm
Total Height:	180 mm

CROSS REFERENCE

Linghein	2205615623
Linghein	2030-09-05



SC-6512

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	250 mm
Total Height:	250 mm

CROSS REFERENCE

Mann Filter	4900253491
Mann Filter	LE14001X



SC-6513

SPECIFICATIONS

Flange Size:	290 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	400 mm
Total Height:	400 mm

CROSS REFERENCE

Gardner Denver	QX104715
Mann Filter	LE28002



SC-6514

SPECIFICATIONS

Flange Size:	430 mm
Outer Dia.:	350 mm
Inner Dia.:	265 mm
Body Height:	350 mm
Total Height:	350 mm

CROSS REFERENCE

Greecomp	01600008100



SC-6515

SPECIFICATIONS

Flange Size:	434 mm
Outer Dia.:	400 mm
Inner Dia.:	315 mm
Body Height:	520 mm
Total Height:	520 mm

CROSS REFERENCE

Sotras	DB2479
Mann Filter	LE66002X



SC-6516

SPECIFICATIONS

Flange Size:	360 mm
Outer Dia.:	250 mm
Inner Dia.:	180 mm
Body Height:	400 mm
Total Height:	400 mm

CROSS REFERENCE

OSG	75KW/2Stage



SC-6517

SPECIFICATIONS

Flange Size:	450 mm
Outer Dia.:	400 mm
Inner Dia.:	315 mm
Body Height:	630 mm
Total Height:	630 mm

CROSS REFERENCE

Compair	1311J01400
Sotras	DB2091



SC-6518

SPECIFICATIONS

Flange Size:	328 mm
Outer Dia.:	275 mm
Inner Dia.:	220 mm
Body Height:	450 mm
Total Height:	462 mm

CROSS REFERENCE

Kaeser	6.2013.0
Kaeser	6.3623.0



SC-6519

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	300 mm
Inner Dia.:	245 mm
Body Height:	500 mm
Total Height:	512 mm

CROSS REFERENCE

Ingersoll Rand	93568251
Atlas Copco	6221375400



SC-6520

SPECIFICATIONS

Flange Size:	290 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	250 mm
Total Height:	250 mm

CROSS REFERENCE

Ingersoll Rand	92871326
Atlas Copco	2255300361



SC-6521

SPECIFICATIONS

Flange Size:	290 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	305 mm
Total Height:	305 mm

CROSS REFERENCE

Ingersoll Rand	92722750
Elgi	B006700770026



SC-6522

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	170 mm
Inner Dia.:	122 mm
Body Height:	435 mm
Total Height:	447 mm

CROSS REFERENCE

Kaeser	6.2012.0
Kaeser	6.1960.0



SC-6523

SPECIFICATIONS

Flange Size:	135 mm
Outer Dia.:	108 mm
Inner Dia.:	60 mm
Body Height:	135 mm
Total Height:	135 mm

CROSS REFERENCE

Jufeng	JF10A
Apureda	3221111136



SC-6524

SPECIFICATIONS

Flange Size:	108 mm
Outer Dia.:	108 mm
Inner Dia.:	62 mm
Body Height:	254 mm
Total Height:	262 mm

CROSS REFERENCE

Hitachi	52303021
Hitachi	59031060




SC-6525

SPECIFICATIONS

Flange Size:	328 mm
Outer Dia.:	275 mm
Inner Dia.:	220 mm
Body Height:	520 mm
Total Height:	520 mm

CROSS REFERENCE

Kaeser	6.4272.0
Kaeser	6.3760.0



SC-6526

SPECIFICATIONS

Flange Size:	150 mm
Outer Dia.:	150 mm
Inner Dia.:	100 mm
Body Height:	155 mm
Total Height:	159 mm

CROSS REFERENCE

Hitachi	36012500
Hitachi	21114040



SC-6527

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	170 mm
Inner Dia.:	110 mm
Body Height:	200 mm
Total Height:	204 mm

CROSS REFERENCE

Hitachi	31114040
Hitachi	21714040



SC-6528

SPECIFICATIONS

Flange Size:	203 mm
Outer Dia.:	150 mm
Inner Dia.:	75 mm
Body Height:	250 mm
Total Height:	250 mm

CROSS REFERENCE

Hitachi	36014040
Keltec	KV95-031



SC-6529

SPECIFICATIONS

Flange Size:	203 mm
Outer Dia.:	150 mm
Inner Dia.:	75 mm
Body Height:	300 mm
Total Height:	300 mm

CROSS REFERENCE

Hitachi	36214040



SC-6530

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	200 mm
Inner Dia.:	145 mm
Body Height:	250 mm
Total Height:	254 mm

CROSS REFERENCE

Hitachi	29414040
Keltec	KD230-020



SC-6531

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	200 mm
Inner Dia.:	90 mm
Body Height:	250 mm
Total Height:	254 mm

CROSS REFERENCE

Hitachi	29414040-01



SC-6532

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	300 mm
Inner Dia.:	140 mm
Body Height:	300 mm
Total Height:	304 mm

CROSS REFERENCE

Hitachi	29614040



SC-6533

SPECIFICATIONS

Flange Size:	250 mm
Outer Dia.:	250 mm
Inner Dia.:	180 mm
Body Height:	190 mm
Total Height:	194 mm

CROSS REFERENCE

Iwata	02532740



SC-6534

SPECIFICATIONS

Flange Size:	250 mm
Outer Dia.:	250 mm
Inner Dia.:	190 mm
Body Height:	300 mm
Total Height:	304 mm

CROSS REFERENCE

Sakura	AS-1268
Denyo	20HP




SC-6535

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	200 mm
Inner Dia.:	140 mm
Body Height:	226 mm
Total Height:	230 mm

CROSS REFERENCE

Iwata	025 32730
Sanfam	SA614



SC-6536

SPECIFICATIONS

Flange Size:	250 mm
Outer Dia.:	250 mm
Inner Dia.:	180 mm
Body Height:	290 mm
Total Height:	294 mm

CROSS REFERENCE

Iwata	054 52770
Sanfam	SA617



SC-6537

SPECIFICATIONS

Flange Size:	270 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	260 mm
Total Height:	260 mm

CROSS REFERENCE

Kobelco	P-CE03-521



SC-6538

SPECIFICATIONS

Flange Size:	240 mm
Outer Dia.:	172 mm
Inner Dia.:	118 mm
Body Height:	262 mm
Total Height:	290 mm

CROSS REFERENCE

Airman	34220-07500
Mitsuiseiki	7110345394500



SC-6539

SPECIFICATIONS

Flange Size:	240 mm
Outer Dia.:	172 mm
Inner Dia.:	118 mm
Body Height:	262 mm
Total Height:	290 mm

CROSS REFERENCE

Airman	34220-08300
Airman	34220-12100



SC-6540

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	380 mm
Total Height:	380 mm

CROSS REFERENCE

Sotras	DB2156
Compair	A13088474



SC-6541

SPECIFICATIONS

Flange Size:	295 mm
Outer Dia.:	245 mm
Inner Dia.:	175 mm
Body Height:	242 mm
Total Height:	242 mm

CROSS REFERENCE

Soumac	SC-6541



SC-6542

SPECIFICATIONS

Flange Size:	328 mm
Outer Dia.:	275 mm
Inner Dia.:	209 mm
Body Height:	230 mm
Total Height:	230 mm

CROSS REFERENCE

Kaeser	6.2026.0
Kaeser	6.2028.0



SC-6543

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	200 mm
Inner Dia.:	135 mm
Body Height:	200 mm
Total Height:	204 mm

CROSS REFERENCE

Hitachi	22114040
Iwata	015 20130



SC-6544

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	200 mm
Inner Dia.:	90 mm
Body Height:	200 mm
Total Height:	204 mm

CROSS REFERENCE

Keltec	KD100-049
Sanfam	SA628



SC-6545

SPECIFICATIONS

Flange Size:	345 mm
Outer Dia.:	247 mm
Inner Dia.:	180 mm
Body Height:	257 mm
Total Height:	257 mm

CROSS REFERENCE

Air Plus	C17110131D



SC-6546

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	270 mm
Total Height:	270 mm

CROSS REFERENCE

Kaeser	6.3569.0
Kaeser	6.3568.0



SC-6547

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	378 mm
Total Height:	378 mm

CROSS REFERENCE

Kaeser	6.3571.0
Kaeser	6.3567.0



SC-6548

SPECIFICATIONS

Flange Size:	436 mm
Outer Dia.:	400 mm
Inner Dia.:	320 mm
Body Height:	403 mm
Total Height:	403 mm

CROSS REFERENCE

Kaeser	6.2132.0
Kaeser	6.3535.0



SC-6549

SPECIFICATIONS

Flange Size:	197 mm
Outer Dia.:	162 mm
Inner Dia.:	100 mm
Body Height:	305 mm
Total Height:	305 mm

CROSS REFERENCE

Kaeser	6.3669.0
Kaeser	6.3566.0



SC-6550

SPECIFICATIONS

Flange Size:	350 mm
Outer Dia.:	270 mm
Inner Dia.:	210 mm
Body Height:	250 mm
Total Height:	250 mm

CROSS REFERENCE

Denair	1503-F5-03



SC-6551

SPECIFICATIONS

Flange Size:	123 mm
Outer Dia.:	123 mm
Inner Dia.:	71 mm
Body Height:	250 mm
Total Height:	254 mm

CROSS REFERENCE

Airman	34220-06200
Donaldson	P601884



SC-6552

SPECIFICATIONS

Flange Size:	118 mm
Outer Dia.:	118 mm
Inner Dia.:	67 mm
Body Height:	390 mm
Total Height:	392 mm

CROSS REFERENCE

Mitsui Seiki	7212210080300
Mitsui Seiki	7212210080301



SC-6553

SPECIFICATIONS

Flange Size:	108 mm
Outer Dia.:	108 mm
Inner Dia.:	62 mm
Body Height:	320 mm
Total Height:	328 mm

CROSS REFERENCE

Hitachi	53223020
Hitachi	52323021



SC-6554

SPECIFICATIONS

Flange Size:	83 mm
Outer Dia.:	83 mm
Inner Dia.:	45 mm
Body Height:	205 mm
Total Height:	210 mm

CROSS REFERENCE

Hitachi	59031100
Hitachi	52553021



SC-6555

SPECIFICATIONS

Flange Size:	273 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	400 mm
Total Height:	400 mm

CROSS REFERENCE

Compair	100003725
Compair	43-888-1



SC-6556

SPECIFICATIONS

Flange Size:	438 mm
Outer Dia.:	379 mm
Inner Dia.:	314 mm
Body Height:	515 mm
Total Height:	515 mm

CROSS REFERENCE

Kaeser	6.2134.0
Kaeser	6.2027.0



SC-6557

SPECIFICATIONS

Flange Size:	165 mm
Outer Dia.:	120 mm
Inner Dia.:	70 mm
Body Height:	150 mm
Total Height:	150 mm

CROSS REFERENCE

Hitachi	50533021



SC-6558

SPECIFICATIONS

Flange Size:	118 mm
Outer Dia.:	118 mm
Inner Dia.:	67 mm
Body Height:	500 mm
Total Height:	502 mm

CROSS REFERENCE

Jialis	2002500403



SC-6559

SPECIFICATIONS

Flange Size:	118 mm
Outer Dia.:	118 mm
Inner Dia.:	67 mm
Body Height:	340 mm
Total Height:	342 mm

CROSS REFERENCE

Mitsui Seiki	7210404080721
Airman	34220-11100



SC-6560

SPECIFICATIONS

Flange Size:	138 mm
Outer Dia.:	138 mm
Inner Dia.:	91 mm
Body Height:	300 mm
Total Height:	315 mm

CROSS REFERENCE

Kobelco	P-CE03-578
Kobelco	P-CE03-596



SC-6561

SPECIFICATIONS

Flange Size:	220 mm
Outer Dia.:	150 mm
Inner Dia.:	100 mm
Body Height:	317 mm
Total Height:	337 mm

CROSS REFERENCE

Kobelco	P-CE03-538
Adrindo Thai	AS1113




SC-6562

SPECIFICATIONS

Flange Size:	292 mm
Outer Dia.:	254 mm
Inner Dia.:	159 mm
Body Height:	295 mm
Total Height:	295 mm

CROSS REFERENCE

Kobelco	P-CE03-517
Keltec	KV215-008



SC-6563

SPECIFICATIONS

Flange Size:	78 mm
Outer Dia.:	78 mm
Inner Dia.:	44 mm
Body Height:	158 mm
Total Height:	162 mm

CROSS REFERENCE

Kaeser	6.2024.0
Kaeser	6.1893.0



SC-6564

SPECIFICATIONS

Flange Size:	325 mm
Outer Dia.:	273 mm
Inner Dia.:	220 mm
Body Height:	750 mm
Total Height:	762 mm

CROSS REFERENCE

Kaeser	6.2015.0
Kaeser	6.1964.0



SC-6565

SPECIFICATIONS

Flange Size:	436 mm
Outer Dia.:	395 mm
Inner Dia.:	320 mm
Body Height:	600 mm
Total Height:	600 mm

CROSS REFERENCE

Kaeser	6.3559.0
Kaeser	6.3534.0



SC-6566

SPECIFICATIONS

Flange Size:	160 mm
Outer Dia.:	140 mm
Inner Dia.:	90 mm
Body Height:	200 mm
Total Height:	200 mm

CROSS REFERENCE

Kaeser	6.2008.0
Kaeser	6.1931.0



SC-6567

SPECIFICATIONS

Flange Size:	80 mm
Outer Dia.:	80 mm
Inner Dia.:	40 mm
Body Height:	94 mm
Total Height:	96 mm

CROSS REFERENCE

Kaeser	6.2018.0
Kaeser	6.1932.0



SC-6568

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	230 mm
Total Height:	242 mm

CROSS REFERENCE

Kaeser	6.1963.0
Kaeser	6.2011.0



SC-6569

SPECIFICATIONS

Flange Size:	123 mm
Outer Dia.:	123 mm
Inner Dia.:	60 mm
Body Height:	180 mm
Total Height:	200 mm

CROSS REFERENCE

Kobelco	P-F03-3025-01
Keltec	KD50-026



SC-6570

SPECIFICATIONS

Flange Size:	292 mm
Outer Dia.:	255 mm
Inner Dia.:	160 mm
Body Height:	450 mm
Total Height:	462 mm

CROSS REFERENCE

Kobelco	P-CE03-517-03
Keltec	KV310-020



SC-6571

SPECIFICATIONS

Flange Size:	380 mm
Outer Dia.:	345 mm
Inner Dia.:	273 mm
Body Height:	512 mm
Total Height:	512 mm

CROSS REFERENCE

Kobelco	P-CE03-542



SC-6572

SPECIFICATIONS

Flange Size:	90 mm
Outer Dia.:	90 mm
Inner Dia.:	48 mm
Body Height:	90 mm
Total Height:	90 mm

CROSS REFERENCE

Kobelco	4A11L01001P1



SC-6573

SPECIFICATIONS

Flange Size:	153 mm
Outer Dia.:	153 mm
Inner Dia.:	100 mm
Body Height:	248 mm
Total Height:	268 mm

CROSS REFERENCE

Kobelco	4H11L01013P1
Kobelco	P-CE03-573



SC-6574

SPECIFICATIONS

Flange Size:	80 mm
Outer Dia.:	80 mm
Inner Dia.:	42 mm
Body Height:	242 mm
Total Height:	255 mm

CROSS REFERENCE

Gardner Denver	03267728
Tamrock	CC1058884



SC-6575

SPECIFICATIONS

Flange Size:	436 mm
Outer Dia.:	395 mm
Inner Dia.:	314 mm
Body Height:	518 mm
Total Height:	518 mm

CROSS REFERENCE

Kaeser	6.4273.0
HiFi Filter	OS5253



SC-6576

SPECIFICATIONS

Flange Size:	150 mm
Outer Dia.:	110 mm
Inner Dia.:	60 mm
Body Height:	128 mm
Total Height:	128 mm

CROSS REFERENCE

Olymech	20150110-06-15
Jufeng	KB8887



SC-6577

SPECIFICATIONS

Flange Size:	192 mm
Outer Dia.:	165 mm
Inner Dia.:	100 mm
Body Height:	305 mm
Total Height:	317 mm

CROSS REFERENCE

Ecoair	93568301
Mann Filter	LE17013X



SC-6578

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	200 mm
Total Height:	212 mm

CROSS REFERENCE

Kaeser	6.2010.0
Kaeser	6.1968.0



SC-6579

SPECIFICATIONS

Flange Size:	350 mm
Outer Dia.:	250 mm
Inner Dia.:	160 mm
Body Height:	350 mm
Total Height:	350 mm

CROSS REFERENCE

Air Plus	C18100132D



SC-6580

SPECIFICATIONS

Flange Size:	240 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	220 mm
Total Height:	220 mm

CROSS REFERENCE

Schneider	30HP
Sanfam	SB317



SC-6581

SPECIFICATIONS

Flange Size:	100 mm
Outer Dia.:	95 mm
Inner Dia.:	50 mm
Body Height:	156 mm
Total Height:	156 mm

CROSS REFERENCE

Gardner Denver	03582228
Champion	310EBA6013



SC-6582

SPECIFICATIONS

Flange Size:	100 mm
Outer Dia.:	100 mm
Inner Dia.:	55 mm
Body Height:	195 mm
Total Height:	200 mm

CROSS REFERENCE

Gardner Denver	03498328
Champion	301ECF6013



SC-6583

SPECIFICATIONS

Flange Size:	100 mm
Outer Dia.:	100 mm
Inner Dia.:	55 mm
Body Height:	400 mm
Total Height:	414 mm

CROSS REFERENCE

Gardner Denver	03340028
Gardner Denver	89837610



SC-6584

SPECIFICATIONS

Flange Size:	140 mm
Outer Dia.:	69 mm
Inner Dia.:	51 mm
Body Height:	550 mm
Total Height:	575 mm

CROSS REFERENCE

Gardner Denver	208EAP6013
Gardner Denver	204EAP6013



SC-6585

SPECIFICATIONS

Flange Size:	165 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	137 mm
Total Height:	137 mm

CROSS REFERENCE

Ecoair	22KW
Sanfam	SB227




SC-6586

SPECIFICATIONS

Flange Size:	155 mm
Outer Dia.:	110 mm
Inner Dia.:	60 mm
Body Height:	230 mm
Total Height:	230 mm

CROSS REFERENCE

Ecoair	93523215
Keltec	KV60-015



SC-6587

SPECIFICATIONS

Flange Size:	248 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	420 mm
Total Height:	420 mm

CROSS REFERENCE

Ecoair	93568319
Bauer	N2785000



SC-6588

SPECIFICATIONS

Flange Size:	140 mm
Outer Dia.:	68 mm
Inner Dia.:	60 mm
Body Height:	375 mm
Total Height:	400 mm

CROSS REFERENCE

Quincy	144606-01
Quincy	144606-02



SC-6589

SPECIFICATIONS

Flange Size:	246 mm
Outer Dia.:	210 mm
Inner Dia.:	133 mm
Body Height:	312 mm
Total Height:	312 mm

CROSS REFERENCE

Quincy	124487-021



SC-6590

SPECIFICATIONS

Flange Size:	80 mm
Outer Dia.:	80 mm
Inner Dia.:	45 mm
Body Height:	115 mm
Total Height:	120 mm

CROSS REFERENCE

Hitachi	52533020



SC-6591

SPECIFICATIONS

Flange Size:	108 mm
Outer Dia.:	108 mm
Inner Dia.:	62 mm
Body Height:	445 mm
Total Height:	453 mm

CROSS REFERENCE

Hitachi	59031090
Hitachi	59007320



SC-6592

SPECIFICATIONS

Flange Size:	240 mm
Outer Dia.:	198 mm
Inner Dia.:	133 mm
Body Height:	230 mm
Total Height:	230 mm

CROSS REFERENCE

Swan	XP750150004



SC-6593

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	100 mm
Total Height:	100 mm

CROSS REFERENCE

Unknow	SMXK710ZG/B



SC-6594

SPECIFICATIONS

Flange Size:	190 mm
Outer Dia.:	152 mm
Inner Dia.:	75 mm
Body Height:	290 mm
Total Height:	290 mm

CROSS REFERENCE

Sanfam	SB364



SC-6595

SPECIFICATIONS

Flange Size:	108 mm
Outer Dia.:	108 mm
Inner Dia.:	62 mm
Body Height:	155 mm
Total Height:	163 mm

CROSS REFERENCE

Hitachi	50533020



SC-6596

SPECIFICATIONS

Flange Size:	273 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	325 mm
Total Height:	325 mm

CROSS REFERENCE

ELGI	B006700610009



SC-6597

SPECIFICATIONS

Flange Size:	328 mm
Outer Dia.:	275 mm
Inner Dia.:	209 mm
Body Height:	350 mm
Total Height:	350 mm

CROSS REFERENCE

Mann Filter	LE31001X
HiFi Filter	OS5017




SC-6598

SPECIFICATIONS

Flange Size:	328 mm
Outer Dia.:	275 mm
Inner Dia.:	209 mm
Body Height:	460 mm
Total Height:	460 mm

CROSS REFERENCE

Kaishan	55275325460
Apureda	3221127462



SC-6599

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	300 mm
Inner Dia.:	140 mm
Body Height:	330 mm
Total Height:	330 mm

CROSS REFERENCE

Hitachi	23752427
Hitachi	25605240



SC-6600

SPECIFICATIONS

Flange Size:	273 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	360 mm
Total Height:	360 mm

CROSS REFERENCE

Kaishan	55220273360
Kaishan	077042227359



SC-6601

SPECIFICATIONS

Flange Size:	293 mm
Outer Dia.:	250 mm
Inner Dia.:	180 mm
Body Height:	472 mm
Total Height:	472 mm

CROSS REFERENCE

Hitachi	53433020



SC-6602

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	150 mm
Total Height:	150 mm

CROSS REFERENCE

Soumac	SC-6602



SC-6603

SPECIFICATIONS

Flange Size:	295 mm
Outer Dia.:	250 mm
Inner Dia.:	200 mm
Body Height:	510 mm
Total Height:	510 mm

CROSS REFERENCE

Hitachi	58453020
Apureda	3221125512



SC-6604

SPECIFICATIONS

Flange Size:	145 mm
Outer Dia.:	110 mm
Inner Dia.:	65 mm
Body Height:	125 mm
Total Height:	125 mm

CROSS REFERENCE

Hitachi	50513021



SC-6605

SPECIFICATIONS

Flange Size:	270 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	350 mm
Total Height:	350 mm

CROSS REFERENCE

Kaishan	55220273350G
Wuxi	XYGSE013A



SC-6606

SPECIFICATIONS

Flange Size:	195 mm
Outer Dia.:	125 mm
Inner Dia.:	60 mm
Body Height:	250 mm
Total Height:	250 mm

CROSS REFERENCE

Hitachi	30750020
ASC	25060910




SC-6607

SPECIFICATIONS

Flange Size:	165 mm
Outer Dia.:	115 mm
Inner Dia.:	70 mm
Body Height:	153 mm
Total Height:	153 mm

CROSS REFERENCE

Hitachi	36004040



SC-6608

SPECIFICATIONS

Flange Size:	154 mm
Outer Dia.:	154 mm
Inner Dia.:	100 mm
Body Height:	270 mm
Total Height:	285 mm

CROSS REFERENCE

Kobelco	P-CE03-566



SC-6609

SPECIFICATIONS

Flange Size:	380 mm
Outer Dia.:	350 mm
Inner Dia.:	264 mm
Body Height:	615 mm
Total Height:	615 mm

CROSS REFERENCE

Hitachi	59031840
Hitachi	59031830



SC-6610

SPECIFICATIONS

Flange Size:	108 mm
Outer Dia.:	108 mm
Inner Dia.:	70 mm
Body Height:	320 mm
Total Height:	328 mm

CROSS REFERENCE

Kobelco	P-CE03-572
Kobelco	P-CE05-587



SC-6611

SPECIFICATIONS

Flange Size:	110 mm
Outer Dia.:	110 mm
Inner Dia.:	60 mm
Body Height:	267 mm
Total Height:	290 mm

CROSS REFERENCE

Kobelco	P-CE03-555-04



SC-6612

SPECIFICATIONS

Flange Size:	110 mm
Outer Dia.:	110 mm
Inner Dia.:	60 mm
Body Height:	167 mm
Total Height:	190 mm

CROSS REFERENCE

Kobelco	P-CE03-555-03
Kobelco	P-CE03-553




SC-6613

SPECIFICATIONS

Flange Size:	255 mm
Outer Dia.:	255 mm
Inner Dia.:	160 mm
Body Height:	450 mm
Total Height:	450 mm

CROSS REFERENCE

Kobelco	P-F03-3004-03



SC-6614

SPECIFICATIONS

Flange Size:	123 mm
Outer Dia.:	123 mm
Inner Dia.:	56 mm
Body Height:	250 mm
Total Height:	270 mm

CROSS REFERENCE

Kobelco	P-F03-3025-02



SC-6615

SPECIFICATIONS

Flange Size:	255 mm
Outer Dia.:	255 mm
Inner Dia.:	160 mm
Body Height:	600 mm
Total Height:	600 mm

CROSS REFERENCE

Kobelco	P-F03-3004-04



SC-6616

SPECIFICATIONS

Flange Size:	165 mm
Outer Dia.:	120 mm
Inner Dia.:	65 mm
Body Height:	100 mm
Total Height:	100 mm

CROSS REFERENCE

Soumac	SC-6616



SC-6617

SPECIFICATIONS

Flange Size:	123 mm
Outer Dia.:	123 mm
Inner Dia.:	74 mm
Body Height:	248 mm
Total Height:	248 mm

CROSS REFERENCE

Apureda	3221112248



SC-6618

SPECIFICATIONS

Flange Size:	123 mm
Outer Dia.:	123 mm
Inner Dia.:	56 mm
Body Height:	200 mm
Total Height:	220 mm

CROSS REFERENCE

Keltec	KD41-017
Apureda	3221312200



SC-6619

SPECIFICATIONS

Flange Size:	220 mm
Outer Dia.:	150 mm
Inner Dia.:	98 mm
Body Height:	210 mm
Total Height:	230 mm

CROSS REFERENCE

Kobelco	P-CE03-537
Donaldson	P601946



SC-6620

SPECIFICATIONS

Flange Size:	350 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	463 mm
Total Height:	463 mm

CROSS REFERENCE

Kaishan	537704312250



SC-6621

SPECIFICATIONS

Flange Size:	215 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	200 mm
Total Height:	200 mm

CROSS REFERENCE

Ingersoll Rand	92808286
Mann Filter	LE9003



SC-6622

SPECIFICATIONS

Flange Size:	108 mm
Outer Dia.:	108 mm
Inner Dia.:	62 mm
Body Height:	398 mm
Total Height:	406 mm

CROSS REFERENCE

Hitachi	59031080



SC-6623

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	120 mm
Inner Dia.:	90 mm
Body Height:	150 mm
Total Height:	150 mm

CROSS REFERENCE

Kobelco	P-CE03-536



SC-6624

SPECIFICATIONS

Flange Size:	292 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	292 mm
Total Height:	292 mm

CROSS REFERENCE

Hanxin	100HP



SC-6625

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	154 mm
Inner Dia.:	100 mm
Body Height:	200 mm
Total Height:	200 mm

CROSS REFERENCE

Hanxin	50HP



SC-6626

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	150 mm
Inner Dia.:	100 mm
Body Height:	290 mm
Total Height:	310 mm

CROSS REFERENCE

Hanxin	442782
Apureda	3221115290



SC-6627

SPECIFICATIONS

Flange Size:	292 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	460 mm
Total Height:	460 mm

CROSS REFERENCE

Hanxin	442786



SC-6628

SPECIFICATIONS

Flange Size:	240 mm
Outer Dia.:	170 mm
Inner Dia.:	115 mm
Body Height:	220 mm
Total Height:	250 mm

CROSS REFERENCE

Airman	34220-08200
Keltec	KV70-041



SC-6629

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	150 mm
Inner Dia.:	98 mm
Body Height:	310 mm
Total Height:	330 mm

CROSS REFERENCE

Hanxin	50HP



SC-6630

SPECIFICATIONS

Flange Size:	380 mm
Outer Dia.:	350 mm
Inner Dia.:	270 mm
Body Height:	520 mm
Total Height:	520 mm

CROSS REFERENCE

Sanfam	SB446



SC-6631

SPECIFICATIONS

Flange Size:	250 mm
Outer Dia.:	170 mm
Inner Dia.:	100 mm
Body Height:	440 mm
Total Height:	440 mm

CROSS REFERENCE

Hanxin	75HP



SC-6632

SPECIFICATIONS

Flange Size:	114 mm
Outer Dia.:	114 mm
Inner Dia.:	60 mm
Body Height:	340 mm
Total Height:	344 mm

CROSS REFERENCE

Compair	98262-110
Mann Filter	LE13008



SC-6633

SPECIFICATIONS

Flange Size:	220 mm
Outer Dia.:	140 mm
Inner Dia.:	60 mm
Body Height:	240 mm
Total Height:	240 mm

CROSS REFERENCE

Kobelco	P-CE03-530
Kobelco	P-CE03-532



SC-6634

SPECIFICATIONS

Flange Size:	280 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	475 mm
Total Height:	475 mm

CROSS REFERENCE

Sotras	DB2019
Keltec	KV295-002



SC-6635

SPECIFICATIONS

Flange Size:	275 mm
Outer Dia.:	275 mm
Inner Dia.:	213 mm
Body Height:	305 mm
Total Height:	311 mm

CROSS REFERENCE

Airman	34220-06800
Sotras	DA1160



SC-6636

SPECIFICATIONS

Flange Size:	193 mm
Outer Dia.:	193 mm
Inner Dia.:	143 mm
Body Height:	250 mm
Total Height:	254 mm

CROSS REFERENCE

Airman	34220-06300
Airman	34220-04600



SC-6637

SPECIFICATIONS

Flange Size:	123 mm
Outer Dia.:	123 mm
Inner Dia.:	71 mm
Body Height:	180 mm
Total Height:	184 mm

CROSS REFERENCE

Airman	34220-04901
Airman	34220-04900



SC-6638

SPECIFICATIONS

Flange Size:	193 mm
Outer Dia.:	193 mm
Inner Dia.:	143 mm
Body Height:	180 mm
Total Height:	184 mm

CROSS REFERENCE

Airman	34220-06600
Donaldson	P601885



SC-6639

SPECIFICATIONS

Flange Size:	248 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	400 mm
Total Height:	400 mm

CROSS REFERENCE

Airman	34220-09900
Airman	34220-10702



SC-6640

SPECIFICATIONS

Flange Size:	128 mm
Outer Dia.:	100 mm
Inner Dia.:	40 mm
Body Height:	110 mm
Total Height:	110 mm

CROSS REFERENCE

Kaeser	6.3793.0
Kaeser	6.3795.0




SC-6641

SPECIFICATIONS

Flange Size:	290 mm
Outer Dia.:	250 mm
Inner Dia.:	160 mm
Body Height:	555 mm
Total Height:	570 mm

CROSS REFERENCE

Airman	34220-09600
Hitachi	59039990



SC-6642

SPECIFICATIONS

Flange Size:	260 mm
Outer Dia.:	260 mm
Inner Dia.:	215 mm
Body Height:	305mm
Total Height:	309 mm

CROSS REFERENCE

Airman	34220-05501
Sotras	DA1126



SC-6643

SPECIFICATIONS

Flange Size:	381 mm
Outer Dia.:	345 mm
Inner Dia.:	274 mm
Body Height:	350 mm
Total Height:	350 mm

CROSS REFERENCE

Airman	34220-12501
Airman	34220-12502



SC-6644

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	165 mm
Inner Dia.:	100 mm
Body Height:	315 mm
Total Height:	315 mm

CROSS REFERENCE

Soumac	SC-6644



SC-6645

SPECIFICATIONS

Flange Size:	128 mm
Outer Dia.:	100 mm
Inner Dia.:	40 mm
Body Height:	170 mm
Total Height:	170 mm

CROSS REFERENCE

Kaeser	6.3792.0
Kaeser	6.3672.0



SC-6646

SPECIFICATIONS

Flange Size:	260 mm
Outer Dia.:	165 mm
Inner Dia.:	100 mm
Body Height:	305 mm
Total Height:	305 mm

CROSS REFERENCE

Ceccato	640584
Atlas Copco	6221374400



SC-6647

SPECIFICATIONS

Flange Size:	150 mm
Outer Dia.:	90 mm
Inner Dia.:	40 mm
Body Height:	165 mm
Total Height:	165 mm

CROSS REFERENCE

Linghein	L010804-0108
Linghein	2205615639



SC-6648

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	108 mm
Inner Dia.:	62 mm
Body Height:	165 mm
Total Height:	165 mm

CROSS REFERENCE

Linghein	L010804-0110
Linghein	2205615640




SC-6649

SPECIFICATIONS

Flange Size:	115 mm
Outer Dia.:	115 mm
Inner Dia.:	65 mm
Body Height:	258 mm
Total Height:	262 mm

CROSS REFERENCE

Compair	98262-111
Ceccato	590130




SC-6650

SPECIFICATIONS

Flange Size:	84 mm
Outer Dia.:	84 mm
Inner Dia.:	28 mm
Body Height:	330 mm
Total Height:	330 mm

CROSS REFERENCE

Rotorcomp	115518
Mann Filter	LE9007



SC-6651

SPECIFICATIONS

Flange Size:	450 mm
Outer Dia.:	300 mm
Inner Dia.:	212 mm
Body Height:	523 mm
Total Height:	523 mm

CROSS REFERENCE

Apureda	3221230523
Sanfam	SB407



SC-6652

SPECIFICATIONS

Flange Size:	122 mm
Outer Dia.:	122 mm
Inner Dia.:	60 mm
Body Height:	140 mm
Total Height:	144 mm

CROSS REFERENCE

Sakura	SA-7903



SC-6653

SPECIFICATIONS

Flange Size:	230 mm
Outer Dia.:	162 mm
Inner Dia.:	100 mm
Body Height:	240 mm
Total Height:	240 mm

CROSS REFERENCE

SCR	25300065-031
SCR	25300065-032



SC-6654

SPECIFICATIONS

Flange Size:	190 mm
Outer Dia.:	130 mm
Inner Dia.:	75 mm
Body Height:	210 mm
Total Height:	210 mm

CROSS REFERENCE

SCR	25300045-022
SCR	25300045-025



SC-6655

SPECIFICATIONS

Flange Size:	535 mm
Outer Dia.:	495 mm
Inner Dia.:	425 mm
Body Height:	700 mm
Total Height:	700 mm

CROSS REFERENCE

Kaeser	6.3765.0
Kaeser	6.3665.0



SC-6656

SPECIFICATIONS

Flange Size:	120 mm
Outer Dia.:	120 mm
Inner Dia.:	70 mm
Body Height:	130 mm
Total Height:	130 mm

CROSS REFERENCE

Kobelco	4F11L01006P1
Apureda	3221112131



SC-6657

SPECIFICATIONS

Flange Size:	165 mm
Outer Dia.:	125 mm
Inner Dia.:	75 mm
Body Height:	220 mm
Total Height:	220 mm

CROSS REFERENCE

Soumac	SC-6657



SC-6658

SPECIFICATIONS

Flange Size:	115 mm
Outer Dia.:	90 mm
Inner Dia.:	40 mm
Body Height:	135 mm
Total Height:	135 mm

CROSS REFERENCE

Sanfam	KB8220
Liutech	1625190779



SC-6659

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	165 mm
Total Height:	165 mm

CROSS REFERENCE

Soumac	SC-6659



SC-6660

SPECIFICATIONS

Flange Size:	220 mm
Outer Dia.:	170 mm
Inner Dia.:	75 mm
Body Height:	220 mm
Total Height:	220 mm

CROSS REFERENCE

Wuxi	30HP



SC-6661

SPECIFICATIONS

Flange Size:	180 mm
Outer Dia.:	122 mm
Inner Dia.:	75 mm
Body Height:	200 mm
Total Height:	200 mm

CROSS REFERENCE

Soumac	SC-6661



SC-6662

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	145 mm
Inner Dia.:	112 mm
Body Height:	182 mm
Total Height:	182 mm

CROSS REFERENCE

Kobelco	P-CE03-535
Apureda	3221114185



SC-6663

SPECIFICATIONS

Flange Size:	160 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	125 mm
Total Height:	125 mm

CROSS REFERENCE

Apureda	3221113125
Sanfam	SB108



SC-6664

SPECIFICATIONS

Flange Size:	120 mm
Outer Dia.:	90 mm
Inner Dia.:	40 mm
Body Height:	100 mm
Total Height:	100 mm

CROSS REFERENCE

Soumac	SC-6664



SC-6665

SPECIFICATIONS

Flange Size:	135 mm
Outer Dia.:	90 mm
Inner Dia.:	40 mm
Body Height:	135 mm
Total Height:	135 mm

CROSS REFERENCE

Sanfam	KB8038
SCR	25300010-021C



SC-6666

SPECIFICATIONS

Flange Size:	140 mm
Outer Dia.:	71 mm
Inner Dia.:	51 mm
Body Height:	310 mm
Total Height:	330 mm

CROSS REFERENCE

Gardner Denver	200ECH6013
Gardner Denver	202ECH6013



SC-6667

SPECIFICATIONS

Flange Size:	250 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	440 mm
Total Height:	440 mm

CROSS REFERENCE

Soumac	SC-6667



SC-6668

SPECIFICATIONS

Flange Size:	83 mm
Outer Dia.:	83 mm
Inner Dia.:	48 mm
Body Height:	240 mm
Total Height:	245 mm

CROSS REFERENCE

Hitachi	59002671
Hitachi	59002670



SC-6669

SPECIFICATIONS

Flange Size:	273 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	325 mm
Total Height:	325 mm

CROSS REFERENCE

ELGI	B006700610009



SC-6670

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	275 mm
Inner Dia.:	208 mm
Body Height:	400 mm
Total Height:	400 mm

CROSS REFERENCE

Youjin	A303316005P



SC-6671

SPECIFICATIONS

Flange Size:	220 mm
Outer Dia.:	220 mm
Inner Dia.:	157 mm
Body Height:	330 mm
Total Height:	330 mm

CROSS REFERENCE

Sanfam	SA264



SC-6672

SPECIFICATIONS

Flange Size:	210 mm
Outer Dia.:	135 mm
Inner Dia.:	70 mm
Body Height:	140 mm
Total Height:	140 mm

CROSS REFERENCE

Airman	34220-15900



SC-6673

SPECIFICATIONS

Flange Size:	248 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	340 mm
Total Height:	340 mm

CROSS REFERENCE

Airman	34220-14900
Airman	34220-16500



SC-6674

SPECIFICATIONS

Flange Size:	328 mm
Outer Dia.:	253 mm
Inner Dia.:	200 mm
Body Height:	400 mm
Total Height:	400 mm

CROSS REFERENCE

Kyungwon	C3010022



SC-6675

SPECIFICATIONS

Flange Size:	240 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	300 mm
Total Height:	300 mm

CROSS REFERENCE

Kyungwon	AS50MG



SC-6676

SPECIFICATIONS

Flange Size:	245 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	447 mm
Total Height:	447 mm

CROSS REFERENCE

Kyungwon	KS0500SE01
Mann Filter	LE24002x



SC-6677

SPECIFICATIONS

Flange Size:	185 mm
Outer Dia.:	150 mm
Inner Dia.:	98 mm
Body Height:	310 mm
Total Height:	330 mm

CROSS REFERENCE

Kyungwon	C3010010



SC-6678

SPECIFICATIONS

Flange Size:	324 mm
Outer Dia.:	270 mm
Inner Dia.:	190 mm
Body Height:	240 mm
Total Height:	240 mm

CROSS REFERENCE

Quincy	2013402009
Quincy	124487-003



SC-6679

SPECIFICATIONS

Flange Size:	70 mm
Outer Dia.:	70 mm
Inner Dia.:	40 mm
Body Height:	395 mm
Total Height:	400 mm

CROSS REFERENCE

Mattei	30733
Sotras	DA1064



SC-6680

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	250 mm
Total Height:	250 mm

CROSS REFERENCE

Soumac	SC-6680



SC-6681

SPECIFICATIONS

Flange Size:	223 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	165 mm
Total Height:	165 mm

CROSS REFERENCE

Soumac	SC-6681



SC-6682

SPECIFICATIONS

Flange Size:	380 mm
Outer Dia.:	345 mm
Inner Dia.:	264 mm
Body Height:	625 mm
Total Height:	625 mm

CROSS REFERENCE

Kobelco	P-CE03-543



SC-6683P

SPECIFICATIONS

Flange Size:	430 mm
Outer Dia.:	345 mm
Inner Dia.:	264 mm
Body Height:	550 mm
Total Height:	550 mm

CROSS REFERENCE

SCR	25300430-021C
SCR	25300430-022



SC-6684

SPECIFICATIONS

Flange Size:	165 mm
Outer Dia.:	117 mm
Inner Dia.:	75 mm
Body Height:	155 mm
Total Height:	155 mm

CROSS REFERENCE

Hitachi	36120155



SC-6685

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	260 mm
Total Height:	260 mm

CROSS REFERENCE

Denair	1503-F4-01



SC-6686

SPECIFICATIONS

Flange Size:	250 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	279 mm
Total Height:	279 mm

CROSS REFERENCE

Hitachi	51803020



SC-6687

SPECIFICATIONS

Flange Size:	220 mm
Outer Dia.:	165 mm
Inner Dia.:	100 mm
Body Height:	310 mm
Total Height:	310 mm

CROSS REFERENCE

Soumac	SC-6687



SC-6688P

SPECIFICATIONS

Flange Size:	250 mm
Outer Dia.:	210 mm
Inner Dia.:	133 mm
Body Height:	240 mm
Total Height:	240 mm

CROSS REFERENCE

Soumac	SC-6688P



SC-6689

SPECIFICATIONS

Flange Size:	263 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	262 mm
Total Height:	262 mm

CROSS REFERENCE

Joy	543117-002
Joy	543117-26



SC-6690P

SPECIFICATIONS

Flange Size:	180 mm
Outer Dia.:	110 mm
Inner Dia.:	60 mm
Body Height:	140 mm
Total Height:	140 mm

CROSS REFERENCE

Kangkeer	11403N-002F1
Apureda	3221211140



SC-6691

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	285 mm
Total Height:	285 mm

CROSS REFERENCE

ELGI	220412631
Mann Filter	4900253371



SC-6692

SPECIFICATIONS

Flange Size:	210 mm
Outer Dia.:	120 mm
Inner Dia.:	60 mm
Body Height:	210 mm
Total Height:	230 mm

CROSS REFERENCE

Soumac	SC-6692



SC-6693

SPECIFICATIONS

Flange Size:	186 mm
Outer Dia.:	125 mm
Inner Dia.:	70 mm
Body Height:	148 mm
Total Height:	148 mm

CROSS REFERENCE

Kobelco	P-CE03-525
Apureda	3221112148



SC-6694

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	305 mm
Total Height:	305 mm

CROSS REFERENCE

Mann Filter	LE13003X
Sotras	DB2123



SC-6695

SPECIFICATIONS

Flange Size:	165 mm
Outer Dia.:	110 mm
Inner Dia.:	60 mm
Body Height:	100 mm
Total Height:	100 mm

CROSS REFERENCE

Kaishan	55110165100



SC-6696P

SPECIFICATIONS

Flange Size:	382 mm
Outer Dia.:	345 mm
Inner Dia.:	264 mm
Body Height:	400 mm
Total Height:	412 mm

CROSS REFERENCE

Airman	34220-10508



SC-6697P

SPECIFICATIONS

Flange Size:	100 mm
Outer Dia.:	71 mm
Inner Dia.:	54 mm
Body Height:	368 mm
Total Height:	414 mm

CROSS REFERENCE

Tamrock	CC1053700
Tamrock	NT8130



SC-6698

SPECIFICATIONS

Flange Size:	340 mm
Outer Dia.:	265 mm
Inner Dia.:	190 mm
Body Height:	370 mm
Total Height:	370 mm

CROSS REFERENCE

Air Plus	C318037997



SC-6699

SPECIFICATIONS

Flange Size:	330 mm
Outer Dia.:	275 mm
Inner Dia.:	208 mm
Body Height:	550 mm
Total Height:	550 mm

CROSS REFERENCE

Kobelco	PS-CE03-520



SC-6700

SPECIFICATIONS

Flange Size:	342 mm
Outer Dia.:	275 mm
Inner Dia.:	200 mm
Body Height:	370 mm
Total Height:	370 mm

CROSS REFERENCE

Soumac	SC-6700



SC-6701

SPECIFICATIONS

Flange Size:	240 mm
Outer Dia.:	150 mm
Inner Dia.:	88 mm
Body Height:	125 mm
Total Height:	150 mm

CROSS REFERENCE

Mitsui Seiki	SC-6701



SC-6702

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	122 mm
Inner Dia.:	65 mm
Body Height:	190 mm
Total Height:	190 mm

CROSS REFERENCE

Loftol	SC-6702



SC-6703

SPECIFICATIONS

Flange Size:	210 mm
Outer Dia.:	125 mm
Inner Dia.:	65 mm
Body Height:	170 mm
Total Height:	170 mm

CROSS REFERENCE

Unknow	611HT01571 -20301-FC



SC-6704

SPECIFICATIONS

Flange Size:	215 mm
Outer Dia.:	165 mm
Inner Dia.:	105 mm
Body Height:	305 mm
Total Height:	305 mm

CROSS REFERENCE

OSG	17037500



SC-6705

SPECIFICATIONS

Flange Size:	225 mm
Outer Dia.:	165 mm
Inner Dia.:	100 mm
Body Height:	160 mm
Total Height:	160 mm

CROSS REFERENCE

Soumac	SC-6705



SC-6706

SPECIFICATIONS

Flange Size:	365 mm
Outer Dia.:	265 mm
Inner Dia.:	200 mm
Body Height:	305 mm
Total Height:	305 mm

CROSS REFERENCE

Soumac	SC-6706



SC-6707

SPECIFICATIONS

Flange Size:	135 mm
Outer Dia.:	108 mm
Inner Dia.:	60 mm
Body Height:	150 mm
Total Height:	150 mm

CROSS REFERENCE

Soumac	SC-6707



SC-6708

SPECIFICATIONS

Flange Size:	135 mm
Outer Dia.:	90 mm
Inner Dia.:	40 mm
Body Height:	160 mm
Total Height:	160 mm

CROSS REFERENCE

BSC	205010101071



SC-6709

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	265 mm
Total Height:	265 mm

CROSS REFERENCE

Soumac	SC-6709



SC-6710

SPECIFICATIONS

Flange Size:	120 mm
Outer Dia.:	90 mm
Inner Dia.:	40 mm
Body Height:	185 mm
Total Height:	185 mm

CROSS REFERENCE

Soumac	SC-6710



SC-6711

SPECIFICATIONS

Flange Size:	305 mm
Outer Dia.:	274 mm
Inner Dia.:	190 mm
Body Height:	250 mm
Total Height:	250 mm

CROSS REFERENCE

Hanbell	42013-69
Hanbell	4213-69



SC-6712

SPECIFICATIONS

Flange Size:	350 mm
Outer Dia.:	295 mm
Inner Dia.:	220 mm
Body Height:	730 mm
Total Height:	730 mm

CROSS REFERENCE

Soumac	SC-6712



SC-6713

SPECIFICATIONS

Flange Size:	328 mm
Outer Dia.:	275 mm
Inner Dia.:	220 mm
Body Height:	440 mm
Total Height:	440 mm

CROSS REFERENCE

Swan	75KW



SC-6714

SPECIFICATIONS

Flange Size:	305 mm
Outer Dia.:	275 mm
Inner Dia.:	190 mm
Body Height:	300 mm
Total Height:	300 mm

CROSS REFERENCE

Hanbell	42013-112
Hanbell	4213-112




SC-6715

SPECIFICATIONS

Flange Size:	380 mm
Outer Dia.:	292 mm
Inner Dia.:	220 mm
Body Height:	320 mm
Total Height:	320 mm

CROSS REFERENCE

Soumac	SC-6715



SC-6716

SPECIFICATIONS

Flange Size:	303 mm
Outer Dia.:	303 mm
Inner Dia.:	230 mm
Body Height:	750 mm
Total Height:	750 mm

CROSS REFERENCE

ELGI	22032259B
ELGI	2203225598



SC-6717

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	170 mm
Total Height:	170 mm

CROSS REFERENCE

Sanfam	SC299
Apureda	3221113173



SC-6718

SPECIFICATIONS

Flange Size:	340 mm
Outer Dia.:	275 mm
Inner Dia.:	190 mm
Body Height:	425 mm
Total Height:	425 mm

CROSS REFERENCE

Denair	1503-F8-00



SC-6719

SPECIFICATIONS

Flange Size:	460 mm
Outer Dia.:	350 mm
Inner Dia.:	264 mm
Body Height:	500 mm
Total Height:	500 mm

CROSS REFERENCE

LG	GMS150



SC-6720

SPECIFICATIONS

Flange Size:	445 mm
Outer Dia.:	340 mm
Inner Dia.:	264 mm
Body Height:	300 mm
Total Height:	300 mm

CROSS REFERENCE

Denyo	SC-6720



SC-6721

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	130 mm
Inner Dia.:	75 mm
Body Height:	210 mm
Total Height:	210 mm

CROSS REFERENCE

SCR	25300045-023C
SCR	25300045-024



SC-6722

SPECIFICATIONS

Flange Size:	135 mm
Outer Dia.:	110 mm
Inner Dia.:	60 mm
Body Height:	180 mm
Total Height:	180 mm

CROSS REFERENCE

SCR	25300015-021C
Apureda	3221111181



SC-6723

SPECIFICATIONS

Flange Size:	385 mm
Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	270 mm
Total Height:	270 mm

CROSS REFERENCE

Soumac	SC-6723



SC-6724

SPECIFICATIONS

Flange Size:	275 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	265 mm
Total Height:	265 mm

CROSS REFERENCE

Soumac	SC-6724



SC-6725

SPECIFICATIONS

Flange Size:	135 mm
Outer Dia.:	108 mm
Inner Dia.:	60 mm
Body Height:	160 mm
Total Height:	160 mm

CROSS REFERENCE

Sanfam	KB2161



SC-6726

SPECIFICATIONS

Flange Size:	100 mm
Outer Dia.:	69/30 mm
Inner Dia.:	61/59 mm
Body Height:	400 mm
Total Height:	415 mm

CROSS REFERENCE

Tamrock	NT8160
Gardner Denver	CC1053692



SC-6727

SPECIFICATIONS

Flange Size:	100 mm
Outer Dia.:	71 mm
Inner Dia.:	55 mm
Body Height:	368 mm
Total Height:	414 mm

CROSS REFERENCE

Tamrock	NT8130
Gardner Denver	CC1053700



SC-6728

SPECIFICATIONS

Flange Size:	205 mm
Outer Dia.:	157 mm
Inner Dia.:	98 mm
Body Height:	248 mm
Total Height:	248 mm

CROSS REFERENCE

Kaeser	6.4579.0
Kaeser	6.4541.0



SC-6729

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	328 mm
Total Height:	328 mm

CROSS REFERENCE

ELGI	B006700770013
Keltec	KV340-018P



SC-6730

SPECIFICATIONS

Flange Size:	165 mm
Outer Dia.:	130 mm
Inner Dia.:	75 mm
Body Height:	170 mm
Total Height:	170 mm

CROSS REFERENCE

Adekom	09060010



SC-6731

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	292 mm
Inner Dia.:	213 mm
Body Height:	420 mm
Total Height:	420 mm

CROSS REFERENCE

SCR	25300220-022



SC-6732

SPECIFICATIONS

Flange Size:	158 mm
Outer Dia.:	125 mm
Inner Dia.:	75 mm
Body Height:	255 mm
Total Height:	255 mm

CROSS REFERENCE

Champion	5612-55
Sotras	DB2213



SC-6733

SPECIFICATIONS

Flange Size:	210 mm
Outer Dia.:	123 mm
Inner Dia.:	65 mm
Body Height:	190 mm
Total Height:	210 mm

CROSS REFERENCE

Airman	34220-09400
Keltec	KV50-039



SC-6734

SPECIFICATIONS

Flange Size:	332 mm
Outer Dia.:	270 mm
Inner Dia.:	185 mm
Body Height:	405 mm
Total Height:	405 mm

CROSS REFERENCE

Soumac	SC-6734



SC-6735

SPECIFICATIONS

Flange Size:	336 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	230 mm
Total Height:	230 mm

CROSS REFERENCE

United OSD	0350704001
United OSD	0410709001



SC-6736

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	162 mm
Inner Dia.:	100 mm
Body Height:	130 mm
Total Height:	130 mm

CROSS REFERENCE

Soumac	SC-6736



SC-6737

SPECIFICATIONS

Flange Size:	250 mm
Outer Dia.:	205 mm
Inner Dia.:	133 mm
Body Height:	250 mm
Total Height:	250 mm

CROSS REFERENCE

Sanfam	KB8992



SC-6738

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	125 mm
Inner Dia.:	70 mm
Body Height:	170 mm
Total Height:	170 mm

CROSS REFERENCE

Soumac	SC-6738




SC-6739

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	240 mm
Total Height:	240 mm

CROSS REFERENCE

Sanfam	SB461



SC-6740

SPECIFICATIONS

Flange Size:	123 mm
Outer Dia.:	123 mm
Inner Dia.:	56 mm
Body Height:	150 mm
Total Height:	170 mm

CROSS REFERENCE

Keltec	KD30-028



SC-6741

SPECIFICATIONS

Flange Size:	220 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	230 mm
Total Height:	230 mm

CROSS REFERENCE

Soumac	SC-6789



SC-6742

SPECIFICATIONS

Flange Size:	271 mm
Outer Dia.:	172 mm
Inner Dia.:	118 mm
Body Height:	335 mm
Total Height:	363 mm

CROSS REFERENCE

Mitsui Seiki	7110337394500
Mitsui Seiki	7110337394510



SC-6743

SPECIFICATIONS

Flange Size:	80 mm
Outer Dia.:	80 mm
Inner Dia.:	40 mm
Body Height:	126 mm
Total Height:	126 mm

CROSS REFERENCE

Boge	575076301P
Boge	575116310P



SC-6744

SPECIFICATIONS

Flange Size:	247 mm
Outer Dia.:	213 mm
Inner Dia.:	157 mm
Body Height:	380 mm
Total Height:	380 mm

CROSS REFERENCE

Soumac	SC-6744



SC-6745

SPECIFICATIONS

Flange Size:	210 mm
Outer Dia.:	124 mm
Inner Dia.:	75 mm
Body Height:	190 mm
Total Height:	210 mm

CROSS REFERENCE

Airman	34220-12301
Keltec	KV70-065



SC-6746

SPECIFICATIONS

Flange Size:	230 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	230 mm
Total Height:	230 mm

CROSS REFERENCE

Dynamisch	DNMC-100037



SC-6747P

SPECIFICATIONS

Flange Size:	245 mm
Outer Dia.:	200 mm
Inner Dia.:	133 mm
Body Height:	305 mm
Total Height:	305 mm

CROSS REFERENCE

Soumac	SC-6747P



SC-6748

SPECIFICATIONS

Flange Size:	154 mm
Outer Dia.:	154 mm
Inner Dia.:	98 mm
Body Height:	590 mm
Total Height:	600 mm

CROSS REFERENCE

Airman	34220-14300
Donaldson	P837693



SC-6749

SPECIFICATIONS

Flange Size:	70 mm
Outer Dia.:	70 mm
Inner Dia.:	40 mm
Body Height:	255 mm
Total Height:	259 mm

CROSS REFERENCE

Hydrovane	5700128
Sotras	DA1015



SC-6750

SPECIFICATIONS

Flange Size:	100 mm
Outer Dia.:	100 mm
Inner Dia.:	54 mm
Body Height:	140 mm
Total Height:	145 mm

CROSS REFERENCE

Tamrock	NT4550
HiFi Filter	OA1210



SC-6751

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	146 mm
Inner Dia.:	93 mm
Body Height:	210 mm
Total Height:	210 mm

CROSS REFERENCE

Dehaha	SC-6751



SC-6752

SPECIFICATIONS

Flange Size:	220 mm
Outer Dia.:	150 mm
Inner Dia.:	98 mm
Body Height:	155 mm
Total Height:	198 mm

CROSS REFERENCE

Soumac	SC-6752



SC-6753

SPECIFICATIONS

Flange Size:	210 mm
Outer Dia.:	120 mm
Inner Dia.:	65 mm
Body Height:	150 mm
Total Height:	150 mm

CROSS REFERENCE

AE	04.04.1.0051



SC-6754P

SPECIFICATIONS

Flange Size:	270 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	258 mm
Total Height:	258 mm

CROSS REFERENCE

Denair	1503-F4-04
Denair	1503F404



SC-6755

SPECIFICATIONS

Flange Size:	128 mm
Outer Dia.:	90 mm
Inner Dia.:	40 mm
Body Height:	200 mm
Total Height:	200 mm

CROSS REFERENCE

Success	01504-0800
Sanfam	KB8339



SC-6756

SPECIFICATIONS

Flange Size:	135 mm
Outer Dia.:	110 mm
Inner Dia.:	60 mm
Body Height:	200 mm
Total Height:	200 mm

CROSS REFERENCE

CART	CSF-20



SC-6757P

SPECIFICATIONS

Flange Size:	430 mm
Outer Dia.:	340 mm
Inner Dia.:	265 mm
Body Height:	420 mm
Total Height:	420 mm

CROSS REFERENCE

B&D	BD600PML/5
Mann Filter	LE47001X



SC-6758

SPECIFICATIONS

Flange Size:	600 mm
Outer Dia.:	530 mm
Inner Dia.:	460 mm
Body Height:	850 mm
Total Height:	850 mm

CROSS REFERENCE

B&D	BD1560L/3



SC-6759P

SPECIFICATIONS

Flange Size:	195 mm
Outer Dia.:	168 mm
Inner Dia.:	110 mm
Body Height:	200 mm
Total Height:	200 mm

CROSS REFERENCE

Seize	2090018



SC-6760

SPECIFICATIONS

Flange Size:	476 mm
Outer Dia.:	375 mm
Inner Dia.:	280 mm
Body Height:	818 mm
Total Height:	818 mm

CROSS REFERENCE

United OSD	4601900010



SC-6761

SPECIFICATIONS

Flange Size:	120 mm
Outer Dia.:	90 mm
Inner Dia.:	40 mm
Body Height:	135 mm
Total Height:	135 mm

CROSS REFERENCE

Jaguar	OLA0010N
Sanfam	KB8136



SC-6762P

SPECIFICATIONS

Flange Size:	165 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	200 mm
Total Height:	200 mm

CROSS REFERENCE

Sanfam	SB318



SC-6763

SPECIFICATIONS

Flange Size:	175 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	270 mm
Total Height:	270 mm

CROSS REFERENCE

Soumac	SC-6763




SC-6764

SPECIFICATIONS

Flange Size:	100 mm
Outer Dia.:	100 mm
Inner Dia.:	70 mm
Body Height:	250 mm
Total Height:	254 mm

CROSS REFERENCE

Hydrovane	20113
Sotras	DA1032



SC-6765

SPECIFICATIONS

Flange Size:	340 mm
Outer Dia.:	340 mm
Inner Dia.:	280 mm
Body Height:	300 mm
Total Height:	304 mm

CROSS REFERENCE

Soumac	SC-6765



SC-6766P

SPECIFICATIONS

Flange Size:	276 mm
Outer Dia.:	168 mm
Inner Dia.:	98 mm
Body Height:	245 mm
Total Height:	245 mm

CROSS REFERENCE

Elite	181030108001Y



SC-6767

SPECIFICATIONS

Flange Size:	165 mm
Outer Dia.:	130 mm
Inner Dia.:	60 mm
Body Height:	110 mm
Total Height:	150 mm

CROSS REFERENCE

Soumac	SC-6767



SC-6768

SPECIFICATIONS

Flange Size:	70 mm
Outer Dia.:	41 mm
Inner Dia.:	27 mm
Body Height:	75 mm
Total Height:	85 mm

CROSS REFERENCE

Mattei	52001058
Mann Filter	LE1010



SC-6769P

SPECIFICATIONS

Flange Size:	245 mm
Outer Dia.:	205 mm
Inner Dia.:	133 mm
Body Height:	230 mm
Total Height:	230 mm

CROSS REFERENCE

Seize	2090021
Seize	19030123



SC-6770

SPECIFICATIONS

Flange Size:	114 mm
Outer Dia.:	114 mm
Inner Dia.:	65 mm
Body Height:	165 mm
Total Height:	165 mm

CROSS REFERENCE

Worthington	590181
Sotras	DA1178



SC-6771

SPECIFICATIONS

Flange Size:	250 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	400 mm
Total Height:	400 mm

CROSS REFERENCE

Kaeser	6.4601.0
Kaeser	6.4290.0



SC-6772

SPECIFICATIONS

Flange Size:	345 mm
Outer Dia.:	345 mm
Inner Dia.:	280 mm
Body Height:	250 mm
Total Height:	250 mm

CROSS REFERENCE

Iwata	F300340250



SC-6773

SPECIFICATIONS

Flange Size:	165 mm
Outer Dia.:	120 mm
Inner Dia.:	60 mm
Body Height:	200 mm
Total Height:	200 mm

CROSS REFERENCE

Soumac	SC-6773



SC-6774

SPECIFICATIONS

Flange Size:	220 mm
Outer Dia.:	220 mm
Inner Dia.:	165 mm
Body Height:	420 mm
Total Height:	420 mm

CROSS REFERENCE

Rotorcomp	R100907
Mann Filter	LE30004



SC-6775

SPECIFICATIONS

Flange Size:	280 mm
Outer Dia.:	168 mm
Inner Dia.:	109 mm
Body Height:	230 mm
Total Height:	230 mm

CROSS REFERENCE

Grecomp	GC22



SC-6776P

SPECIFICATIONS

Flange Size:	355 mm
Outer Dia.:	270 mm
Inner Dia.:	210 mm
Body Height:	290 mm
Total Height:	290 mm

CROSS REFERENCE

Soumac	SC-6776P



SC-6777

SPECIFICATIONS

Flange Size:	70 mm
Outer Dia.:	70 mm
Inner Dia.:	40 mm
Body Height:	60 mm
Total Height:	60 mm

CROSS REFERENCE

Soumac	SC-6777



SC-6778

SPECIFICATIONS

Flange Size:	53 mm
Outer Dia.:	34 mm
Inner Dia.:	28 mm
Body Height:	232 mm
Total Height:	243 mm

CROSS REFERENCE

Kaeser	6.2009.0
Kaeser	6.1946.0



SC-6779

SPECIFICATIONS

Flange Size:	200 mm
Outer Dia.:	170 mm
Inner Dia.:	109 mm
Body Height:	245 mm
Total Height:	245 mm

CROSS REFERENCE

Soumac	SC-6779



SC-6780

SPECIFICATIONS

Flange Size:	185 mm
Outer Dia.:	130 mm
Inner Dia.:	75 mm
Body Height:	160 mm
Total Height:	160 mm

CROSS REFERENCE

Soumac	SC-6780



SC-6781

SPECIFICATIONS

Flange Size:	312 mm
Outer Dia.:	270 mm
Inner Dia.:	216 mm
Body Height:	360 mm
Total Height:	360 mm

CROSS REFERENCE

Soumac	SC-6781



SC-6782P

SPECIFICATIONS

Flange Size:	250 mm
Outer Dia.:	205 mm
Inner Dia.:	133 mm
Body Height:	230 mm
Total Height:	230 mm

CROSS REFERENCE

Denair	1503-F4-03
Denair	1503F403



SC-6783

SPECIFICATIONS

Flange Size:	198 mm
Outer Dia.:	155 mm
Inner Dia.:	100 mm
Body Height:	200 mm
Total Height:	200 mm

CROSS REFERENCE

Soumac	SC-6783



SC-6784

SPECIFICATIONS

Flange Size:	300 mm
Outer Dia.:	275 mm
Inner Dia.:	210 mm
Body Height:	460 mm
Total Height:	460 mm

CROSS REFERENCE

Ingersoll Rand	36866218
Ingersoll Rand	36899144



SC-6785

SPECIFICATIONS

Flange Size:	120 mm
Outer Dia.:	78 mm
Inner Dia.:	42 mm
Body Height:	158 mm
Total Height:	158 mm

CROSS REFERENCE

Grecomp	P1003012



SC-6786

SPECIFICATIONS

Flange Size:	170 mm
Outer Dia.:	135 mm
Inner Dia.:	75 mm
Body Height:	170 mm
Total Height:	170 mm

CROSS REFERENCE

Soumac	SC-6786



SC-6787

SPECIFICATIONS

Flange Size:	273 mm
Outer Dia.:	208 mm
Inner Dia.:	150 mm
Body Height:	305 mm
Total Height:	305 mm

CROSS REFERENCE

Soumac	SC-6787



SC-6788

SPECIFICATIONS

Flange Size:	273 mm
Outer Dia.:	205 mm
Inner Dia.:	133 mm
Body Height:	380 mm
Total Height:	380 mm

CROSS REFERENCE

Soumac	SC-6788



SA-1501

SPECIFICATIONS

Outer Dia.:	100 mm
Inner Dia.:	67 mm
Body Height:	79 mm
Total Height:	79 mm

CROSS REFERENCE

Atlas Copco	1613900100
Ingersoll Rand	89259329
Mann Filter	C1140




SA-1502

SPECIFICATIONS

Outer Dia.:	140 mm
Inner Dia.:	79 mm
Body Height:	123 mm
Total Height:	123 mm

CROSS REFERENCE

Atlas Copco	2903101200
Atlas Copco	1619126900
Mann-Filter	C1450



SA-1503

SPECIFICATIONS

Outer Dia.:	118 mm
Inner Dia.:	68 mm
Body Height:	134 mm
Total Height:	134 mm

CROSS REFERENCE

Atlas Copco	1613872000
Worthington	6211464150
Mann Filter	C1250



SA-1504

SPECIFICATIONS

Outer Dia.:	162 mm
Inner Dia.:	86 mm
Body Height:	340 mm
Total Height:	350 mm

CROSS REFERENCE

Atlas Copco	1619279700
Kaeser	6.1996.0
Kaishan	56006165338



SA-1505

SPECIFICATIONS

Outer Dia.:	159 mm
Inner Dia.:	95 mm
Body Height:	345 mm
Total Height:	375 mm

CROSS REFERENCE

Atlas Copco	1613740700
Kaeser	6.2084.0
Mann-Filter	C16400



SA-1506A

SPECIFICATIONS

Outer Dia.:	194 mm
Inner Dia.:	115 mm
Body Height:	370 mm
Total Height:	400 mm

CROSS REFERENCE

Atlas Copco	1613740800
Kobelco	PS-CE03-511
Mann-Filter	C20500



SA-1506B

SPECIFICATIONS

Outer Dia.:	105 mm
Inner Dia.:	93 mm
Body Height:	380 mm
Total Height:	380 mm

CROSS REFERENCE

Atlas Copco	2914930900
Mann-Filter	CF500



SA-1507

SPECIFICATIONS

Outer Dia.:	228 mm
Inner Dia.:	117 mm
Body Height:	370 mm
Total Height:	380 mm

CROSS REFERENCE

Atlas Copco	1619279800
Kaishan	56012230365
SCR	25100130-071



SA-1507B

SPECIFICATIONS

Outer Dia.:	121/112 mm
Inner Dia.:	105 mm
Body Height:	380 mm
Total Height:	380 mm

CROSS REFERENCE

Atlas Copco	1619554500
Mann-Filter	CF1200
SCR	25100130-072



SA-1508

SPECIFICATIONS

Outer Dia.:	216 mm
Inner Dia.:	123 mm
Body Height:	365 mm
Total Height:	405 mm

CROSS REFERENCE

Atlas Copco	1613800400
Kaeser	6.3564.0
Mann-Filter	C23610



SA-1508B

SPECIFICATIONS

Outer Dia.:	115 mm
Inner Dia.:	100 mm
Body Height:	380 mm
Total Height:	380 mm

CROSS REFERENCE

Sullair	02250164-533
Mann Filter	CF610
Atlas Copco	2914931100



SA-1509

SPECIFICATIONS

Outer Dia.:	248 mm
Inner Dia.:	150 mm
Body Height:	325 mm
Total Height:	365 mm

CROSS REFERENCE

Atlas Copco	1613950100
Gardner Denver	ZS1063357
Mann-Filter	C25740



SA-1510

SPECIFICATIONS

Outer Dia.:	248 mm
Inner Dia.:	150 mm
Body Height:	378 mm
Total Height:	415 mm

CROSS REFERENCE

Atlas Copco	1613950300
Compair	A10006374
Mann-Filter	C25860/2



SA-1510B

SPECIFICATIONS

Outer Dia.:	140 mm
Inner Dia.:	112 mm
Body Height:	395 mm
Total Height:	395 mm

CROSS REFERENCE

Mann Filter	CF1430
Atlas Copco	9097429500
Hitachi	59004050



SA-1510R

SPECIFICATIONS

Outer Dia.:	248 mm
Inner Dia.:	150 mm
Body Height:	378 mm
Total Height:	415 mm

CROSS REFERENCE

Atlas Copco	9097429500



SA-1511

SPECIFICATIONS

Outer Dia.:	227 mm
Inner Dia.:	130 mm
Body Height:	322 mm
Total Height:	356 mm

CROSS REFERENCE

Atlas Copco	1622185501
Ceccato	1631043500
Gardner Denver	ZS1063356



SA-1511B

SPECIFICATIONS

Outer Dia.:	115 mm
Inner Dia.:	97 mm
Body Height:	336 mm
Total Height:	336 mm

CROSS REFERENCE

Hitachi	59004020
Mann Filter	CF1250



SA-1512

SPECIFICATIONS

Outer Dia.:	352 mm
Inner Dia.:	240 mm
Body Height:	347 mm
Total Height:	358 mm

CROSS REFERENCE

Atlas Copco	1030097900
Atlas Copco	1621574100
Atlas Copco	1621054700



SA-1513

SPECIFICATIONS

Outer Dia.:	281 mm
Inner Dia.:	198 mm
Body Height:	590 mm
Total Height:	625 mm

CROSS REFERENCE

Atlas Copco	1621510700
ELGI	B005700770013
Ingersoll Rand	23487465



SA-1513B

SPECIFICATIONS

Outer Dia.:	179 mm
Inner Dia.:	163 mm
Body Height:	572 mm
Total Height:	572 mm

CROSS REFERENCE

Donaldson	P618932
Fleetguard	AF26438
Mann Filter	CF1840



SA-1514

SPECIFICATIONS

Outer Dia.:	302 mm
Inner Dia.:	190 mm
Body Height:	110 mm
Total Height:	110 mm

CROSS REFERENCE

Atlas Copco	1030065900
Atlas Copco	1030107000
Atlas Copco	1030083200



SA-1515

SPECIFICATIONS

Outer Dia.:	296 mm
Inner Dia.:	200 mm
Body Height:	557 mm
Total Height:	592 mm

CROSS REFERENCE

Atlas Copco	2914501700
Kaeser	6.2185.0
Mann-Filter	C30810/3



SA-1515B

SPECIFICATIONS

Outer Dia.:	201 mm
Inner Dia.:	192 mm
Body Height:	547 mm
Total Height:	575 mm

CROSS REFERENCE

Atlas Copco	2914501800
Mann-Filter	CF810
Sullair	88290016-448



SA-1516A

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	106 mm
Body Height:	363 mm
Total Height:	373 mm

CROSS REFERENCE

Atlas Copco	1619287000
Kaeser	6.1997.0
Kaishan	56010200350



SA-1516B

SPECIFICATIONS

Outer Dia.:	112/99 mm
Inner Dia.:	88 mm
Body Height:	368 mm
Total Height:	368 mm

CROSS REFERENCE

Atlas Copco	1619532700
Kaeser	6.1999.0
Mann-Filter	CF1000



SA-1516F

SPECIFICATIONS

Outer Dia.:	220/200 mm
Inner Dia.:	106 mm
Body Height:	363 mm
Total Height:	373 mm

CROSS REFERENCE

Fusheng	71142273-66010



SA-1517

SPECIFICATIONS

Outer Dia.:	235 mm
Inner Dia.:	132 mm
Body Height:	468 mm
Total Height:	482 mm

CROSS REFERENCE

Airman	32143-15400
Kobelco	S-CE05-505
Fleetguard	AF25667



SA-1518

SPECIFICATIONS

Outer Dia.:	150 mm
Inner Dia.:	86 mm
Body Height:	329 mm
Total Height:	359 mm

CROSS REFERENCE

Mann-Filter	C15300
Atlas Copco	2914930400
Kaeser	6.3540.0



SA-1518B

SPECIFICATIONS

Outer Dia.:	77 mm
Inner Dia.:	62 mm
Body Height:	345 mm
Total Height:	345 mm

CROSS REFERENCE

Atlas Copco	2914930500
Mann-Filter	CF300
Ingersoll Rand	54751532



SA-1519

SPECIFICATIONS

Outer Dia.:	160 mm
Inner Dia.:	70 mm
Body Height:	346 mm
Total Height:	357 mm

CROSS REFERENCE

Ingersoll Rand	22203095
Ingersoll Rand	22234967
Sotras	SA7126



SA-1520

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	102 mm
Body Height:	78 mm
Total Height:	78 mm

CROSS REFERENCE

Ingersoll Rand	42888214



SA-1521

SPECIFICATIONS

Outer Dia.:	128 mm
Inner Dia.:	79 mm
Body Height:	126 mm
Total Height:	151 mm

CROSS REFERENCE

Mann-Filter	C1368
Ingersoll Rand	39588470
Gardner Denver	ZS1060579



SA-1522

SPECIFICATIONS

Outer Dia.:	278 mm
Inner Dia.:	156 mm
Body Height:	126 mm
Total Height:	126 mm

CROSS REFERENCE

Ingersoll Rand	39768466
Mann-Filter	C27230
Sullair	02250154-513



SA-1523

SPECIFICATIONS

Outer Dia.:	130 mm
Inner Dia.:	77 mm
Body Height:	248 mm
Total Height:	275 mm

CROSS REFERENCE

Ingersoll Rand	39588777
Ingersoll Rand	39829668
Mann-Filter	C14137



SA-1524

SPECIFICATIONS

Outer Dia.:	378 mm
Inner Dia.:	208 mm
Body Height:	178 mm
Total Height:	178 mm

CROSS REFERENCE

Atlas Copco	2255300140
Ingersoll Rand	39903281
Ingersoll Rand	39796768



SA-1525

SPECIFICATIONS

Outer Dia.:	378 mm
Inner Dia.:	208 mm
Body Height:	368 mm
Total Height:	368 mm

CROSS REFERENCE

Atlas Copco	2255300135
Ingersoll Rand	39903265
Ingersoll Rand	47701890001



SA-1526

SPECIFICATIONS

Outer Dia.:	119 mm
Inner Dia.:	83 mm
Body Height:	296 mm
Total Height:	323 mm

CROSS REFERENCE

Bomag	05727662
Mann-Filter	C12004



SA-1527

SPECIFICATIONS

Outer Dia.:	205 mm
Inner Dia.:	145 mm
Body Height:	76 mm
Total Height:	80 mm

CROSS REFERENCE

Gardner Denver	85644309
Mann-Filter	C2146
Tamrock	30803298



SA-1528

SPECIFICATIONS

Outer Dia.:	256 mm
Inner Dia.:	192 mm
Body Height:	196 mm
Total Height:	196 mm

CROSS REFERENCE

Busch	532000006
Rietschle	7318940000
Mann-Filter	C26240



SA-1529A

SPECIFICATIONS

Outer Dia.:	240 mm
Inner Dia.:	133 mm
Body Height:	480 mm
Total Height:	490 mm

CROSS REFERENCE

Atlas Copco	1619279900
Mann-Filter	C24650/1
Sullair	88290002-337



SA-1529B

SPECIFICATIONS

Outer Dia.:	144/125 mm
Inner Dia.:	114 mm
Body Height:	456 mm
Total Height:	473 mm

CROSS REFERENCE

Mann-Filter	CF1300
Sullair	88290002-338
Atlas Copco	1619569800



SA-1530A

SPECIFICATIONS

Outer Dia.:	300 mm
Inner Dia.:	190 mm
Body Height:	460 mm
Total Height:	470 mm

CROSS REFERENCE

Mann-Filter	C30850/2
Sullair	88290005-013
Kaeser	6.1995.0



SA-1530B

SPECIFICATIONS

Outer Dia.:	161/148 mm
Inner Dia.:	139 mm
Body Height:	446 mm
Total Height:	463 mm

CROSS REFERENCE

Mann-Filter	CF1600
Sullair	88290005-014
Sullair	88290003-467



SA-1531A

SPECIFICATIONS

Outer Dia.:	224 mm
Inner Dia.:	141 mm
Body Height:	415 mm
Total Height:	425 mm

CROSS REFERENCE

Ingersoll Rand	54717145
Donaldson	P637535



SA-1531B

SPECIFICATIONS

Outer Dia.:	144 mm
Inner Dia.:	95 mm
Body Height:	395 mm
Total Height:	400 mm

CROSS REFERENCE

Ingersoll Rand	54717152
Donaldson	P637536



SA-1532

SPECIFICATIONS

Outer Dia.:	225/173 mm
Inner Dia.:	107 mm
Body Height:	407 mm
Total Height:	417 mm

CROSS REFERENCE

Atlas Copco	2255300162
Ingersoll Rand	58922758
Sullair	02250131-498



SA-1533

SPECIFICATIONS

Outer Dia.:	232 mm
Inner Dia.:	122 mm
Body Height:	330 mm
Total Height:	340 mm

CROSS REFERENCE

Airman	32146-02700
Airman	32143-03400
Sullair	02250131-499



SA-1534A

SPECIFICATIONS

Outer Dia.:	255 mm
Inner Dia.:	146 mm
Body Height:	445 mm
Total Height:	455 mm

CROSS REFERENCE

Sullair	02250145-731
Sullair	02250046-012



SA-1534B

SPECIFICATIONS

Outer Dia.:	145 mm
Inner Dia.:	124 mm
Body Height:	404 mm
Total Height:	414 mm

CROSS REFERENCE

Sullair	2250046-013
Elgi	M008906287
Curtis	RN24082-2



SA-1535A

SPECIFICATIONS

Outer Dia.:	292 mm
Inner Dia.:	175 mm
Body Height:	390 mm
Total Height:	400 mm

CROSS REFERENCE

Sullair	02250135-148
Atlas Copco	2255300158
Gardner Denver	2117151



SA-1535B

SPECIFICATIONS

Outer Dia.:	175 mm
Inner Dia.:	140 mm
Body Height:	355 mm
Total Height:	365 mm

CROSS REFERENCE

Sullair	409854
Atlas Copco	2255300151
Mann-Filter	C18152



SA-1536

SPECIFICATIONS

Outer Dia.:	300 mm
Inner Dia.:	155 mm
Body Height:	380 mm
Total Height:	390 mm

CROSS REFERENCE

Sullair	405158
Sullair	88290001-469
Atlas Copco	2255300150



SA-1537A

SPECIFICATIONS

Outer Dia.:	323 mm
Inner Dia.:	214 mm
Body Height:	601 mm
Total Height:	618 mm

CROSS REFERENCE

Sullair	048462
Sullair	02250135-150
Compair	98262-192



SA-1537B

SPECIFICATIONS

Outer Dia.:	209 mm
Inner Dia.:	181 mm
Body Height:	550 mm
Total Height:	560 mm

CROSS REFERENCE

Sullair	048463
Atlas Copco	2255300157
Ingersoll Rand	38778422



SA-1538

SPECIFICATIONS

Outer Dia.:	415/352 mm
Inner Dia.:	188 mm
Body Height:	450 mm
Total Height:	460 mm

CROSS REFERENCE

Sullair	88290003-111



SA-1539A

SPECIFICATIONS

Outer Dia.:	352 mm
Inner Dia.:	252 mm
Body Height:	737 mm
Total Height:	748 mm

CROSS REFERENCE

Sullair	250007-838
Sullair	02250135-149
Sullair	02250195-703



SA-1539B

SPECIFICATIONS

Outer Dia.:	251 mm
Inner Dia.:	203 mm
Body Height:	703 mm
Total Height:	713 mm

CROSS REFERENCE

Sullair	02250195-704
Sullair	250007-839
Atlas Copco	2255300154



SA-1540A

SPECIFICATIONS

Outer Dia.:	380 mm
Inner Dia.:	270 mm
Body Height:	565 mm
Total Height:	575 mm

CROSS REFERENCE

Sullair	88290001-466



SA-1540B

SPECIFICATIONS

Outer Dia.:	238 mm
Inner Dia.:	208 mm
Body Height:	480 mm
Total Height:	490 mm

CROSS REFERENCE

Sullair	88290001-467



SA-1541

SPECIFICATIONS

Outer Dia.:	595 mm
Inner Dia.:	595 mm
Body Height:	292 mm
Total Height:	296 mm

CROSS REFERENCE

Sullair	CJV415371



SA-1542

SPECIFICATIONS

Outer Dia.:	230 mm
Inner Dia.:	100 mm
Body Height:	120 mm
Total Height:	150 mm

CROSS REFERENCE

Mann-Filter	C23174
Atlas Copco	6211474600
Compair	A11380674



SA-1543

SPECIFICATIONS

Outer Dia.:	227 mm
Inner Dia.:	130 mm
Body Height:	265 mm
Total Height:	310 mm

CROSS REFERENCE

Compair	100009925
Mann-Filter	C23513
Atlas Copco	1631039700



SA-1544

SPECIFICATIONS

Outer Dia.:	420 mm
Inner Dia.:	255 mm
Body Height:	307 mm
Total Height:	317 mm

CROSS REFERENCE

Kaeser	6.6323.0
Kaeser	6.4249.0
Kaeser	4E0304.0



SA-1545

SPECIFICATIONS

Outer Dia.:	136 mm
Inner Dia.:	94 mm
Body Height:	308 mm
Total Height:	333 mm

CROSS REFERENCE

Atlas Copco	1649810101
Mann-Filter	C13009
Gardner Denver	ZS1188896



SA-1546

SPECIFICATIONS

Outer Dia.:	261 mm
Inner Dia.:	224 mm
Body Height:	82 mm
Total Height:	82 mm

CROSS REFERENCE

Hydrovane	50273
Mann-Filter	C2650
Mattei	5700546



SA-1547

SPECIFICATIONS

Outer Dia.:	347 mm
Inner Dia.:	298 mm
Body Height:	73 mm
Total Height:	77 mm

CROSS REFERENCE

Mattei	50332
Mann-Filter	C3576
Donaldson	P607236



SA-1548

SPECIFICATIONS

Outer Dia.:	347 mm
Inner Dia.:	298 mm
Body Height:	100 mm
Total Height:	104 mm

CROSS REFERENCE

Compair	5700154
Compair	52438
Mann-Filter	C35111



SA-1549

SPECIFICATIONS

Outer Dia.:	110 mm
Inner Dia.:	50 mm
Body Height:	95 mm
Total Height:	120 mm

CROSS REFERENCE

Mann-Filter	C1131
Compair	A11207674
Alup	172.07791




SA-1550

SPECIFICATIONS

Outer Dia.:	110 mm
Inner Dia.:	40 mm
Body Height:	95 mm
Total Height:	120 mm

CROSS REFERENCE

Mann-Filter	C1131/1
Gardner Denver	ZS1211905
Ingersoll Rand	39588462



SA-1551

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	125 mm
Body Height:	180 mm
Total Height:	190 mm

CROSS REFERENCE

Fusheng	71151-66010
Denair	1501-28-201
Kaishan	56006200180



SA-1552

SPECIFICATIONS

Outer Dia.:	230 mm
Inner Dia.:	155 mm
Body Height:	305 mm
Total Height:	315 mm

CROSS REFERENCE

Fusheng	71131-66010
Fusheng	2605540530
Huada	583350



SA-1553

SPECIFICATIONS

Outer Dia.:	350 mm
Inner Dia.:	240 mm
Body Height:	430 mm
Total Height:	440 mm

CROSS REFERENCE

Fusheng	71182-66010
Fusheng	2605541010



SA-1554A

SPECIFICATIONS

Outer Dia.:	125 mm
Inner Dia.:	74 mm
Body Height:	286 mm
Total Height:	322 mm

CROSS REFERENCE

Mann-Filter	C14200
Kaishan	56003124320
Hanbell	42011-22-02



SA-1554B

SPECIFICATIONS

Outer Dia.:	70 mm
Inner Dia.:	67mm
Body Height:	306 mm
Total Height:	306 mm

CROSS REFERENCE

Atlas Copco	2914930300
Atlas Copco	1092100300
Mann-Filter	CF200



SA-1555

SPECIFICATIONS

Outer Dia.:	230 mm
Inner Dia.:	150 mm
Body Height:	370 mm
Total Height:	380 mm

CROSS REFERENCE

Fusheng	71141312-66010
Fusheng	2605540650




SA-1556

SPECIFICATIONS

Outer Dia.:	300 mm
Inner Dia.:	190 mm
Body Height:	520 mm
Total Height:	530 mm

CROSS REFERENCE

Fusheng	71161412-66010
Fusheng	71184-66010
Fusheng	2605541250



SA-1557

SPECIFICATIONS

Outer Dia.:	320 mm
Inner Dia.:	194 mm
Body Height:	680 mm
Total Height:	690 mm

CROSS REFERENCE

Fusheng	711823E1-66210
Fusheng	2606540340
Kaishan	66320680



SA-1558

SPECIFICATIONS

Outer Dia.:	110 mm
Inner Dia.:	54 mm
Body Height:	135 mm
Total Height:	145 mm

CROSS REFERENCE

Fusheng	2205433801
Linghein	L010802-0025
SCR	25100014-011C



SA-1559

SPECIFICATIONS

Outer Dia.:	270 mm
Inner Dia.:	174 mm
Body Height:	490 mm
Total Height:	533 mm

CROSS REFERENCE

Atlas Copco	1094883001



SA-1560

SPECIFICATIONS

Outer Dia.:	300 mm
Inner Dia.:	190 mm
Body Height:	170 mm
Total Height:	180 mm

CROSS REFERENCE

Linghein	L010802-0116
Fusheng	2205433805
Fusheng	KLZ12-01



SA-1561

SPECIFICATIONS

Outer Dia.:	350 mm
Inner Dia.:	240 mm
Body Height:	437 mm
Total Height:	457 mm

CROSS REFERENCE

Hanbell	4211-26 HF



SA-1562

SPECIFICATIONS

Outer Dia.:	162/134 mm
Inner Dia.:	67 mm
Body Height:	280 mm
Total Height:	290 mm

CROSS REFERENCE

Atlas Copco	2900534700
Fleetguard	AF437K
Sullair	2250131-496



SA-1563

SPECIFICATIONS

Outer Dia.:	130 mm
Inner Dia.:	85 mm
Body Height:	122 mm
Total Height:	122 mm

CROSS REFERENCE

Ekomak	MKN001485
Ekomak	2205722528
Ekomak	2114061



SA-1564

SPECIFICATIONS

Outer Dia.:	203 mm
Inner Dia.:	136 mm
Body Height:	382 mm
Total Height:	405 mm

CROSS REFERENCE

Atlas Copco	1830032263
Wirtgen	2854401



SA-1565

SPECIFICATIONS

Outer Dia.:	300 mm
Inner Dia.:	190 mm
Body Height:	401 mm
Total Height:	417 mm

CROSS REFERENCE

Liutech	2205490493



SA-1566

SPECIFICATIONS

Outer Dia.:	300 mm
Inner Dia.:	190 mm
Body Height:	440 mm
Total Height:	450 mm

CROSS REFERENCE

Atlas Copco	1625165466
Kaishan	56020300440
Linghein	L010802-0031



SA-1567A

SPECIFICATIONS

Outer Dia.:	313/245 mm
Inner Dia.:	157 mm
Body Height:	520 mm
Total Height:	520 mm

CROSS REFERENCE

Sullair	02250168-053
Donaldson	P608116
Hitachi	4700940



SA-1567B

SPECIFICATIONS

Outer Dia.:	151/128 mm
Inner Dia.:	108 mm
Body Height:	479 mm
Total Height:	500 mm

CROSS REFERENCE

Sullair	02250179-205
Donaldson	P608391
Hitachi	4700939



SA-1568

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	72 mm
Body Height:	151 mm
Total Height:	185 mm

CROSS REFERENCE

Tecfeel	A2212



SA-1569

SPECIFICATIONS

Outer Dia.:	106 mm
Inner Dia.:	60 mm
Body Height:	268 mm
Total Height:	274 mm

CROSS REFERENCE

Airman	32143-11500
Atlas Copco	2236106023
Hitachi	59031110



SA-1570

SPECIFICATIONS

Outer Dia.:	140 mm
Inner Dia.:	72 mm
Body Height:	295 mm
Total Height:	295 mm

CROSS REFERENCE

Hitachi	172B06-11510
Airman	32143-17200



SA-1571

SPECIFICATIONS

Outer Dia.:	241/228 mm
Inner Dia.:	161 mm
Body Height:	130 mm
Total Height:	130 mm

CROSS REFERENCE

Mann-Filter	C23115
Sotras	SA6672



SA-1572

SPECIFICATIONS

Outer Dia.:	241/228 mm
Inner Dia.:	161 mm
Body Height:	200 mm
Total Height:	200 mm

CROSS REFERENCE

Mann-Filter	C23185
Sotras	SA6673



SA-1573

SPECIFICATIONS

Outer Dia.:	266 mm
Inner Dia.:	170 mm
Body Height:	439 mm
Total Height:	480 mm

CROSS REFERENCE

Almig	573.07730
Gardner Denver	ZS1063358
Elgi	B004700770029



SA-1574

SPECIFICATIONS

Outer Dia.:	301 mm
Inner Dia.:	217 mm
Body Height:	89 mm
Total Height:	96 mm

CROSS REFERENCE

Kaeser	6.4143.0
Atlas Copco	2255300186



SA-1575

SPECIFICATIONS

Outer Dia.:	60 mm
Inner Dia.:	35 mm
Body Height:	69 mm
Total Height:	69 mm

CROSS REFERENCE

Mann-Filter	C630
Atlas Copco	1622065800
Abac	6211473750



SA-1576

SPECIFICATIONS

Outer Dia.:	160 mm
Inner Dia.:	76 mm
Body Height:	135 mm
Total Height:	165 mm

CROSS REFERENCE

Mann-Filter	C17100
Compair	A11224574
Ingersoll Rand	88281829



SA-1577

SPECIFICATIONS

Outer Dia.:	160 mm
Inner Dia.:	70 mm
Body Height:	140 mm
Total Height:	165 mm

CROSS REFERENCE

Soumac	21020002



SA-1578A

SPECIFICATIONS

Outer Dia.:	180 mm
Inner Dia.:	105 mm
Body Height:	373 mm
Total Height:	390 mm

CROSS REFERENCE

Sullair	02250127-684
Donaldson	P780522
Ingersoll Rand	53207395



SA-1578B

SPECIFICATIONS

Outer Dia.:	106 mm
Inner Dia.:	87 mm
Body Height:	362 mm
Total Height:	362 mm

CROSS REFERENCE

Donaldson	P780523
Atlas Copco	1310035390
Ingersoll Rand	53207387



SA-1579

SPECIFICATIONS

Outer Dia.:	177 mm
Inner Dia.:	125 mm
Body Height:	325 mm
Total Height:	355 mm

CROSS REFERENCE

Atlas Copco	1837001883
Atlas Copco	1630890997
Atlas Copco	1625890926



SA-1580A

SPECIFICATIONS

Outer Dia.:	165 mm
Inner Dia.:	92 mm
Body Height:	348 mm
Total Height:	356 mm

CROSS REFERENCE

Airman	32143-12700
Kobelco	S-CE05-503
Compair	A13316774



SA-1580B

SPECIFICATIONS

Outer Dia.:	92 mm
Inner Dia.:	73 mm
Body Height:	337 mm
Total Height:	343 mm

CROSS REFERENCE

Airman	32143-12600
Kaishan	537702320720
Compair	A13316874



SA-1581A

SPECIFICATIONS

Outer Dia.:	127 mm
Inner Dia.:	81 mm
Body Height:	304 mm
Total Height:	313 mm

CROSS REFERENCE

Fusheng	2116040176
Kobelco	S-CE05-502
Hitachi	52302330



SA-1581B

SPECIFICATIONS

Outer Dia.:	81 mm
Inner Dia.:	66 mm
Body Height:	304 mm
Total Height:	304 mm

CROSS REFERENCE

Ingersoll Rand	59144188
Donaldson	P822769
Mann-Filter	CF97/2



SA-1582

SPECIFICATIONS

Outer Dia.:	280 mm
Inner Dia.:	191 mm
Body Height:	524 mm
Total Height:	562 mm

CROSS REFERENCE

Atlas Copco	1621737600
Worthington	1635050100
Gardner Denver	ZS1104907



SA-1583

SPECIFICATIONS

Outer Dia.:	267 mm
Inner Dia.:	170 mm
Body Height:	390 mm
Total Height:	427 mm

CROSS REFERENCE

Compair	100013298
Compair	ZS1088236
Mann-Filter	C271020




SA-1584

SPECIFICATIONS

Outer Dia.:	420 mm
Inner Dia.:	255 mm
Body Height:	95 mm
Total Height:	115 mm

CROSS REFERENCE

Kaeser	6.4149.0
Kaeser	4E03010
Mann-Filter	C42475



SA-1585

SPECIFICATIONS

Outer Dia.:	420 mm
Inner Dia.:	255 mm
Body Height:	135 mm
Total Height:	145 mm

CROSS REFERENCE

Kaeser	6.4148.0
Kaeser	4E0302.0
Elgi	B004700770031



SA-1586

SPECIFICATIONS

Outer Dia.:	173 mm
Inner Dia.:	108 mm
Body Height:	95 mm
Total Height:	105 mm

CROSS REFERENCE

Hitachi	21717210



SA-1587

SPECIFICATIONS

Outer Dia.:	173 mm
Inner Dia.:	108 mm
Body Height:	128 mm
Total Height:	138 mm

CROSS REFERENCE

Hitachi	21717211



SA-1588A

SPECIFICATIONS

Outer Dia.:	236 mm
Inner Dia.:	133 mm
Body Height:	370 mm
Total Height:	390 mm

CROSS REFERENCE

Airman	32143-12500
Kaishan	537702321210
Hitachi	56972330




SA-1588B

SPECIFICATIONS

Outer Dia.:	132 mm
Inner Dia.:	110 mm
Body Height:	335 mm
Total Height:	346 mm

CROSS REFERENCE

Airman	32143-12400
Kaishan	537702321220
Donaldson	P821963



SA-1589

SPECIFICATIONS

Outer Dia.:	420 mm
Inner Dia.:	255 mm
Body Height:	215 mm
Total Height:	225 mm

CROSS REFERENCE

Kaeser	6.4248.0
Kaeser	6.4248.1



SA-1590A

SPECIFICATIONS

Outer Dia.:	241 mm
Inner Dia.:	146 mm
Body Height:	502 mm
Total Height:	540 mm

CROSS REFERENCE

Kobelco	PS-CE03-509
Kaeser	6.2182.0
Mann-Filter	C25710/3



SA-1590B

SPECIFICATIONS

Outer Dia.:	141 mm
Inner Dia.:	121 mm
Body Height:	500 mm
Total Height:	500 mm

CROSS REFERENCE

Atlas Copco	2914502400
Ingersoll Rand	54672697
Mann-Filter	CF710



SA-1591

SPECIFICATIONS

Outer Dia.:	415/350 mm
Inner Dia.:	190 mm
Body Height:	640 mm
Total Height:	655 mm

CROSS REFERENCE

Sullair	88290004-372



SA-1592A

SPECIFICATIONS

Outer Dia.:	138 mm
Inner Dia.:	83 mm
Body Height:	322 mm
Total Height:	331 mm

CROSS REFERENCE

Sullair	02250125-371
Kaishan	537702320510
Compair	A13306974



SA-1592B

SPECIFICATIONS

Outer Dia.:	82/79 mm
Inner Dia.:	77 mm
Body Height:	318 mm
Total Height:	318 mm

CROSS REFERENCE

Sullair	02250102-160
Mann-Filter	CF850/2



SA-1593

SPECIFICATIONS

Outer Dia.:	295 mm
Inner Dia.:	200 mm
Body Height:	586 mm
Total Height:	623 mm

CROSS REFERENCE

Elgi	B005700770010
Almig	172.30173
Ingersoll Rand	23487457



SA-1594

SPECIFICATIONS

Outer Dia.:	390 mm
Inner Dia.:	255 mm
Body Height:	462 mm
Total Height:	472 mm

CROSS REFERENCE

Atlas Copco	1635040700
Atlas Copco	1621574300
Atlas Copco	1621054600



SA-1595

SPECIFICATIONS

Outer Dia.:	160 mm
Inner Dia.:	111 mm
Body Height:	106 mm
Total Height:	116 mm

CROSS REFERENCE

Atlas Copco	2205106802
Atlas Copco	2205106805



SA-1596

SPECIFICATIONS

Outer Dia.:	600 mm
Inner Dia.:	545 mm
Body Height:	160 mm
Total Height:	160 mm

CROSS REFERENCE

Atlas Copco	1621138900
Atlas Copco	1621138999



SA-1597

SPECIFICATIONS

Outer Dia.:	420 mm
Inner Dia.:	412 mm
Body Height:	180 mm
Total Height:	180 mm

CROSS REFERENCE

Kobelco	PS-CE05-501
Ingersoll Rand	47758794001
Kaishan	537702334710



SA-1598A

SPECIFICATIONS

Outer Dia.:	115 mm
Inner Dia.:	64 mm
Body Height:	216 mm
Total Height:	253 mm

CROSS REFERENCE

Atlas Copco	6211474100
Kaeser	6.3528.0
Mann-Filter	C11100



SA-1598B

SPECIFICATIONS

Outer Dia.:	55 mm
Inner Dia.:	43 mm
Body Height:	235 mm
Total Height:	240 mm

CROSS REFERENCE

Atlas Copco	2914930100
Kaeser	6.3526.0
Mann-Filter	CF100



SA-1599

SPECIFICATIONS

Outer Dia.:	165 mm
Inner Dia.:	52 mm
Body Height:	82 mm
Total Height:	110 mm

CROSS REFERENCE

Kaishan	56002165083J



SA-1600

SPECIFICATIONS

Outer Dia.:	140 mm
Inner Dia.:	120 mm
Body Height:	135 mm
Total Height:	135 mm

CROSS REFERENCE

Kaeser	6.4163.0



SA-1601

SPECIFICATIONS

Outer Dia.:	140 mm
Inner Dia.:	120 mm
Body Height:	70 mm
Total Height:	70 mm

CROSS REFERENCE

Kaeser	6.4161.0



SA-1602

SPECIFICATIONS

Outer Dia.:	140 mm
Inner Dia.:	120 mm
Body Height:	50 mm
Total Height:	50 mm

CROSS REFERENCE

Kaeser	6.4212.0




SA-1603

SPECIFICATIONS

Outer Dia.:	140 mm
Inner Dia.:	120 mm
Body Height:	95 mm
Total Height:	95 mm

CROSS REFERENCE

Kaeser	6.4432.0



SA-1604

SPECIFICATIONS

Outer Dia.:	300 mm
Inner Dia.:	0 mm
Body Height:	180 mm
Total Height:	180 mm

CROSS REFERENCE

Kobelco	P-CE05-576
Kaishan	537702332510
SCR	25100260-061




SA-1605

SPECIFICATIONS

Outer Dia.:	325 mm
Inner Dia.:	215 mm
Body Height:	95 mm
Total Height:	105 mm

CROSS REFERENCE

Kaeser	6.4139.0
Elgi	B004700770039



SA-1606

SPECIFICATIONS

Outer Dia.:	300 mm
Inner Dia.:	220 mm
Body Height:	300 mm
Total Height:	300 mm

CROSS REFERENCE

Kobelco	P-F04-3001



SA-1607

SPECIFICATIONS

Outer Dia.:	143 mm
Inner Dia.:	80 mm
Body Height:	225 mm
Total Height:	235 mm

CROSS REFERENCE

Kobelco	P-CE05-516
Iwata	25100043-579



SA-1608

SPECIFICATIONS

Outer Dia.:	160 mm
Inner Dia.:	118 mm
Body Height:	120 mm
Total Height:	128 mm

CROSS REFERENCE

Ceccato	2200640551
Ceccato	640551
Mann-Filter	C1642



SA-1609

SPECIFICATIONS

Outer Dia.:	199 mm
Inner Dia.:	145 mm
Body Height:	98 mm
Total Height:	102 mm

CROSS REFERENCE

Sullair	042445
Abac	2205722521
Ekomak	218406-2



SA-1610

SPECIFICATIONS

Outer Dia.:	208 mm
Inner Dia.:	122 mm
Body Height:	357 mm
Total Height:	360 mm

CROSS REFERENCE

Hitachi	52652330
Hitachi	59031180
Airman	32143-12800



SA-1611

SPECIFICATIONS

Outer Dia.:	251 mm
Inner Dia.:	170 mm
Body Height:	445 mm
Total Height:	485 mm

CROSS REFERENCE

Atlas Copco	2914507300
Mann Filter	C26980
Fleetguard	AF26353



SA-1612

SPECIFICATIONS

Outer Dia.:	159 mm
Inner Dia.:	120 mm
Body Height:	75 mm
Total Height:	75 mm

CROSS REFERENCE

Mann-Filter	C1633/1
Dalgakiran	1311211000
Ingersoll Rand	93580876



SA-1613

SPECIFICATIONS

Outer Dia.:	420 mm
Inner Dia.:	255 mm
Body Height:	380 mm
Total Height:	390 mm

CROSS REFERENCE

Kaeser	6.4198.0



SA-1614

SPECIFICATIONS

Outer Dia.:	300 mm
Inner Dia.:	190 mm
Body Height:	215 mm
Total Height:	225 mm

CROSS REFERENCE

Linghein	2205615674
Linghein	L010802-0029




SA-1615

SPECIFICATIONS

Outer Dia.:	182 mm
Inner Dia.:	100 mm
Body Height:	355 mm
Total Height:	355 mm

CROSS REFERENCE

Airman	32143-17100



SA-1616

SPECIFICATIONS

Outer Dia.:	148 mm
Inner Dia.:	48 mm
Body Height:	85 mm
Total Height:	110 mm

CROSS REFERENCE

Atlas Copco	1625185506



SA-1617

SPECIFICATIONS

Outer Dia.:	148 mm
Inner Dia.:	48 mm
Body Height:	112 mm
Total Height:	130 mm

CROSS REFERENCE

Desran	GY015110048-H1
Desran	HM14811048-2H



SA-1618

SPECIFICATIONS

Outer Dia.:	220 mm
Inner Dia.:	62 mm
Body Height:	125 mm
Total Height:	155 mm

CROSS REFERENCE

Desran	GY022120062-H1
Atlas Copco	1641004754
Seize	211020063




SA-1619

SPECIFICATIONS

Outer Dia.:	280 mm
Inner Dia.:	78 mm
Body Height:	200 mm
Total Height:	235 mm

CROSS REFERENCE

Desran	GY028200078-H1
Desran	HM28020078-6H
Seize	2090006



SA-1619T

SPECIFICATIONS

Outer Dia.:	280 mm
Inner Dia.:	78 mm
Body Height:	200 mm
Total Height:	235 mm

CROSS REFERENCE

Atlas Copco	1625173616
Atlas Copco	1641004755
Fusheng	71123116-66100



SA-1620

SPECIFICATIONS

Outer Dia.:	310 mm
Inner Dia.:	100 mm
Body Height:	155 mm
Total Height:	190 mm

CROSS REFERENCE

Seize	2090016
Desran	GY031150100-H1
Ironmac	3233343



SA-1621

SPECIFICATIONS

Outer Dia.:	310 mm
Inner Dia.:	150 mm
Body Height:	250 mm
Total Height:	285 mm

CROSS REFERENCE

Seize	2090017



SA-1622

SPECIFICATIONS

Outer Dia.:	350 mm
Inner Dia.:	240 mm
Body Height:	520 mm
Total Height:	530 mm

CROSS REFERENCE

Atlas Copco	1625165470
Sullair	250024-034
Screw	25150320-002P1



SA-1623

SPECIFICATIONS

Outer Dia.:	132 mm
Inner Dia.:	70 mm
Body Height:	65 mm
Total Height:	75 mm

CROSS REFERENCE

Linghein	L010802-0141




SA-1624

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	136 mm
Body Height:	130 mm
Total Height:	140 mm

CROSS REFERENCE

Kobelco	P-CE05-532-01




SA-1625

SPECIFICATIONS

Outer Dia.:	230 mm
Inner Dia.:	125 mm
Body Height:	255 mm
Total Height:	265 mm

CROSS REFERENCE

Atlas Copco	1619187900
Ingersoll Rand	29617210
Donaldson	P18-1035



SA-1626

SPECIFICATIONS

Outer Dia.:	132 mm
Inner Dia.:	66 mm
Body Height:	95 mm
Total Height:	105 mm

CROSS REFERENCE

Linghein	L010802-0139
Linghein	2205615688



SA-1627

SPECIFICATIONS

Outer Dia.:	230 mm
Inner Dia.:	155 mm
Body Height:	180 mm
Total Height:	190 mm

CROSS REFERENCE

Fusheng	2116040207
Linghein	S010802-5011
Fusheng	2605541620



SA-1628

SPECIFICATIONS

Outer Dia.:	210 mm
Inner Dia.:	142 mm
Body Height:	90 mm
Total Height:	90 mm

CROSS REFERENCE

Fini	017026000
HiFi Filter	SA 19373
Sotras	SA6794



SA-1629

SPECIFICATIONS

Outer Dia.:	155 mm
Inner Dia.:	90 mm
Body Height:	355 mm
Total Height:	365 mm

CROSS REFERENCE

Linghein	L010802-0115
Linghein	L010802-0028
Linghein	2205615686



SA-1630

SPECIFICATIONS

Outer Dia.:	110 mm
Inner Dia.:	55 mm
Body Height:	214 mm
Total Height:	224 mm

CROSS REFERENCE

Kaeser	6.1994.0
Linghein	L010802-0026
Atlas Copco	1619286700



SA-1631

SPECIFICATIONS

Outer Dia.:	132 mm
Inner Dia.:	70 mm
Body Height:	302 mm
Total Height:	312 mm

CROSS REFERENCE

Linghein	L010802-0114
Linghein	2205615685



SA-1632

SPECIFICATIONS

Outer Dia.:	300 mm
Inner Dia.:	190 mm
Body Height:	310 mm
Total Height:	320 mm

CROSS REFERENCE

Soumac	SA-1632



SA-1633

SPECIFICATIONS

Outer Dia.:	114 mm
Inner Dia.:	76 mm
Body Height:	180 mm
Total Height:	180 mm

CROSS REFERENCE

Kaeser	6.2003.0
Atlas Copco	2255300188
Mann-Filter	C1134



SA-1634

SPECIFICATIONS

Outer Dia.:	262 mm
Inner Dia.:	0 mm
Body Height:	232 mm
Total Height:	232 mm

CROSS REFERENCE

Atlas Copco	1627410030
Sullair	88291007-435
Quincy	146397-10



SA-1635

SPECIFICATIONS

Outer Dia.:	282 mm
Inner Dia.:	200 mm
Body Height:	416 mm
Total Height:	455 mm

CROSS REFERENCE

Sullair	88298001-996
Sullair	88298001-708
Atlas Copco	1094807001



SA-1636

SPECIFICATIONS

Outer Dia.:	164 mm
Inner Dia.:	87 mm
Body Height:	225 mm
Total Height:	235 mm

CROSS REFERENCE

Atlas Copco	2900059300
Compair	A29504476
Ingersoll Rand	93613172



SA-1637

SPECIFICATIONS

Outer Dia.:	448 mm
Inner Dia.:	309 mm
Body Height:	408 mm
Total Height:	418 mm

CROSS REFERENCE

Hitachi	53432330
Hitachi	59056430




SA-1638

SPECIFICATIONS

Outer Dia.:	170 mm
Inner Dia.:	95 mm
Body Height:	370 mm
Total Height:	380 mm

CROSS REFERENCE

Atlas Copco	1310038750
Gardner Denver	2116701
Quincy	22864-8



SA-1639

SPECIFICATIONS

Outer Dia.:	230 mm
Inner Dia.:	185 mm
Body Height:	100 mm
Total Height:	100 mm

CROSS REFERENCE

Ceccato	640550
Ceccato	2200640550
Mann-Filter	C2360




SA-1640

SPECIFICATIONS

Outer Dia.:	194 mm
Inner Dia.:	115 mm
Body Height:	345 mm
Total Height:	370 mm

CROSS REFERENCE

Soumac	SA-1640



SA-1641

SPECIFICATIONS

Outer Dia.:	230 mm
Inner Dia.:	150 mm
Body Height:	380 mm
Total Height:	390 mm

CROSS REFERENCE

Kangkeer	114011-01201



SA-1642

SPECIFICATIONS

Outer Dia.:	150 mm
Inner Dia.:	80 mm
Body Height:	225 mm
Total Height:	235 mm

CROSS REFERENCE

SCR	25100043-071
Sullair	88291002-854
Sullair	88291002-853



SA-1643

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	80 mm
Body Height:	151 mm
Total Height:	185 mm

CROSS REFERENCE

Dalgakiran	1311121201
Dalgakiran	11000869
Almig	572.08786



SA-1644

SPECIFICATIONS

Outer Dia.:	205 mm
Inner Dia.:	107 mm
Body Height:	276 mm
Total Height:	295 mm

CROSS REFERENCE

Hitachi	59000190
Hitachi	59031150
Donaldson	P537405



SA-1645

SPECIFICATIONS

Outer Dia.:	236 mm
Inner Dia.:	133 mm
Body Height:	314 mm
Total Height:	330 mm

CROSS REFERENCE

Gardner Denver	QX113002
Gardner Denver	QX114256
Gardner Denver	QX104190



SA-1646

SPECIFICATIONS

Outer Dia.:	122 mm
Inner Dia.:	76 mm
Body Height:	180 mm
Total Height:	182 mm

CROSS REFERENCE

Kaeser	6.2055.0
Mann-Filter	C1369
Sotras	SA6656



SA-1647

SPECIFICATIONS

Outer Dia.:	106 mm
Inner Dia.:	60 mm
Body Height:	78 mm
Total Height:	82 mm

CROSS REFERENCE

Kaeser	6.0215.0
Mann-Filter	C1126
Atlas Copco	2255300125



SA-1648

SPECIFICATIONS

Outer Dia.:	173 mm
Inner Dia.:	108 mm
Body Height:	150 mm
Total Height:	160 mm

CROSS REFERENCE

Hitachi	21717212



SA-1649

SPECIFICATIONS

Outer Dia.:	173 mm
Inner Dia.:	108 mm
Body Height:	210 mm
Total Height:	220 mm

CROSS REFERENCE

Hitachi	21717213
Hitachi	51802330
Hitachi	53749220



SA-1650

SPECIFICATIONS

Outer Dia.:	153 mm
Inner Dia.:	90 mm
Body Height:	302 mm
Total Height:	314 mm

CROSS REFERENCE

Sullair	88290006-013
SCR	25100075-071
Iwata	25100075-271



SA-1650F

SPECIFICATIONS

Outer Dia.:	153/185 mm
Inner Dia.:	90 mm
Body Height:	302 mm
Total Height:	314 mm

CROSS REFERENCE

Sullair	02250087-420
Huada	583340
Ingersoll Rand	35902295



SA-1651

SPECIFICATIONS

Outer Dia.:	250 mm
Inner Dia.:	0 mm
Body Height:	180 mm
Total Height:	180 mm

CROSS REFERENCE

Sullair	88290013-079
United OSD	0750102024
Kaishan	537702331010



SA-1652

SPECIFICATIONS

Outer Dia.:	158 mm
Inner Dia.:	97 mm
Body Height:	283 mm
Total Height:	320 mm

CROSS REFERENCE

Ingersoll Rand	24358319
Ingersoll Rand	46856845



SA-1653

SPECIFICATIONS

Outer Dia.:	230 mm
Inner Dia.:	150 mm
Body Height:	375 mm
Total Height:	412 mm

CROSS REFERENCE

Compair	100005026
SCR	25150150-004P1
Mann Filter	C24745/3




SA-1654

SPECIFICATIONS

Outer Dia.:	321 mm
Inner Dia.:	180 mm
Body Height:	587 mm
Total Height:	628 mm

CROSS REFERENCE

Atlas Copco	1623778300
Atlas Copco	1623778400
Mann-Filter	C332200



SA-1655

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	130 mm
Body Height:	210 mm
Total Height:	216 mm

CROSS REFERENCE

Kobelco	P-CE05-531-01



SA-1656

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	130 mm
Body Height:	300 mm
Total Height:	306 mm

CROSS REFERENCE

Kobelco	P-F03-3010
Kobelco	P-CE05-546



SA-1657

SPECIFICATIONS

Outer Dia.:	130 mm
Inner Dia.:	75 mm
Body Height:	70 mm
Total Height:	80 mm

CROSS REFERENCE

Atlas Copco	1625175474
Atlas Copco	1625173635



SA-1658

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	125 mm
Body Height:	70 mm
Total Height:	80 mm

CROSS REFERENCE

Atlas Copco	1625173636



SA-1659

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	125 mm
Body Height:	70 mm
Total Height:	76 mm

CROSS REFERENCE

Atlas Copco	1625165401
Atlas Copco	1625165495
Atlas Copco	1625173628



SA-1660

SPECIFICATIONS

Outer Dia.:	250 mm
Inner Dia.:	152 mm
Body Height:	134 mm
Total Height:	134 mm

CROSS REFERENCE

Sullair	040899
Atlas Copco	2255300144
Mann-Filter	C26176



SA-1661

SPECIFICATIONS

Outer Dia.:	336 mm
Inner Dia.:	278 mm
Body Height:	151 mm
Total Height:	157 mm

CROSS REFERENCE

Mattei	30566
Mattei	CR21H30566
Sotras	SA6578



SA-1662

SPECIFICATIONS

Outer Dia.:	318 mm
Inner Dia.:	199 mm
Body Height:	400 mm
Total Height:	444 mm

CROSS REFERENCE

Sullair	88292001-204
Donaldson	ECB120472
MTU	0180945802



SA-1663

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	125 mm
Body Height:	125 mm
Total Height:	135 mm

CROSS REFERENCE

Linghein	L010802-0191
Atlas Copco	2116040206
Huada	583330



SA-1664

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	125 mm
Body Height:	182 mm
Total Height:	192 mm

CROSS REFERENCE

Hanbell	4211-23-04



SA-1665

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	125 mm
Body Height:	120 mm
Total Height:	131 mm

CROSS REFERENCE

Hanbell	4211-22-04
Hanbell	4211-21-08HF



SA-1666

SPECIFICATIONS

Outer Dia.:	131 mm
Inner Dia.:	85 mm
Body Height:	50 mm
Total Height:	50 mm

CROSS REFERENCE

Mann-Filter	C1415
Atlas Copco	1503018900
Alup	172.90675



SA-1667

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	135 mm
Body Height:	325 mm
Total Height:	335 mm

CROSS REFERENCE

Hanbell	4211-24
ELGI	220419480



SA-1668

SPECIFICATIONS

Outer Dia.:	205 mm
Inner Dia.:	145 mm
Body Height:	101 mm
Total Height:	105 mm

CROSS REFERENCE

Mann-Filter	C2178
Gardner Denver	81166609
Hydrovane	R0100089



SA-1669

SPECIFICATIONS

Outer Dia.:	258 mm
Inner Dia.:	164 mm
Body Height:	172 mm
Total Height:	172 mm

CROSS REFERENCE

Mann Filter	4529523109
LS Tractor	40192187
JCB	32926071



SA-1670A

SPECIFICATIONS

Outer Dia.:	275/282 mm
Inner Dia.:	148 mm
Body Height:	512 mm
Total Height:	520 mm

CROSS REFERENCE

Atlas Copco	3222188141
Donaldson	P785390
Claas	12231613



SA-1670B

SPECIFICATIONS

Outer Dia.:	142/150 mm
Inner Dia.:	108 mm
Body Height:	460 mm
Total Height:	467 mm

CROSS REFERENCE

Atlas Copco	3222188144
Donaldson	P785391
Case	48076592



SA-1671

SPECIFICATIONS

Outer Dia.:	267 mm
Inner Dia.:	170 mm
Body Height:	493 mm
Total Height:	533 mm

CROSS REFERENCE

Ingersoll Rand	23429822
Mann-Filter	C271320/2
Atlas Copco	1028810505



SA-1672

SPECIFICATIONS

Outer Dia.:	110 mm
Inner Dia.:	76 mm
Body Height:	116 mm
Total Height:	120 mm

CROSS REFERENCE

Ingersoll Rand	32165466
Ingersoll Rand	32012957
Sotras	SA6858



SA-1673

SPECIFICATIONS

Outer Dia.:	220 mm
Inner Dia.:	62 mm
Body Height:	143 mm
Total Height:	178 mm

CROSS REFERENCE

Tecfeel	A0312



SA-1674

SPECIFICATIONS

Outer Dia.:	153 mm
Inner Dia.:	85 mm
Body Height:	318 mm
Total Height:	328 mm

CROSS REFERENCE

Kaishan	56006153318
Sunward	13031880
Sunward	13056889



SA-1675A

SPECIFICATIONS

Outer Dia.:	202/198 mm
Inner Dia.:	106 mm
Body Height:	363 mm
Total Height:	378 mm

CROSS REFERENCE

C&P	2205131201
Kaishan	56010198376
Atlas Copco	2205454400



SA-1675B

SPECIFICATIONS

Outer Dia.:	99/89 mm
Inner Dia.:	78 mm
Body Height:	328 mm
Total Height:	328 mm

CROSS REFERENCE

C&P	2205131202
Kaishan	56010198376
Yuchai	KS180K072



SA-1676A

SPECIFICATIONS

Outer Dia.:	303 mm
Inner Dia.:	168 mm
Body Height:	445 mm
Total Height:	450 mm

CROSS REFERENCE

Kaishan	56022305448
Kaishan	077032230544
Kaishan	KS180J082



SA-1676B

SPECIFICATIONS

Outer Dia.:	168 mm
Inner Dia.:	134 mm
Body Height:	435 mm
Total Height:	435 mm

CROSS REFERENCE

Kaishan	5602230448
Kaishan	KS180J504



SA-1677

SPECIFICATIONS

Outer Dia.:	265 mm
Inner Dia.:	136 mm
Body Height:	220 mm
Total Height:	228 mm

CROSS REFERENCE

Gardner Denver	QX102798
Bottarini	CC1008518
Tamrock	VP1008518



SA-1678

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	125 mm
Body Height:	238 mm
Total Height:	250 mm

CROSS REFERENCE

Hanbell	4211-24-04



SA-1679

SPECIFICATIONS

Outer Dia.:	130 mm
Inner Dia.:	62 mm
Body Height:	90 mm
Total Height:	120 mm

CROSS REFERENCE

C&P	1625173710



SA-1680

SPECIFICATIONS

Outer Dia.:	241/228 mm
Inner Dia.:	161 mm
Body Height:	87 mm
Total Height:	90 mm

CROSS REFERENCE

Mann-Filter	C2375
Aerzen	152066000
Fini	017010000



SA-1681

SPECIFICATIONS

Outer Dia.:	130 mm
Inner Dia.:	55 mm
Body Height:	130 mm
Total Height:	155 mm

CROSS REFERENCE

Soumac	21020001



SA-1682

SPECIFICATIONS

Outer Dia.:	280 mm
Inner Dia.:	204/140 mm
Body Height:	514 mm
Total Height:	522 mm

CROSS REFERENCE

Ingersoll Rand	22133078
Ingersoll Rand	22130223
Sotras	SA7138



SA-1683

SPECIFICATIONS

Outer Dia.:	100 mm
Inner Dia.:	67 mm
Body Height:	100 mm
Total Height:	100 mm

CROSS REFERENCE

Elgi	B005705760002
Virgis	CH16384
Gardner Denver	CC1037136



SA-1684

SPECIFICATIONS

Outer Dia.:	290 mm
Inner Dia.:	226/158 mm
Body Height:	260 mm
Total Height:	272 mm

CROSS REFERENCE

Ingersoll Rand	93578359
Ingersoll Rand	93568005
Fleetguard	AF304M



SA-1685

SPECIFICATIONS

Outer Dia.:	140 mm
Inner Dia.:	93 mm
Body Height:	180 mm
Total Height:	180 mm

CROSS REFERENCE

Atlas Copco	1625173734
Atlas Copco	1625173717



SA-1686

SPECIFICATIONS

Outer Dia.:	291 mm
Inner Dia.:	168 mm
Body Height:	435 mm
Total Height:	445 mm

CROSS REFERENCE

Sullair	88292011-473
Donaldson	R000958
Seize	2090059



SA-1687

SPECIFICATIONS

Outer Dia.:	280 mm
Inner Dia.:	120 mm
Body Height:	180 mm
Total Height:	180 mm

CROSS REFERENCE

Xinlei	XJL50A



SA-1688

SPECIFICATIONS

Outer Dia.:	300 mm
Inner Dia.:	190 mm
Body Height:	120 mm
Total Height:	130 mm

CROSS REFERENCE

Ingersoll Rand	47512343
Ingersoll Rand	24091712
Ingersoll Rand	24091720



SA-1689

SPECIFICATIONS

Outer Dia.:	150 mm
Inner Dia.:	52 mm
Body Height:	52 mm
Total Height:	81 mm

CROSS REFERENCE

Almig	572.16295
Almig	672.16295
Alup	172.16295



SA-1690

SPECIFICATIONS

Outer Dia.:	100 mm
Inner Dia.:	60 mm
Body Height:	115 mm
Total Height:	140 mm

CROSS REFERENCE

Soumac	SA-1690



SA-1691

SPECIFICATIONS

Outer Dia.:	215 mm
Inner Dia.:	117 mm
Body Height:	178 mm
Total Height:	191 mm

CROSS REFERENCE

Gardner Denver	89874439
Compair	QX102797
Sotras	SA7102



SA-1692

SPECIFICATIONS

Outer Dia.:	280 mm
Inner Dia.:	225 mm
Body Height:	115 mm
Total Height:	115 mm

CROSS REFERENCE

Mattei	30336
HiFi Filter	SA19094
Sotras	SA6016



SA-1693

SPECIFICATIONS

Outer Dia.:	297 mm
Inner Dia.:	200 mm
Body Height:	523 mm
Total Height:	563 mm

CROSS REFERENCE

ELGI	B004700770028
Mann Filter	C301530
Alup	172.30273



SA-1694

SPECIFICATIONS

Outer Dia.:	165 mm
Inner Dia.:	51 mm
Body Height:	230 mm
Total Height:	264 mm

CROSS REFERENCE

Donaldson	C065015
Fleetguard	AH19013
Donaldson	ECC065015



SA-1695

SPECIFICATIONS

Outer Dia.:	130 mm
Inner Dia.:	85 mm
Body Height:	160 mm
Total Height:	169 mm

CROSS REFERENCE

Soumac	SA-1695



SA-1696

SPECIFICATIONS

Outer Dia.:	395 mm
Inner Dia.:	266 mm
Body Height:	350 mm
Total Height:	350 mm

CROSS REFERENCE

Compair	C11158-1697
Compair	C11158-1712
Gardner Denver	ZS1113524



SA-1697

SPECIFICATIONS

Outer Dia.:	118 mm
Inner Dia.:	72 mm
Body Height:	59 mm
Total Height:	63 mm

CROSS REFERENCE

Fusheng	2116040007
Mann Filter	C1213
Sotras	SA6782



SA-1698

SPECIFICATIONS

Outer Dia.:	150 mm
Inner Dia.:	88 mm
Body Height:	215 mm
Total Height:	222 mm

CROSS REFERENCE

Sullair	250023-939
Kaeser	6.2044.0
Mann-Filter	C15124/1




SA-1699

SPECIFICATIONS

Outer Dia.:	150 mm
Inner Dia.:	80 mm
Body Height:	205 mm
Total Height:	215 mm

CROSS REFERENCE

Soumac	SA-1699



SA-1700

SPECIFICATIONS

Outer Dia.:	350 mm
Inner Dia.:	240 mm
Body Height:	295 mm
Total Height:	310 mm

CROSS REFERENCE

Donaldson	P812633
Kobelco	AY-2W38-00000




SA-1701

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	120 mm
Body Height:	138 mm
Total Height:	150 mm

CROSS REFERENCE

Swan	W20-30HP



SA-1702

SPECIFICATIONS

Outer Dia.:	64 mm
Inner Dia.:	38 mm
Body Height:	68 mm
Total Height:	68 mm

CROSS REFERENCE

Soumac	SA-1702



SA-1703

SPECIFICATIONS

Outer Dia.:	150 mm
Inner Dia.:	88 mm
Body Height:	125 mm
Total Height:	125 mm

CROSS REFERENCE

Alup	172.00500
Becker	84040109
Mann-Filter	C1574



SA-1704A

SPECIFICATIONS

Outer Dia.:	280 mm
Inner Dia.:	173 mm
Body Height:	360 mm
Total Height:	372 mm

CROSS REFERENCE

Donaldson	P500197
Hino	17801-3450
Hino	17801-E0050



SA-1704B

SPECIFICATIONS

Outer Dia.:	173 mm
Inner Dia.:	128 mm
Body Height:	352 mm
Total Height:	357 mm

CROSS REFERENCE

Donaldson	P500198
Fleetguard	AF25561
Hino	S178013460



SA-1705A

SPECIFICATIONS

Outer Dia.:	280 mm
Inner Dia.:	152 mm
Body Height:	510 mm
Total Height:	523 mm

CROSS REFERENCE

Airman	32143-15300
Fusheng	2116040183
Compair	QX201656



SA-1705B

SPECIFICATIONS

Outer Dia.:	150 mm
Inner Dia.:	105 mm
Body Height:	496 mm
Total Height:	501 mm

CROSS REFERENCE

Airman	32143-15200
Donaldson	P537877
Kaishan	537702321820



SA-1706

SPECIFICATIONS

Outer Dia.:	265 mm
Inner Dia.:	132 mm
Body Height:	123 mm
Total Height:	133 mm

CROSS REFERENCE

Atlas Copco	C17030530A



SA-1707

SPECIFICATIONS

Outer Dia.:	450 mm
Inner Dia.:	450 mm
Body Height:	148 mm
Total Height:	148 mm

CROSS REFERENCE

Kobelco	P-CE05-521
Kobelco	P-CE05-541



SA-1708

SPECIFICATIONS

Outer Dia.:	75 mm
Inner Dia.:	34 mm
Body Height:	76 mm
Total Height:	76 mm

CROSS REFERENCE

ELGI	B005705760001
Compair	CC1044253
Sotras	SA7146



SA-1709

SPECIFICATIONS

Outer Dia.:	205 mm
Inner Dia.:	107 mm
Body Height:	405 mm
Total Height:	424 mm

CROSS REFERENCE

Hanshin	442789
Atlas Copco	5112305740
Ingersoll Rand	85400752



SA-1710

SPECIFICATIONS

Outer Dia.:	104 mm
Inner Dia.:	55 mm
Body Height:	105 mm
Total Height:	105 mm

CROSS REFERENCE

Fusheng	71125114-66130
Ingersoll Rand	24578023
Ingersoll Rand	23951981




SA-1711

SPECIFICATIONS

Outer Dia.:	153 mm
Inner Dia.:	86 mm
Body Height:	455 mm
Total Height:	465 mm

CROSS REFERENCE

Soumac	SA-1711



SA-1712

SPECIFICATIONS

Outer Dia.:	173 mm
Inner Dia.:	108 mm
Body Height:	270 mm
Total Height:	280 mm

CROSS REFERENCE

Soumac	SA-1712




SA-1713

SPECIFICATIONS

Outer Dia.:	117 mm
Inner Dia.:	83 mm
Body Height:	298 mm
Total Height:	323 mm

CROSS REFERENCE

Atlas Copco	1625220136
Atlas Copco	1830033344
Atlas Copco	1630220136



SA-1714

SPECIFICATIONS

Outer Dia.:	300 mm
Inner Dia.:	190 mm
Body Height:	262 mm
Total Height:	272 mm

CROSS REFERENCE

Ingersoll Rand	24082612
Ingersoll Rand	23699978
Gardner Denver	47707033001



SA-1715

SPECIFICATIONS

Outer Dia.:	148 mm
Inner Dia.:	48 mm
Body Height:	82 mm
Total Height:	110 mm

CROSS REFERENCE

Desran	GY015080040
Desran	HM14808048-1H



SA-1716

SPECIFICATIONS

Outer Dia.:	70 mm
Inner Dia.:	34 mm
Body Height:	70 mm
Total Height:	70 mm

CROSS REFERENCE

SCR	25100010-002
Atlas Copco	2205619329



SA-1717

SPECIFICATIONS

Outer Dia.:	231 mm
Inner Dia.:	150 mm
Body Height:	425 mm
Total Height:	465 mm

CROSS REFERENCE

Ingersoll-Rand	23429798
Atlas Copco	1636300326
Gardner Denver	ZS1192529B



SA-1718

SPECIFICATIONS

Outer Dia.:	300 mm
Inner Dia.:	190 mm
Body Height:	210 mm
Total Height:	220 mm

CROSS REFERENCE

Hanbell	1501-23-501
Hanbell	42011-25-06
Linghein	2205615687




SA-1719

SPECIFICATIONS

Outer Dia.:	257 mm
Inner Dia.:	102 mm
Body Height:	165 mm
Total Height:	205 mm

CROSS REFERENCE

Almig	572.08790
Alup	172.08790
Atlas Copco	1630012500



SA-1720

SPECIFICATIONS

Outer Dia.:	176 mm
Inner Dia.:	105 mm
Body Height:	215 mm
Total Height:	225 mm

CROSS REFERENCE

Ganey	Q/GN001-070-60




SA-1721

SPECIFICATIONS

Outer Dia.:	198 mm
Inner Dia.:	106 mm
Body Height:	315 mm
Total Height:	325 mm

CROSS REFERENCE

Ganey	Q/GN001-070-80
Ganey	911210100002



SA-1722

SPECIFICATIONS

Outer Dia.:	300 mm
Inner Dia.:	190 mm
Body Height:	214 mm
Total Height:	234 mm

CROSS REFERENCE

ELGI	41041X013



SA-1723

SPECIFICATIONS

Outer Dia.:	80 mm
Inner Dia.:	G 3/4"
Body Height:	70 mm
Total Height:	85 mm

CROSS REFERENCE

Soumac	SA-1723



SA-1724

SPECIFICATIONS

Outer Dia.:	105/62 mm
Inner Dia.:	77/35 mm
Body Height:	71 mm
Total Height:	74 mm

CROSS REFERENCE

Ingersoll Rand	24854390
Ingersoll Rand	47650062001
Sullair	88292027-063



SA-1725

SPECIFICATIONS

Outer Dia.:	750 mm
Inner Dia.:	570 mm
Body Height:	20 mm
Total Height:	20 mm

CROSS REFERENCE

Ingersoll Rand	23497001



SA-1726

SPECIFICATIONS

Outer Dia.:	626 mm
Inner Dia.:	560 mm
Body Height:	25 mm
Total Height:	25 mm

CROSS REFERENCE

Ingersoll Rand	22053722



SA-1727

SPECIFICATIONS

Outer Dia.:	210 mm
Inner Dia.:	150 mm
Body Height:	205 mm
Total Height:	212 mm

CROSS REFERENCE

Ingersoll Rand	89758129
Gardner Denver	2010486
Sotras	SA6913



SA-1728

SPECIFICATIONS

Outer Dia.:	310 mm
Inner Dia.:	100 mm
Body Height:	250 mm
Total Height:	280 mm

CROSS REFERENCE

Soumac	SA-1728



SA-1729

SPECIFICATIONS

Outer Dia.:	113 mm
Inner Dia.:	65 mm
Body Height:	253 mm
Total Height:	260 mm

CROSS REFERENCE

Airman	32143-16500
Donaldson	P500279
Mann Filter	C12009



SA-1730

SPECIFICATIONS

Outer Dia.:	110 mm
Inner Dia.:	54 mm
Body Height:	173 mm
Total Height:	183 mm

CROSS REFERENCE

Grecomp	P1001017



SA-1731

SPECIFICATIONS

Outer Dia.:	610 mm
Inner Dia.:	350 mm
Body Height:	300 mm
Total Height:	306 mm

CROSS REFERENCE

Sullair	CR102152



SA-1732

SPECIFICATIONS

Outer Dia.:	160 mm
Inner Dia.:	60 mm
Body Height:	170 mm
Total Height:	195 mm

CROSS REFERENCE

Schneider	30HP
Apureda	3211316170



SA-1733

SPECIFICATIONS

Outer Dia.:	198 mm
Inner Dia.:	83 mm
Body Height:	200 mm
Total Height:	225 mm

CROSS REFERENCE

Schneider	50HP
Apureda	3211319200



SA-1734

SPECIFICATIONS

Outer Dia.:	230 mm
Inner Dia.:	100 mm
Body Height:	330 mm
Total Height:	365 mm

CROSS REFERENCE

Schneider	100HP
Apureda	3211323330



SA-1735

SPECIFICATIONS

Outer Dia.:	128 mm
Inner Dia.:	83 mm
Body Height:	142 mm
Total Height:	149 mm

CROSS REFERENCE

Apureda	3211312143



SA-1736A

SPECIFICATIONS

Outer Dia.:	257 mm
Inner Dia.:	165 mm
Body Height:	450 mm
Total Height:	484 mm

CROSS REFERENCE

Atlas Copco	1830032262
Kobelco	1000084225
Mann Filter	C25900



SA-1736B

SPECIFICATIONS

Outer Dia.:	155 mm
Inner Dia.:	137 mm
Body Height:	456 mm
Total Height:	456 mm

CROSS REFERENCE

Mann Filter	CF1470



SA-1737

SPECIFICATIONS

Outer Dia.:	113 mm
Inner Dia.:	64 mm
Body Height:	78 mm
Total Height:	78 mm

CROSS REFERENCE

SCR	25100020-001
Fusheng	2116040126
Bolaite	2205618894



SA-1738

SPECIFICATIONS

Outer Dia.:	212 mm
Inner Dia.:	145 mm
Body Height:	158 mm
Total Height:	164 mm

CROSS REFERENCE

Kaeser	6.2045.0
Aerzen	153871000
Mann-Filter	C21138/1



SA-1739

SPECIFICATIONS

Outer Dia.:	98 mm
Inner Dia.:	52 mm
Body Height:	71 mm
Total Height:	99 mm

CROSS REFERENCE

Almig	572.08789
Alup	172.08789
Atlas Copco	1630012400



SA-1740

SPECIFICATIONS

Outer Dia.:	132 mm
Inner Dia.:	68 mm
Body Height:	130 mm
Total Height:	140 mm

CROSS REFERENCE

Soumac	SA-1740



SA-1741

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	116 mm
Body Height:	120 mm
Total Height:	120 mm

CROSS REFERENCE

Ingersoll Rand	47548680001
Ingersoll Rand	47548680
Ingersoll Rand	47548460



SA-1742

SPECIFICATIONS

Outer Dia.:	280 mm
Inner Dia.:	173 mm
Body Height:	203 mm
Total Height:	213 mm

CROSS REFERENCE

Boge	50HP
Swan	50HP



SA-1743

SPECIFICATIONS

Outer Dia.:	110 mm
Inner Dia.:	42 mm
Body Height:	85 mm
Total Height:	120 mm

CROSS REFERENCE

Sanlion	F03056-PM



SA-1744

SPECIFICATIONS

Outer Dia.:	132 mm
Inner Dia.:	67 mm
Body Height:	67 mm
Total Height:	80 mm

CROSS REFERENCE

Bolaite	1625165460



SA-1745

SPECIFICATIONS

Outer Dia.:	255 mm
Inner Dia.:	80 mm
Body Height:	70 mm
Total Height:	110 mm

CROSS REFERENCE

Almig	572.08791



SA-1746A

SPECIFICATIONS

Outer Dia.:	362 mm
Inner Dia.:	230 mm
Body Height:	620 mm
Total Height:	628 mm

CROSS REFERENCE

Donaldson	P781098
Hitachi	59064450
Kaishan	537702324510



SA-1746B

SPECIFICATIONS

Outer Dia.:	230 mm
Inner Dia.:	180 mm
Body Height:	620 mm
Total Height:	620 mm

CROSS REFERENCE

Donaldson	P781102
Kaishan	537702324520
Hitachi	59064460



SA-1747

SPECIFICATIONS

Outer Dia.:	105 mm
Inner Dia.:	66 mm
Body Height:	107 mm
Total Height:	117 mm

CROSS REFERENCE

Kobelco	P-CE05-518
Kobelco	S-CE05-518



SA-1748

SPECIFICATIONS

Outer Dia.:	198 mm
Inner Dia.:	104 mm
Body Height:	112 mm
Total Height:	122 mm

CROSS REFERENCE

Compair	98262-084
Atlas Copco	2255300106
Donaldson	P776837



SA-1749

SPECIFICATIONS

Outer Dia.:	160 mm
Inner Dia.:	97 mm
Body Height:	365 mm
Total Height:	390 mm

CROSS REFERENCE

Apureda	3211315367



SA-1750

SPECIFICATIONS

Outer Dia.:	230 mm
Inner Dia.:	155 mm
Body Height:	400 mm
Total Height:	410 mm

CROSS REFERENCE

Apureda	3211123408



SA-1751

SPECIFICATIONS

Outer Dia.:	260 mm
Inner Dia.:	170 mm
Body Height:	153 mm
Total Height:	159 mm

CROSS REFERENCE

Soumac	SA-1751



SA-1752

SPECIFICATIONS

Outer Dia.:	104 mm
Inner Dia.:	60 mm
Body Height:	82 mm
Total Height:	92 mm

CROSS REFERENCE

Hannimike	HM60-2016
Xinlei	XJL10A
Ironmac	Z331709



SA-1753

SPECIFICATIONS

Outer Dia.:	298/260 mm
Inner Dia.:	170/130 mm
Body Height:	175 mm
Total Height:	204 mm

CROSS REFERENCE

Dream	2502-14CP16



SA-1754

SPECIFICATIONS

Outer Dia.:	440/405 mm
Inner Dia.:	235/190 mm
Body Height:	280 mm
Total Height:	280 mm

CROSS REFERENCE

Jufeng	CX275435
Dream	2052-14CP39



SA-1755

SPECIFICATIONS

Outer Dia.:	275 mm
Inner Dia.:	168 mm
Body Height:	380 mm
Total Height:	390 mm

CROSS REFERENCE

Shark	10013003



SA-1756

SPECIFICATIONS

Outer Dia.:	64 mm
Inner Dia.:	38 mm
Body Height:	125 mm
Total Height:	130 mm

CROSS REFERENCE

Mann Filter	C713
Gregoire	170094
Becker	909510



SA-1757A

SPECIFICATIONS

Outer Dia.:	275 mm
Inner Dia.:	168 mm
Body Height:	475 mm
Total Height:	485 mm

CROSS REFERENCE

Soumac	SA-1757A



SA-1757B

SPECIFICATIONS

Outer Dia.:	162/145 mm
Inner Dia.:	132 mm
Body Height:	425 mm
Total Height:	425 mm

CROSS REFERENCE

Soumac	SA-1757B



SA-1758

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	104 mm
Body Height:	215 mm
Total Height:	225 mm

CROSS REFERENCE

Soumac	SA-1758



SA-1759

SPECIFICATIONS

Outer Dia.:	410 mm
Inner Dia.:	270 mm
Body Height:	520 mm
Total Height:	530 mm

CROSS REFERENCE

Elang	EL11114105301
Apureda	3211141 520



SA-1760

SPECIFICATIONS

Outer Dia.:	126 mm
Inner Dia.:	79 mm
Body Height:	172 mm
Total Height:	198 mm

CROSS REFERENCE

Dream	144000402



SA-1761A

SPECIFICATIONS

Outer Dia.:	90 mm
Inner Dia.:	45 mm
Body Height:	179 mm
Total Height:	186 mm

CROSS REFERENCE

Hitachi	52532330
Donaldson	P822686
Fleetguard	AF25550



SA-1761B

SPECIFICATIONS

Outer Dia.:	44 mm
Inner Dia.:	31 mm
Body Height:	172 mm
Total Height:	172 mm

CROSS REFERENCE

Mann Filter	CF52/2
Ingersoll-Rand	54477195
Hitachi	4673600



SA-1762A

SPECIFICATIONS

Outer Dia.:	400 mm
Inner Dia.:	255 mm
Body Height:	730 mm
Total Height:	742 mm

CROSS REFERENCE

SCR	25100600-101
Fusheng	2116040087



SA-1762B

SPECIFICATIONS

Outer Dia.:	240 mm
Inner Dia.:	215 mm
Body Height:	720 mm
Total Height:	730 mm

CROSS REFERENCE

SCR	25100600-102



SA-1763

SPECIFICATIONS

Outer Dia.:	450 mm
Inner Dia.:	290 mm
Body Height:	255 mm
Total Height:	261 mm

CROSS REFERENCE

ELGI	410431001



SA-1764A

SPECIFICATIONS

Outer Dia.:	500 mm
Inner Dia.:	266 mm
Body Height:	404 mm
Total Height:	404 mm

CROSS REFERENCE

Liebherr	12251522
AGCO	ACP0347210
Mann-Filter	C50003



SA-1764B

SPECIFICATIONS

Outer Dia.:	475 mm
Inner Dia.:	232 mm
Body Height:	45 mm
Total Height:	45 mm

CROSS REFERENCE

Liebherr	12251523
AGCO	ACP0347220
Mann-Filter	C50001



SA-1765

SPECIFICATIONS

Outer Dia.:	320 mm
Inner Dia.:	217 mm
Body Height:	122 mm
Total Height:	132 mm

CROSS REFERENCE

BB	K3212



SA-1766

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	80 mm
Body Height:	70 mm
Total Height:	105 mm

CROSS REFERENCE

Almig	572.08792
Alup	172.08792
Kraftman	672.08792



SA-1767

SPECIFICATIONS

Outer Dia.:	164 mm
Inner Dia.:	87 mm
Body Height:	200 mm
Total Height:	210 mm

CROSS REFERENCE

Atlas Copco	2914802100
Boge	569000301
Compair	A04472874



SA-1768

SPECIFICATIONS

Outer Dia.:	230 mm
Inner Dia.:	150 mm
Body Height:	140 mm
Total Height:	150 mm

CROSS REFERENCE

Soumac	SA-1768



SA-1769A

SPECIFICATIONS

Outer Dia.:	198 mm
Inner Dia.:	110 mm
Body Height:	342 mm
Total Height:	345 mm

CROSS REFERENCE

Zhigao	211030450
Zhigao	2.07.14.015
Fleetguard	AF26614



SA-1769B

SPECIFICATIONS

Outer Dia.:	118/106 mm
Inner Dia.:	78 mm
Body Height:	321 mm
Total Height:	324 mm

CROSS REFERENCE

Zhigao	211030450
Zhigao	2.07.14.013
Fleetguard	AF26613



SA-1770

SPECIFICATIONS

Outer Dia.:	110 mm
Inner Dia.:	72 mm
Body Height:	50 mm
Total Height:	54 mm

CROSS REFERENCE

Fusheng	2601540410



SA-1771

SPECIFICATIONS

Outer Dia.:	247 mm
Inner Dia.:	150 mm
Body Height:	426 mm
Total Height:	465 mm

CROSS REFERENCE

Atlas Copco	1625480051
Atlas Copco	1631202700
Atlas Copco	1649800221



SA-1772

SPECIFICATIONS

Outer Dia.:	210/98 mm
Inner Dia.:	146/60 mm
Body Height:	280 mm
Total Height:	280 mm

CROSS REFERENCE

Becker	90951030000



SA-1773

SPECIFICATIONS

Outer Dia.:	176 mm
Inner Dia.:	119 mm
Body Height:	240 mm
Total Height:	240 mm

CROSS REFERENCE

Becker	90951070000



SA-1774

SPECIFICATIONS

Outer Dia.:	101 mm
Inner Dia.:	37 mm
Body Height:	64 mm
Total Height:	70 mm

CROSS REFERENCE

Ceccato	640814
Ceccato	2200640814
Sotras	SA6924



SA-1775

SPECIFICATIONS

Outer Dia.:	150 mm
Inner Dia.:	80 mm
Body Height:	255 mm
Total Height:	274 mm

CROSS REFERENCE

Soumac	SA-1775



SA-1776A

SPECIFICATIONS

Outer Dia.:	355 mm
Inner Dia.:	240 mm
Body Height:	620 mm
Total Height:	630 mm

CROSS REFERENCE

ELGI	032400089
Keltec	KC750-060A



SA-1776B

SPECIFICATIONS

Outer Dia.:	235 mm
Inner Dia.:	170 mm
Body Height:	592 mm
Total Height:	604 mm

CROSS REFERENCE

ELGI	032400089
Keltec	KC750-060B



SA-1777

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	0 mm
Body Height:	180 mm
Total Height:	180 mm

CROSS REFERENCE

Quincy	146397-08
Quincy	1627410135
Kaishan	537702330710



SA-1778

SPECIFICATIONS

Outer Dia.:	234/300 mm
Inner Dia.:	125 mm
Body Height:	460 mm
Total Height:	470 mm

CROSS REFERENCE

ELGI	B574607
Keltec	KC750-052K




SA-1779

SPECIFICATIONS

Outer Dia.:	350 mm
Inner Dia.:	295 mm
Body Height:	218 mm
Total Height:	218 mm

CROSS REFERENCE

Soumac	SA-1779



SA-1780

SPECIFICATIONS

Outer Dia.:	127 mm
Inner Dia.:	64 mm
Body Height:	123 mm
Total Height:	123 mm

CROSS REFERENCE

Soumac	SA-1780



SA-1781

SPECIFICATIONS

Outer Dia.:	300 mm
Inner Dia.:	200 mm
Body Height:	375 mm
Total Height:	385 mm

CROSS REFERENCE

Soumac	SA-1781



SA-1782

SPECIFICATIONS

Outer Dia.:	140 mm
Inner Dia.:	85 mm
Body Height:	295 mm
Total Height:	305 mm

CROSS REFERENCE

Kangkeer	114011-00401
Kaishan	56003140295
SCR	25100030-001C



SA-1783

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	100 mm
Body Height:	150 mm
Total Height:	190 mm

CROSS REFERENCE

Almig	172.08710
Almig	572.08710
Sotras	SA7210



SA-1784

SPECIFICATIONS

Outer Dia.:	280/180 mm
Inner Dia.:	215/115 mm
Body Height:	160 mm
Total Height:	166 mm

CROSS REFERENCE

Mitsuiseiki	7110341380100
Apureda	3222188161



SA-1785

SPECIFICATIONS

Outer Dia.:	244 mm
Inner Dia.:	132 mm
Body Height:	300 mm
Total Height:	310 mm

CROSS REFERENCE

Soumac	SA-1785



SA-1786A

SPECIFICATIONS

Outer Dia.:	250/201 mm
Inner Dia.:	133 mm
Body Height:	410 mm
Total Height:	420 mm

CROSS REFERENCE

Airman	32143-06800
Atlas Copco	6241822100
Compair	98262-5039



SA-1786B

SPECIFICATIONS

Outer Dia.:	141/117 mm
Inner Dia.:	87 mm
Body Height:	402 mm
Total Height:	402 mm

CROSS REFERENCE

Mann-Filter	C12100
Atlas Copco	2914617100
Atlas Copco	2914500500



SA-1787

SPECIFICATIONS

Outer Dia.:	185 mm
Inner Dia.:	135 mm
Body Height:	133 mm
Total Height:	133 mm

CROSS REFERENCE

Grecomp	P1001015
Mann-Filter	C1989/1
Sotras	SA6680



SA-1788

SPECIFICATIONS

Outer Dia.:	140 mm
Inner Dia.:	85 mm
Body Height:	280 mm
Total Height:	290 mm

CROSS REFERENCE

SCR	25100030-011C
SCR	25150030-012C
SCR	25100035-004



SA-1788F

SPECIFICATIONS

Outer Dia.:	170/140 mm
Inner Dia.:	85 mm
Body Height:	280 mm
Total Height:	290 mm

CROSS REFERENCE

Elang	ELO3211114283



SA-1789

SPECIFICATIONS

Outer Dia.:	90 mm
Inner Dia.:	60 mm
Body Height:	75 mm
Total Height:	75 mm

CROSS REFERENCE

Soumac	SA-1789




SA-1790

SPECIFICATIONS

Outer Dia.:	185 mm
Inner Dia.:	60 mm
Body Height:	155 mm
Total Height:	188 mm

CROSS REFERENCE

Cart	CAF-60



SA-1791

SPECIFICATIONS

Outer Dia.:	240 mm
Inner Dia.:	170 mm
Body Height:	100 mm
Total Height:	100 mm

CROSS REFERENCE

Soumac	SA-1791



SA-1792A

SPECIFICATIONS

Outer Dia.:	318 mm
Inner Dia.:	190 mm
Body Height:	680 mm
Total Height:	690 mm

CROSS REFERENCE

Atlas Copco	9095789501
Quincy	2013400459
Gardner Denver	2117374



SA-1792B

SPECIFICATIONS

Outer Dia.:	188 mm
Inner Dia.:	155 mm
Body Height:	640 mm
Total Height:	650 mm

CROSS REFERENCE

Atlas Copco	9095789502
ELGI	B0057007300052
Quincy	23459-3



SA-1793

SPECIFICATIONS

Outer Dia.:	258 mm
Inner Dia.:	164 mm
Body Height:	172 mm
Total Height:	172 mm

CROSS REFERENCE

Gardner Denver	ZS1087405
Ingersoll Rand	23676455
Mann-Filter	C26270



SA-1794A

SPECIFICATIONS

Outer Dia.:	250 mm
Inner Dia.:	148 mm
Body Height:	181 mm
Total Height:	181 mm

CROSS REFERENCE

Gardner Denver	ZS1087418
Donaldson	P608533
Mann Filter	CP25150



SA-1794B

SPECIFICATIONS

Outer Dia.:	209 mm
Inner Dia.:	107 mm
Body Height:	40 mm
Total Height:	40 mm

CROSS REFERENCE

Donaldson	P600975
Deutz	04163644
Liebherr	10413379



SA-1795

SPECIFICATIONS

Outer Dia.:	130 mm
Inner Dia.:	50 mm
Body Height:	115 mm
Total Height:	145 mm

CROSS REFERENCE

Ekomak	MKN000981
Ceccato	2205722525
Ekomak	215406-4



SA-1796

SPECIFICATIONS

Outer Dia.:	420 mm
Inner Dia.:	254 mm
Body Height:	250 mm
Total Height:	262 mm

CROSS REFERENCE

ELGI	B004700770036
Mann Filter	C421404
Fleetguard	AF25428



SA-1797

SPECIFICATIONS

Outer Dia.:	103 mm
Inner Dia.:	60 mm
Body Height:	105 mm
Total Height:	108 mm

CROSS REFERENCE

Soumac	SA-1797



SA-1798

SPECIFICATIONS

Outer Dia.:	278 mm
Inner Dia.:	153 mm
Body Height:	252 mm
Total Height:	252 mm

CROSS REFERENCE

Ingersoll Rand	42855403



SA-1799

SPECIFICATIONS

Outer Dia.:	228 mm
Inner Dia.:	116 mm
Body Height:	290 mm
Total Height:	300 mm

CROSS REFERENCE

Mann Filter	C23440/2
Donaldson	P771516
Fleetguard	AF4057



SA-1800

SPECIFICATIONS

Outer Dia.:	240 mm
Inner Dia.:	135 mm
Body Height:	120 mm
Total Height:	130 mm

CROSS REFERENCE

Rotair	162576S
Rotair	172576S
Hifi-Filter	SA19673




SA-1801

SPECIFICATIONS

Outer Dia.:	258/332 mm
Inner Dia.:	163/236 mm
Body Height:	223 mm
Total Height:	238 mm

CROSS REFERENCE

Bolaite	1641004756
Bolaite	1641004763



SA-1802

SPECIFICATIONS

Outer Dia.:	258/332 mm
Inner Dia.:	163/236 mm
Body Height:	310 mm
Total Height:	325 mm

CROSS REFERENCE

Bolaite	1641004757
Bolaite	1641004760
Bolaite	1641004764



SA-1803

SPECIFICATIONS

Outer Dia.:	258/332 mm
Inner Dia.:	163/236 mm
Body Height:	353 mm
Total Height:	368 mm

CROSS REFERENCE

Bolaite	1641004758
Bolaite	1641004765



SA-1804

SPECIFICATIONS

Outer Dia.:	248 mm
Inner Dia.:	150 mm
Body Height:	375 mm
Total Height:	419 mm

CROSS REFERENCE

Bolaite	1830020758
Bolaite	1830020769
Bolaite	1837004909




SA-1805

SPECIFICATIONS

Outer Dia.:	153 mm
Inner Dia.:	88 mm
Body Height:	400 mm
Total Height:	410 mm

CROSS REFERENCE

Soumac	SA-1805



SA-1806

SPECIFICATIONS

Outer Dia.:	350 mm
Inner Dia.:	240 mm
Body Height:	460 mm
Total Height:	472 mm

CROSS REFERENCE

Atlas Copco	1830023747
Kobelco	AY-3W38-00000



SA-1807

SPECIFICATIONS

Outer Dia.:	350 mm
Inner Dia.:	240 mm
Body Height:	560 mm
Total Height:	572 mm

CROSS REFERENCE

Kobelco	AY-4W48-00000




SA-1808

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	130 mm
Body Height:	230 mm
Total Height:	240 mm

CROSS REFERENCE

Soumac	SA-1808




SA-1809

SPECIFICATIONS

Outer Dia.:	132 mm
Inner Dia.:	75 mm
Body Height:	202 mm
Total Height:	212 mm

CROSS REFERENCE

Soumac	SA-1809



SA-1810

SPECIFICATIONS

Outer Dia.:	303 mm
Inner Dia.:	152 mm
Body Height:	126 mm
Total Height:	134 mm

CROSS REFERENCE

Ingersoll Rand	22338115



SA-1811

SPECIFICATIONS

Outer Dia.:	154 mm
Inner Dia.:	88 mm
Body Height:	102 mm
Total Height:	112 mm

CROSS REFERENCE

Fusheng	71125414-66130
Fusheng	7112541466130



SA-1812

SPECIFICATIONS

Outer Dia.:	142 mm
Inner Dia.:	74 mm
Body Height:	100 mm
Total Height:	104 mm

CROSS REFERENCE

Kaeser	6.5212.0



SA-1813A

SPECIFICATIONS

Outer Dia.:	282 mm
Inner Dia.:	171 mm
Body Height:	410 mm
Total Height:	420 mm

CROSS REFERENCE

ELGI	B574602/1



SA-1813B

SPECIFICATIONS

Outer Dia.:	190/163 mm
Inner Dia.:	134 mm
Body Height:	408 mm
Total Height:	408 mm

CROSS REFERENCE

ELGI	B574602/2



SA-1814A

SPECIFICATIONS

Outer Dia.:	306 mm
Inner Dia.:	195 mm
Body Height:	457 mm
Total Height:	467 mm

CROSS REFERENCE

ELGI	B574601/1



SA-1814B

SPECIFICATIONS

Outer Dia.:	217/185 mm
Inner Dia.:	157 mm
Body Height:	430 mm
Total Height:	445 mm

CROSS REFERENCE

ELGI	B574601/2



SA-1815

SPECIFICATIONS

Outer Dia.:	459 mm
Inner Dia.:	254 mm
Body Height:	229 mm
Total Height:	229 mm

CROSS REFERENCE

Gardner Denver	ZS1192229
Gardner Denver	ZS1122122
Gardner Denver	ZS1212189



SA-1816

SPECIFICATIONS

Outer Dia.:	289 mm
Inner Dia.:	261 mm
Body Height:	247 mm
Total Height:	247 mm

CROSS REFERENCE

Gardner Denver	ZS1215595
Gardner Denver	ZS1205038



SA-1817

SPECIFICATIONS

Outer Dia.:	132 mm
Inner Dia.:	70 mm
Body Height:	280 mm
Total Height:	290 mm

CROSS REFERENCE

Kaishan	56003130283
Linghein	L010802-0027



SA-1818

SPECIFICATIONS

Outer Dia.:	230 mm
Inner Dia.:	140 mm
Body Height:	352 mm
Total Height:	362 mm

CROSS REFERENCE

Soumac	SA-1818



SA-1819

SPECIFICATIONS

Outer Dia.:	289 mm
Inner Dia.:	261 mm
Body Height:	176 mm
Total Height:	176 mm

CROSS REFERENCE

Gardner Denver	ZS1161022
Gardner Denver	ZS1212823



SA-1820

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	110 mm
Body Height:	395 mm
Total Height:	405 mm

CROSS REFERENCE

Fusheng	2116040120



SA-1821

SPECIFICATIONS

Outer Dia.:	110 mm
Inner Dia.:	42 mm
Body Height:	130 mm
Total Height:	165 mm

CROSS REFERENCE

Soumac	SA-1821



SA-1822

SPECIFICATIONS

Outer Dia.:	350 mm
Inner Dia.:	240 mm
Body Height:	370 mm
Total Height:	380 mm

CROSS REFERENCE

Dream	144003301



SA-1823A

SPECIFICATIONS

Outer Dia.:	245 mm
Inner Dia.:	135 mm
Body Height:	335 mm
Total Height:	345 mm

CROSS REFERENCE

ELGI	Outer
ELGI	B004700460001



SA-1823B

SPECIFICATIONS

Outer Dia.:	127 mm
Inner Dia.:	80 mm
Body Height:	320 mm
Total Height:	330 mm

CROSS REFERENCE

ELGI	Inner
ELGI	B004700460001



SA-1824

SPECIFICATIONS

Outer Dia.:	198 mm
Inner Dia.:	130 mm
Body Height:	220 mm
Total Height:	230 mm

CROSS REFERENCE

Soumac	SA-1824



SA-1825

SPECIFICATIONS

Outer Dia.:	188 mm
Inner Dia.:	115 mm
Body Height:	125 mm
Total Height:	135 mm

CROSS REFERENCE

Soumac	SA-1825



SA-1826

SPECIFICATIONS

Outer Dia.:	150 mm
Inner Dia.:	88 mm
Body Height:	215 mm
Total Height:	221 mm

CROSS REFERENCE

Atlas Copco	1625390408
Atlas Copco	1630390408
Mann Filter	C15124/1



SA-1827

SPECIFICATIONS

Outer Dia.:	128 mm
Inner Dia.:	62 mm
Body Height:	74 mm
Total Height:	80 mm

CROSS REFERENCE

Grecomp	P1001016



SA-1828

SPECIFICATIONS

Outer Dia.:	280 mm
Inner Dia.:	183 mm
Body Height:	592 mm
Total Height:	604 mm

CROSS REFERENCE

Dalgakiran	1311121600
Dalgakiran	11000874
HiFi Filter	SA190515



SA-1829

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	120 mm
Body Height:	109 mm
Total Height:	120 mm

CROSS REFERENCE

Atlas Copco	2205116401
Atlas Copco	2205116400



SA-1830

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	115 mm
Body Height:	75 mm
Total Height:	75 mm

CROSS REFERENCE

Soumac	SA-1830



SA-1831

SPECIFICATIONS

Outer Dia.:	230 mm
Inner Dia.:	160 mm
Body Height:	80 mm
Total Height:	80 mm

CROSS REFERENCE

Soumac	SA-1831



SA-1832

SPECIFICATIONS

Outer Dia.:	147 mm
Inner Dia.:	88 mm
Body Height:	115 mm
Total Height:	115 mm

CROSS REFERENCE

Soumac	SA-1832



SA-1833

SPECIFICATIONS

Outer Dia.:	350 mm
Inner Dia.:	240 mm
Body Height:	610 mm
Total Height:	620 mm

CROSS REFERENCE

Soumac	SA-1833



SA-1834

SPECIFICATIONS

Outer Dia.:	150 mm
Inner Dia.:	88 mm
Body Height:	125 mm
Total Height:	125 mm

CROSS REFERENCE

Mann-Filter	C1574
Ingersoll-Rand	10683506
Alup	17200500



SA-1835

SPECIFICATIONS

Outer Dia.:	520/460 mm
Inner Dia.:	285/240 mm
Body Height:	260 mm
Total Height:	284 mm

CROSS REFERENCE

Atlas Copco	1830010992



SA-1836

SPECIFICATIONS

Outer Dia.:	217 mm
Inner Dia.:	153 mm
Body Height:	80 mm
Total Height:	90 mm

CROSS REFERENCE

Mann-Filter	C22115
Becker	909534
Sotras	SA6710



SA-1837

SPECIFICATIONS

Outer Dia.:	223 mm
Inner Dia.:	133 mm
Body Height:	311 mm
Total Height:	358 mm

CROSS REFERENCE

Atlas Copco	1837004906
Atlas Copco	1830020761
Atlas Copco	1837008067



SA-1838

SPECIFICATIONS

Outer Dia.:	148 mm
Inner Dia.:	48 mm
Body Height:	160 mm
Total Height:	180 mm

CROSS REFERENCE

Hannimike	HM60-2023
Hannimike	HM602023



SA-1839

SPECIFICATIONS

Outer Dia.:	180 mm
Inner Dia.:	71 mm
Body Height:	110 mm
Total Height:	140 mm

CROSS REFERENCE

Soumac	SA-1839



SA-1840A

SPECIFICATIONS

Outer Dia.:	250 mm
Inner Dia.:	158 mm
Body Height:	500 mm
Total Height:	535 mm

CROSS REFERENCE

Atlas Copco	1830032259
Mann Filter	C251020
Liebherr	13687373



SA-1840B

SPECIFICATIONS

Outer Dia.:	156 mm
Inner Dia.:	137 mm
Body Height:	510 mm
Total Height:	510 mm

CROSS REFERENCE

Mann-Filter	CF1480
Bomag	05821540
Hengst	E1872LS



SA-1841

SPECIFICATIONS

Outer Dia.:	230 mm
Inner Dia.:	153 mm
Body Height:	303 mm
Total Height:	313 mm

CROSS REFERENCE

SCR	9075074201C
Elang	HFKX230305-01



SA-1842

SPECIFICATIONS

Outer Dia.:	160 mm
Inner Dia.:	61 mm
Body Height:	135 mm
Total Height:	155 mm

CROSS REFERENCE

Atlas Copco	1630012200
Dalgakiran	1311121101
Almig	572.08787



SA-1843

SPECIFICATIONS

Outer Dia.:	310 mm
Inner Dia.:	200 mm
Body Height:	560 mm
Total Height:	570 mm

CROSS REFERENCE

Sandvik	007704-002



SA-1844

SPECIFICATIONS

Outer Dia.:	155 mm
Inner Dia.:	62 mm
Body Height:	175 mm
Total Height:	203 mm

CROSS REFERENCE

Soumac	SA-1844



SA-1845A

SPECIFICATIONS

Outer Dia.:	241 mm
Inner Dia.:	133 mm
Body Height:	520 mm
Total Height:	530 mm

CROSS REFERENCE

Soumac	SA-1845A



SA-1845B

SPECIFICATIONS

Outer Dia.:	144/125 mm
Inner Dia.:	114 mm
Body Height:	510 mm
Total Height:	510 mm

CROSS REFERENCE

Soumac	SA-1845B



SA-1846

SPECIFICATIONS

Outer Dia.:	249 mm
Inner Dia.:	152 mm
Body Height:	245 mm
Total Height:	245 mm

CROSS REFERENCE

Sullair	250026-148
Champion	P8564A
Sotras	SA6871



SA-1847

SPECIFICATIONS

Outer Dia.:	188/168 mm
Inner Dia.:	95 mm
Body Height:	380 mm
Total Height:	383 mm

CROSS REFERENCE

Ingersoll Rand	92867357
Ingersoll Rand	88111901
Mann-Filter	C17400



SA-1848A

SPECIFICATIONS

Outer Dia.:	232 mm
Inner Dia.:	137 mm
Body Height:	430 mm
Total Height:	465 mm

CROSS REFERENCE

Atlas Copco	1830032260
Kaeser	9.8373.0
Gardner Denver	ZS1157590



SA-1848B

SPECIFICATIONS

Outer Dia.:	136/127mm
Inner Dia.:	117 mm
Body Height:	400 mm
Total Height:	400 mm

CROSS REFERENCE

Gardner Denver	ZS1157591
Mann Filter	CF1350



SA-1849

SPECIFICATIONS

Outer Dia.:	150mm
Inner Dia.:	85 mm
Body Height:	145 mm
Total Height:	155 mm

CROSS REFERENCE

Soumac	SA-1849



SA-1850A

SPECIFICATIONS

Outer Dia.:	224mm
Inner Dia.:	127 mm
Body Height:	425 mm
Total Height:	425 mm

CROSS REFERENCE

Atlas Copco	9097450500
Sullair	2250142837
Donaldson	P613334



SA-1850B

SPECIFICATIONS

Outer Dia.:	180/122mm
Inner Dia.:	91 mm
Body Height:	405 mm
Total Height:	405 mm

CROSS REFERENCE

Atlas Copco	9097450600
Fleetguard	AF25963
Donaldson	P613335



SA-1851

SPECIFICATIONS

Outer Dia.:	225 mm
Inner Dia.:	140 mm
Body Height:	400 mm
Total Height:	410 mm

CROSS REFERENCE

KPCL	273.03.772.50
Kirloskar	2730377250



SA-1852

SPECIFICATIONS

Outer Dia.:	320 mm
Inner Dia.:	220 mm
Body Height:	700 mm
Total Height:	710 mm

CROSS REFERENCE

Fusheng	2605542130
Fusheng	2605543270



SA-1853

SPECIFICATIONS

Outer Dia.:	240 mm
Inner Dia.:	160 mm
Body Height:	155 mm
Total Height:	161 mm

CROSS REFERENCE

Apureda	3211224155



SA-1854

SPECIFICATIONS

Outer Dia.:	110 mm
Inner Dia.:	65 mm
Body Height:	240 mm
Total Height:	250 mm

CROSS REFERENCE

Mitsuiseiki	7110018382500



SA-1855

SPECIFICATIONS

Outer Dia.:	130 mm
Inner Dia.:	75 mm
Body Height:	146 mm
Total Height:	163 mm

CROSS REFERENCE

Atlas Copco	1092907912



SA-1856A

SPECIFICATIONS

Outer Dia.:	282 mm
Inner Dia.:	170 mm
Body Height:	420 mm
Total Height:	430 mm

CROSS REFERENCE

Atlas Copco	9097350060



SA-1856B

SPECIFICATIONS

Outer Dia.:	182/162 mm
Inner Dia.:	130 mm
Body Height:	425 mm
Total Height:	425 mm

CROSS REFERENCE

Atlas Copco	9097350050



SA-1857

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	150 mm
Body Height:	100 mm
Total Height:	100 mm

CROSS REFERENCE

Soumac	SA-1857



SA-1858A

SPECIFICATIONS

Outer Dia.:	300 mm
Inner Dia.:	190 mm
Body Height:	535 mm
Total Height:	545 mm

CROSS REFERENCE

ELGI	B574609/1
Jaguar	324140021000A



SA-1858B

SPECIFICATIONS

Outer Dia.:	205/185 mm
Inner Dia.:	158 mm
Body Height:	522 mm
Total Height:	522 mm

CROSS REFERENCE

ELGI	B574609/2



SA-1859

SPECIFICATIONS

Outer Dia.:	365 mm
Inner Dia.:	232 mm
Body Height:	745 mm
Total Height:	758 mm

CROSS REFERENCE

Kaishan	537702325610



SA-1860

SPECIFICATIONS

Outer Dia.:	445 mm
Inner Dia.:	310 mm
Body Height:	585 mm
Total Height:	595 mm

CROSS REFERENCE

Kaishan	537702325710
Atlas Copco	1635040900
Kaeser	6.3514.0



SA-1861

SPECIFICATIONS

Outer Dia.:	165 mm
Inner Dia.:	86 mm
Body Height:	218 mm
Total Height:	242 mm

CROSS REFERENCE

Kaeser	6.4566.0
Mann-Filter	C17190



SA-1862

SPECIFICATIONS

Outer Dia.:	103 mm
Inner Dia.:	63 mm
Body Height:	85 mm
Total Height:	95 mm

CROSS REFERENCE

Soumac	SA-1862



SA-1863

SPECIFICATIONS

Outer Dia.:	350 mm
Inner Dia.:	240 mm
Body Height:	700 mm
Total Height:	710 mm

CROSS REFERENCE

Liutech	1641000474
Apureda	3211135700



SA-1864

SPECIFICATIONS

Outer Dia.:	246 mm
Inner Dia.:	152 mm
Body Height:	431 mm
Total Height:	465 mm

CROSS REFERENCE

Atlas Copco	1830020767
Atlas Copco	1830020765
Atlas Copco	1837004908



SA-1865

SPECIFICATIONS

Outer Dia.:	128 mm
Inner Dia.:	64 mm
Body Height:	125 mm
Total Height:	125 mm

CROSS REFERENCE

Alup	17205247
Busch	0532000003
Elmo Rietschle	7305190100



SA-1866

SPECIFICATIONS

Outer Dia.:	87 mm
Inner Dia.:	40 mm
Body Height:	88 mm
Total Height:	88 mm

CROSS REFERENCE

Fusheng	2116040125
Fusheng	71114113-66131



SA-1867

SPECIFICATIONS

Outer Dia.:	100 mm
Inner Dia.:	68 mm
Body Height:	79 mm
Total Height:	79 mm

CROSS REFERENCE

Fusheng	2116040158
Fusheng	2116040163



SA-1868

SPECIFICATIONS

Outer Dia.:	530 mm
Inner Dia.:	515 mm
Body Height:	205 mm
Total Height:	210 mm

CROSS REFERENCE

Fusheng	2116040258
Fusheng	2116040257



SA-1869

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	120 mm
Body Height:	240 mm
Total Height:	244 mm

CROSS REFERENCE

Gardner Denver	2116118
Solberg	235P
Sullair	250002-732



SA-1870

SPECIFICATIONS

Outer Dia.:	530 mm
Inner Dia.:	515 mm
Body Height:	305 mm
Total Height:	310 mm

CROSS REFERENCE

Fusheng	2116040259



SA-1871

SPECIFICATIONS

Outer Dia.:	595 mm
Inner Dia.:	595 mm
Body Height:	292 mm
Total Height:	292 mm

CROSS REFERENCE

Ingersoll Rand	24873143
Ingersoll Rand	67731158
Ingersoll Rand	1X8259



SA-1872

SPECIFICATIONS

Outer Dia.:	595 mm
Inner Dia.:	595 mm
Body Height:	38 mm
Total Height:	38 mm

CROSS REFERENCE

Ingersoll Rand	24873135
Ingersoll Rand	67731166
Ingersoll Rand	1X8258



SA-1873A

SPECIFICATIONS

Outer Dia.:	313 mm
Inner Dia.:	178 mm
Body Height:	512 mm
Total Height:	524 mm

CROSS REFERENCE

Atlas Copco	1028876623
Atlas Copco	2911000010
Ingersoll Rand	24900318



SA-1873B

SPECIFICATIONS

Outer Dia.:	179 mm
Inner Dia.:	146 mm
Body Height:	460 mm
Total Height:	468 mm

CROSS REFERENCE

Atlas Copco	1028876652
Atlas Copco	2911000012
Donaldson	P785401




SA-1874

SPECIFICATIONS

Outer Dia.:	357/362 mm
Inner Dia.:	203 mm
Body Height:	575 mm
Total Height:	585 mm

CROSS REFERENCE

Ingersoll Rand	24900326
Donaldson	P618689
Fleetguard	AF4220



SA-1875

SPECIFICATIONS

Outer Dia.:	420/360 mm
Inner Dia.:	280/220 mm
Body Height:	660 mm
Total Height:	670 mm

CROSS REFERENCE

Atlas Copco	3005807484



SA-1876

SPECIFICATIONS

Outer Dia.:	392 mm
Inner Dia.:	219 mm
Body Height:	570 mm
Total Height:	624 mm

CROSS REFERENCE

Mann Filter	C383062
Donaldson	P646921
MWM	12219489



SA-1877A

SPECIFICATIONS

Outer Dia.:	352/364 mm
Inner Dia.:	240 mm
Body Height:	685 mm
Total Height:	695 mm

CROSS REFERENCE

Ingersoll Rand	39333372
Ingersoll Rand	36864361
Donaldson	P607369



SA-1877B

SPECIFICATIONS

Outer Dia.:	235 mm
Inner Dia.:	203 mm
Body Height:	630 mm
Total Height:	640 mm

CROSS REFERENCE

Ingersoll Rand	36864379
Donaldson	P607370
Fleetguard	AF4254



SA-1878A

SPECIFICATIONS

Outer Dia.:	300 mm
Inner Dia.:	190 mm
Body Height:	465 mm
Total Height:	475 mm

CROSS REFERENCE

SCR	22150023-014P1
Hitachi	59056440



SA-1878B

SPECIFICATIONS

Outer Dia.:	189 mm
Inner Dia.:	155 mm
Body Height:	437 mm
Total Height:	447 mm

CROSS REFERENCE

SCR	22150023-014P2



SA-1879A

SPECIFICATIONS

Outer Dia.:	323 mm
Inner Dia.:	213 mm
Body Height:	555 mm
Total Height:	565 mm

CROSS REFERENCE

SCR	22150023-012P1



SA-1879B

SPECIFICATIONS

Outer Dia.:	208/218 mm
Inner Dia.:	175 mm
Body Height:	482 mm
Total Height:	502 mm

CROSS REFERENCE

SCR	22150023-012P2



SA-1880A

SPECIFICATIONS

Outer Dia.:	225 mm
Inner Dia.:	130 mm
Body Height:	380 mm
Total Height:	380 mm

CROSS REFERENCE

Chigo	2.04.560.015
Fleetguard	AF26531
Liugong	40C4077



SA-1880B

SPECIFICATIONS

Outer Dia.:	185/121 mm
Inner Dia.:	93 mm
Body Height:	361 mm
Total Height:	361 mm

CROSS REFERENCE

Chigo	2.04.560.016
Fleetguard	AF26532
Cummins	AA90138S



SA-1881

SPECIFICATIONS

Outer Dia.:	270 mm
Inner Dia.:	160 mm
Body Height:	210 mm
Total Height:	216 mm

CROSS REFERENCE

Gardner Denver	89756519
TMC	NT4921
Sotras	SA7148



SA-1882

SPECIFICATIONS

Outer Dia.:	130 mm
Inner Dia.:	65 mm
Body Height:	120 mm
Total Height:	120 mm

CROSS REFERENCE

Xinlei	XJL20A



SA-1883

SPECIFICATIONS

Outer Dia.:	165 mm
Inner Dia.:	80 mm
Body Height:	155 mm
Total Height:	155 mm

CROSS REFERENCE

Xinlei	XJL30A




SA-1884

SPECIFICATIONS

Outer Dia.:	350 mm
Inner Dia.:	240 mm
Body Height:	105 mm
Total Height:	115 mm

CROSS REFERENCE

Yoo Chang	A100-1007



SA-1885

SPECIFICATIONS

Outer Dia.:	195 mm
Inner Dia.:	118 mm
Body Height:	100 mm
Total Height:	110 mm

CROSS REFERENCE

Rotair	162574S
Sotras	SA7091



SA-1886

SPECIFICATIONS

Outer Dia.:	110 mm
Inner Dia.:	48 mm
Body Height:	80 mm
Total Height:	110 mm

CROSS REFERENCE

Seize	2090014
Seize	2090010
Ironmac	3232058



SA-1887

SPECIFICATIONS

Outer Dia.:	390 mm
Inner Dia.:	240 mm
Body Height:	220 mm
Total Height:	230 mm

CROSS REFERENCE

Ingersoll Rand	23782345
Ingersoll Rand	23782303
Gardner Denver	47731502001



SA-1888

SPECIFICATIONS

Outer Dia.:	384 mm
Inner Dia.:	254 mm
Body Height:	490 mm
Total Height:	500 mm

CROSS REFERENCE

Samsung	CST71005
Hifi Filter	SA190508
Keltec	KC950-034



SA-1889

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	120 mm
Body Height:	240 mm
Total Height:	244 mm

CROSS REFERENCE

Solberg	UL234



SA-1890

SPECIFICATIONS

Outer Dia.:	332/266 mm
Inner Dia.:	132 mm
Body Height:	220 mm
Total Height:	230 mm

CROSS REFERENCE

Atlas Copco	2900058200
Atlas Copco	2900058000
Donaldson	P776386



SA-1891A

SPECIFICATIONS

Outer Dia.:	128 mm
Inner Dia.:	82 mm
Body Height:	286 mm
Total Height:	322 mm

CROSS REFERENCE

Dynapac	1094735400
Dynapac	1094735401
Mann Filter	C13010



SA-1891B

SPECIFICATIONS

Outer Dia.:	66 mm
Inner Dia.:	52/49 mm
Body Height:	301 mm
Total Height:	301 mm

CROSS REFERENCE

Dynapac	1094735600
Mann Filter	CF07001
Hifi Filter	SA18341



SA-1892

SPECIFICATIONS

Outer Dia.:	164 mm
Inner Dia.:	50 mm
Body Height:	62 mm
Total Height:	80 mm

CROSS REFERENCE

Dalgakiran	1311121001
Dalgakiran	11000858
HiFi Filter	SA190445



SA-1893

SPECIFICATIONS

Outer Dia.:	268 mm
Inner Dia.:	79 mm
Body Height:	150 mm
Total Height:	180 mm

CROSS REFERENCE

Fusheng	2116040281
Fusheng	2116040279



SA-1894

SPECIFICATIONS

Outer Dia.:	420 mm
Inner Dia.:	250 mm
Body Height:	520 mm
Total Height:	618 mm

CROSS REFERENCE

Ingersoll Rand	47788926001



SA-1895

SPECIFICATIONS

Outer Dia.:	164 mm
Inner Dia.:	86 mm
Body Height:	300 mm
Total Height:	310 mm

CROSS REFERENCE

Soumac	SA-1895



SA-1896

SPECIFICATIONS

Outer Dia.:	130 mm
Inner Dia.:	39 mm
Body Height:	63 mm
Total Height:	88 mm

CROSS REFERENCE

Liutech	2205722524
Ekomak	MKN000980
Ekomak	215406-3



SA-1897

SPECIFICATIONS

Outer Dia.:	325 mm
Inner Dia.:	210 mm
Body Height:	255 mm
Total Height:	265 mm

CROSS REFERENCE

Hitachi	59007700



SA-1898

SPECIFICATIONS

Outer Dia.:	230 mm
Inner Dia.:	140 mm
Body Height:	100 mm
Total Height:	106 mm

CROSS REFERENCE

Soumac	SA-1898



SA-1899

SPECIFICATIONS

Outer Dia.:	250 mm
Inner Dia.:	180 mm
Body Height:	265 mm
Total Height:	265 mm

CROSS REFERENCE

Soumac	SA-1899



SA-1900

SPECIFICATIONS

Outer Dia.:	296 mm
Inner Dia.:	200 mm
Body Height:	405 mm
Total Height:	440 mm

CROSS REFERENCE

Mann Filter	C30610



SA-1901

SPECIFICATIONS

Outer Dia.:	195 mm
Inner Dia.:	80 mm
Body Height:	112 mm
Total Height:	140 mm

CROSS REFERENCE

Ceccato	2205722522
Ekomak	MKN000976
Ekomak	222406-1



SA-1902

SPECIFICATIONS

Outer Dia.:	152 mm
Inner Dia.:	88 mm
Body Height:	105 mm
Total Height:	109 mm

CROSS REFERENCE

Mann-Filter	C1555/6
Sotras	SA7241
Rotorcomp	N37236



SA-1903

SPECIFICATIONS

Outer Dia.:	198 mm
Inner Dia.:	110 mm
Body Height:	140 mm
Total Height:	140 mm

CROSS REFERENCE

Mann Filter	C20189
Toyota	17801-41110
Toyota	17801-54060



SA-1904

SPECIFICATIONS

Outer Dia.:	145 mm
Inner Dia.:	51 mm
Body Height:	82 mm
Total Height:	107 mm

CROSS REFERENCE

ABAC	2236105791
ABAC	2236105822
Sotras	SA6843



SA-1905

SPECIFICATIONS

Outer Dia.:	257 mm
Inner Dia.:	72 mm
Body Height:	160 mm
Total Height:	198 mm

CROSS REFERENCE

Dalgakiran	11000870
Dalgakiran	1311121202
Tecfeel	A2940



SA-1906

SPECIFICATIONS

Outer Dia.:	150 mm
Inner Dia.:	50 mm
Body Height:	166 mm
Total Height:	200 mm

CROSS REFERENCE

Remeza	4092100501



SA-1907

SPECIFICATIONS

Outer Dia.:	275 mm
Inner Dia.:	165 mm
Body Height:	350 mm
Total Height:	360 mm

CROSS REFERENCE

Ribao	100HP



SA-1908

SPECIFICATIONS

Outer Dia.:	225 mm
Inner Dia.:	125 mm
Body Height:	200 mm
Total Height:	210 mm

CROSS REFERENCE

Atlas Copco	1637000329
Atlas Copco	1630000329



SA-1909

SPECIFICATIONS

Outer Dia.:	380 mm
Inner Dia.:	240 mm
Body Height:	608 mm
Total Height:	620 mm

CROSS REFERENCE

ELANG	KL001205



SA-1910A

SPECIFICATIONS

Outer Dia.:	238 mm
Inner Dia.:	133 mm
Body Height:	480 mm
Total Height:	490 mm

CROSS REFERENCE

ELGI	012474729-1
ELGI	B004705760008
ELGI	B004705760010



SA-1910B

SPECIFICATIONS

Outer Dia.:	122/117 mm
Inner Dia.:	107 mm
Body Height:	468 mm
Total Height:	473 mm

CROSS REFERENCE

ELGI	012474729-2
ELGI	B004705760009



SA-1911

SPECIFICATIONS

Outer Dia.:	318 mm
Inner Dia.:	208 mm
Body Height:	390 mm
Total Height:	395 mm

CROSS REFERENCE

Mann Filter	C321170
Fleetguard	AF25135M
Donaldson	P532505



SA-1912

SPECIFICATIONS

Outer Dia.:	251 mm
Inner Dia.:	170 mm
Body Height:	495 mm
Total Height:	531 mm

CROSS REFERENCE

Ingersoll-Rand	23388275
Mann Filter	C261100
Fleetguard	AF26677



SA-1913

SPECIFICATIONS

Outer Dia.:	235 mm
Inner Dia.:	133 mm
Body Height:	330 mm
Total Height:	343 mm

CROSS REFERENCE

Kobelco	S-CE05-507
Caterpillar	131-8822X
Donaldson	P536457




SA-1914

SPECIFICATIONS

Outer Dia.:	200 mm
Inner Dia.:	76 mm
Body Height:	215 mm
Total Height:	250 mm

CROSS REFERENCE

Ingersoll Rand	47760761001



SA-1915

SPECIFICATIONS

Outer Dia.:	305 mm
Inner Dia.:	100 mm
Body Height:	170 mm
Total Height:	200 mm

CROSS REFERENCE

Fusheng	2116040289



SA-1916A

SPECIFICATIONS

Outer Dia.:	273 mm
Inner Dia.:	167 mm
Body Height:	475 mm
Total Height:	485 mm

CROSS REFERENCE

Soumac	SA-1916A



SA-1916B

SPECIFICATIONS

Outer Dia.:	160/145 mm
Inner Dia.:	130 mm
Body Height:	420 mm
Total Height:	420 mm

CROSS REFERENCE

Soumac	SA-1916B



SA-1917

SPECIFICATIONS

Outer Dia.:	164 mm
Inner Dia.:	60 mm
Body Height:	138 mm
Total Height:	168 mm

CROSS REFERENCE

Hertz	1311121101
Sotras	SA6905
Hifi Filter	SA19463



SA-1918

SPECIFICATIONS

Outer Dia.:	251 mm
Inner Dia.:	183 mm
Body Height:	238 mm
Total Height:	245 mm

CROSS REFERENCE

Compair	ZS1096065
Mann Filter	C26328



SC-6901

SPECIFICATIONS

Outer Dia.:	76 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	83 mm
Thread Size:	M22*1.5

CROSS REFERENCE

Mann-Filter	LB712/2
Champion	P12723A



SC-6902

SPECIFICATIONS

Outer Dia.:	76 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	127 mm
Thread Size:	M22*1.5

CROSS REFERENCE

Mann Filter	LB719/2
Atlas Copco	1622062300



SC-6903

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	175 mm
Thread Size:	M24*1.5

CROSS REFERENCE

Mann Filter	LB950/2
Compair	A13010074



SC-6904

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M24*1.5

CROSS REFERENCE

Mann Filter	LB962/2
Atlas Copco	1622087100



SC-6905

SPECIFICATIONS

Outer Dia.:	108 mm
OD of Seal:	103 mm
ID of Seal:	92 mm
Total Height:	260 mm
Thread Size:	M32*1.5

CROSS REFERENCE

Mann-Filter	LB11102/2
Atlas Copco	1622035101



SC-6906

SPECIFICATIONS

Outer Dia.:	108 mm
OD of Seal:	103 mm
ID of Seal:	92 mm
Total Height:	310 mm
Thread Size:	M32*1.5

CROSS REFERENCE

Huada	561128



SC-6907

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	177 mm
Thread Size:	M39*1.5

CROSS REFERENCE

Mann Filter	LB1374/2
Sotras	DF5006



SC-6907P

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	177 mm
Thread Size:	M39*1.5

CROSS REFERENCE

Atlas Copco	1626832200
Atlas Copco	2914050000



SC-6908

SPECIFICATIONS

Outer Dia.:	108 mm
OD of Seal:	103 mm
ID of Seal:	92 mm
Total Height:	260 mm
Thread Size:	M32*1.75

CROSS REFERENCE

Mann Filter	LB11102/5
Linghein	2022-04-011



SC-6909

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M39*1.5

CROSS REFERENCE

Mann Filter	LB13145/3
Sotras	DF5004



SC-6909P

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M39*1.5

CROSS REFERENCE

Mann Filter	LB13145/20
Boge	575000111P



SC-6910

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	220 mm
Thread Size:	M39*1.5

CROSS REFERENCE

Soumac	SC-6910



SC-6911P

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	330 mm
Thread Size:	M39*1.5

CROSS REFERENCE

Dalgakiran	1311127400
Dalgakiran	1311127433



SC-6912

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	360 mm
Thread Size:	M39.5*2

CROSS REFERENCE

DEG Com	RB-9140365R



SC-6913

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	1.1/2-16UNF

CROSS REFERENCE

Mann Filter	LB13145/21
Atlas Copco	1202834300



SC-6914

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M23*1.5

CROSS REFERENCE

Mann Filter	LB962/8
Ingersoll Rand	24121212



SC-6915

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M22.5*1.5L

CROSS REFERENCE

Atlas Copco	1625182869
Atlas Copco	1625165778



SC-6916

SPECIFICATIONS

Outer Dia.:	108 mm
OD of Seal:	103 mm
ID of Seal:	92 mm
Total Height:	260 mm
Thread Size:	M32*1.5L

CROSS REFERENCE

Atlas Copco	1625775300
Atlas Copco	1092203406



SC-6917

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M40*1.5L

CROSS REFERENCE

Atlas Copco	1625775400
Mann Filter	LB13145/7



SC-6918

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M25*1.25L

CROSS REFERENCE

Atlas Copco	2202929400
Mann Filter	LB962/23



SC-6919

SPECIFICATIONS

Outer Dia.:	108 mm
OD of Seal:	103 mm
ID of Seal:	92 mm
Total Height:	260 mm
Thread Size:	1.3/8"-16UNF

CROSS REFERENCE

Atlas Copco	6221372450
Mann Filter	LB11102/21



SC-6920

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M40*1.75

CROSS REFERENCE

Mann Filter	LB13145/27
Fusheng	2116019888



SC-6921

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M24*1.75

CROSS REFERENCE

Worthington	6221372800
Mann Filter	LB962/6



SC-6922

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	1"-12UNF

CROSS REFERENCE

Gardner Denver	ZS1199688
Mann Filter	LB962/21



SC-6923

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	177 mm
Thread Size:	1.1/2"-16UNF

CROSS REFERENCE

Mann Filter	LB1374/4
Compair	A10553374



SC-6924

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M39*1.75

CROSS REFERENCE

Mann Filter	LB13145/8
Kobelco	PS-CE03-506



SC-6925

SPECIFICATIONS

Outer Dia.:	108 mm
OD of Seal:	103 mm
ID of Seal:	92 mm
Total Height:	260 mm
Thread Size:	M33*1.75

CROSS REFERENCE

Fusheng	2605271160
Mann Filter	LB11102/11



SC-6926

SPECIFICATIONS

Outer Dia.:	76 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	127 mm
Thread Size:	M23*1.75

CROSS REFERENCE

Kaeser	6.4334.0
Mann Filter	LB719/6



SC-6927

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	262 mm
Thread Size:	M39.5*1.75L

CROSS REFERENCE

Atlas Copco	1641080031



SC-6928

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	265 mm
Thread Size:	M39.5*2

CROSS REFERENCE

DEG Com	RB-9140265R



SC-6929

SPECIFICATIONS

Outer Dia.:	76 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	127 mm
Thread Size:	M22*1.75

CROSS REFERENCE

Mann Filter	LB719/3
Abac	6211372600



SC-6930

SPECIFICATIONS

Outer Dia.:	108 mm
OD of Seal:	103 mm
ID of Seal:	92 mm
Total Height:	260 mm
Thread Size:	M32*1.75L

CROSS REFERENCE

Atlas Copco	1092200289
Atlas Copco	1625005590



SC-6931

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M40*1.5L

CROSS REFERENCE

Atlas Copco	1625481100
Atlas Copco	1625481150



SC-6932

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	142 mm
Thread Size:	M24*1.5

CROSS REFERENCE

Mann Filter	LB940/2



SC-6933

SPECIFICATIONS

Outer Dia.:	108 mm
OD of Seal:	103 mm
ID of Seal:	92 mm
Total Height:	260 mm
Thread Size:	M32.5*1.75L

CROSS REFERENCE

Atlas Copco	1625165775
Atlas Copco	1625182866



SC-6934P

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	330 mm
Thread Size:	M40*1.5

CROSS REFERENCE

Dalgakiran	1311127401
Dalgakiran	11000965



SC-6935

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M39.5*1.75L

CROSS REFERENCE

Atlas Copco	1625165776
Atlas Copco	1625182867



SC-6936

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M22.5*1.75L

CROSS REFERENCE

Atlas Copco	1625165774
Atlas Copco	1625182865



SC-6937

SPECIFICATIONS

Outer Dia.:	118 mm
OD of Seal:	103 mm
ID of Seal:	92 mm
Total Height:	288 mm
Thread Size:	M32.5*1.5L

CROSS REFERENCE

Loftoll	11403W-004J1



SC-6938

SPECIFICATIONS

Outer Dia.:	108 mm
OD of Seal:	103 mm
ID of Seal:	92 mm
Total Height:	260 mm
Thread Size:	M32.5*1.5L

CROSS REFERENCE

Atlas Copco	1641000139
Atlas Copco	1625165779



SC-6939

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	177 mm
Thread Size:	M40*1.5

CROSS REFERENCE

Jaguar	OLA0025
Dalgakiran	1311128290



SC-6940

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M42*1.5L

CROSS REFERENCE

Dyna	DS-5501LL



SC-6941

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M40*1.5

CROSS REFERENCE

Atlas Copco	2204154100
Atlas Copco	2204154150



SC-6942

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	177 mm
Thread Size:	M40*1.5L

CROSS REFERENCE

Atlas Copco	1630220357
Atlas Copco	2901990814



SC-6943

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	177 mm
Thread Size:	M37*1.5

CROSS REFERENCE

Boge	575106301P
Mann Filter	LB1374/29



SC-6944

SPECIFICATIONS

Outer Dia.:	76 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	127 mm
Thread Size:	M22.5*1.75L

CROSS REFERENCE

Atlas Copco	1625182864
Atlas Copco	1625165773



SC-6945

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M40*1.5

CROSS REFERENCE

Jaguar	OLA0050
Jaguar	3241500301



SC-6946

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	1"-16UNF

CROSS REFERENCE

Fusheng	2116019896



SC-6947

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	127 mm
Thread Size:	M26*1.5

CROSS REFERENCE

Mitsuiseiki	7135604392402
Sotras	DF5053



SC-6948

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M37*1.5

CROSS REFERENCE

Boge	5751063023P
Mann Filter	LB13145/29



SC-6949

SPECIFICATIONS

Outer Dia.:	76 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	127 mm
Thread Size:	M22.5*1.5L

CROSS REFERENCE

Atlas Copco	1625182868
Atlas Copco	1625165777



SC-6950

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M39.5*1.5L

CROSS REFERENCE

Atlas Copco	1625165780
Atlas Copco	1625182871



SC-6951

SPECIFICATIONS

Outer Dia.:	108 mm
OD of Seal:	103 mm
ID of Seal:	92 mm
Total Height:	260 mm
Thread Size:	M27.5*1.5L

CROSS REFERENCE

Loftoll	11403W-002J1



SC-6952

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M41*1.5

CROSS REFERENCE

Mann Filter	LB13145/13
Lupamat	VK-1530.00



SC-6953P

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	360 mm
Thread Size:	M39.5*1.75L

CROSS REFERENCE

Atlas Copco	1641005035



SC-6954

SPECIFICATIONS

Outer Dia.:	76 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	127 mm
Thread Size:	M22*1.75L

CROSS REFERENCE

Atlas Copco	9097511153



SO-4801

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	1"-12UNF

CROSS REFERENCE

Mann Filter	W962/14
Atlas Copco	1613610500



SO-4801D

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	1"-12UNF

CROSS REFERENCE

Mann Filter	WD962
Ingersoll Rand	54672654



SO-4801H

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	1"-12UNF

CROSS REFERENCE

Altas Copco	1622783700
Boge	558000302P



SO-4802

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M39*1.75

CROSS REFERENCE

Atlas Copco	1621737800
Atlas Copco	1621737890



SO-4803

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M24x1.75L

CROSS REFERENCE

Atlas Copco	1092900146
Atlas Copco	1092200288



SO-4804

SPECIFICATIONS

Outer Dia.:	108 mm
OD of Seal:	103 mm
ID of Seal:	92 mm
Total Height:	260 mm
Thread Size:	1.1/8"-16UNF

CROSS REFERENCE

Mann Filter	W11102
Atlas Copco	1614727300



SO-4805

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	1.1/2"-16UND

CROSS REFERENCE

Kaishan	AO1358
Kaishan	77090135800



SO-4806

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M39*1.75

CROSS REFERENCE

Kobelco	PS-CE11-506
SCR	25200018-005



SO-4807

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	225 mm
Thread Size:	1.3/8"-12UNF

CROSS REFERENCE

Ingersoll Rand	39911615
Ingersoll Rand	39259650



SO-4808

SPECIFICATIONS

Outer Dia.:	121 mm
OD of Seal:	86 mm
ID of Seal:	79 mm
Total Height:	295 mm
Thread Size:	1.3/4"-12UNF

CROSS REFERENCE

Ingersoll Rand	39911631
Gardner Denver	2118384



SO-4809

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	1.1/2"-16UNF

CROSS REFERENCE

Mann Filter	WD13145
Kaeser	6.1979.0



SO-4810

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	230 mm
Thread Size:	M24*1.5

CROSS REFERENCE

Mann Filter	WD962/9
Mark	6211472800



SO-4811

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	177 mm
Thread Size:	1.1/2"-16

CROSS REFERENCE

Compair	A11381974
Mann Filter	WD1374



SO-4812

SPECIFICATIONS

Outer Dia.:	82 mm
OD of Seal:	66 mm
ID of Seal:	57 mm
Total Height:	92 mm
Thread Size:	M20*1.5

CROSS REFERENCE

Ingersoll-Rand	92950500
Donaldson	P502051



SO-4813

SPECIFICATIONS

Outer Dia.:	118 mm
OD of Seal:	109 mm
ID of Seal:	98 mm
Total Height:	158 mm
Thread Size:	1.1/4-11BSP

CROSS REFERENCE

Sullair	250025-525
Atlas Copco	2255300224



SO-4814

SPECIFICATIONS

Outer Dia.:	118 mm
OD of Seal:	109 mm
ID of Seal:	98 mm
Total Height:	288 mm
Thread Size:	1.1/4-11BSP

CROSS REFERENCE

Sullair	250025-526
Quincy	128383-050



SO-4815

SPECIFICATIONS

Outer Dia.:	76 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	79 mm
Thread Size:	3/4"-16UNF

CROSS REFERENCE

Mann Filter	W712
Sullair	88290014-484



SO-4816

SPECIFICATIONS

Outer Dia.:	76 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	127 mm
Thread Size:	M23*1L

CROSS REFERENCE

Atlas Copco	2202929500
Mann Filter	W719/20



SO-4817

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	177 mm
Thread Size:	M39*1.75

CROSS REFERENCE

Gardner Denver	1063359
Gardner Denver	ZS1063359



SO-4818

SPECIFICATIONS

Outer Dia.:	108 mm
OD of Seal:	103 mm
ID of Seal:	92 mm
Total Height:	170 mm
Thread Size:	1.1/8-16UN

CROSS REFERENCE

Airman	37438-08900
Airman	32540-01600



SO-4819

SPECIFICATIONS

Outer Dia.:	118 mm
OD of Seal:	118 mm
ID of Seal:	102 mm
Total Height:	302 mm
Thread Size:	2.1/4"-12UNF

CROSS REFERENCE

Atlas Copco	1092498400



SO-4820

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	86 mm
ID of Seal:	73 mm
Total Height:	205 mm
Thread Size:	1.1/2"-16 UN

CROSS REFERENCE

Fleetguard	HF30009
Donaldson	P569381



SO-4821

SPECIFICATIONS

Outer Dia.:	76 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	93 mm
Thread Size:	3/4"-16UNF

CROSS REFERENCE

Altas Copco	2914805800
Kaeser	6.1901.0



SO-4822

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	142 mm
Thread Size:	M22*1.5

CROSS REFERENCE

Kaeser	6.3463.0
Mann Filter	WD940/14



SO-4823

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M26*1.75L

CROSS REFERENCE

Atlas Copco	1625165622
Atlas Copco	1625106576



SO-4824

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M23*1.5L

CROSS REFERENCE

Atlas Copco	1625752500
Atlas Copco	1625752501



SO-4824H

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M23*1.5L

CROSS REFERENCE

Atlas Copco	2903752600
Atlas Copco	1625752600



SO-4825

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M24*1.5

CROSS REFERENCE

Kaeser	6.3464.1
Atlas Copco	1626088200



SO-4826

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	142 mm
Thread Size:	3/4"-16UNF

CROSS REFERENCE

Atlas Copco	1619622700
CompAir	A04819974



SO-4827

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M39*1.5

CROSS REFERENCE

Kaeser	6.3465.0
Seize	2090033



SO-4828

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	105 mm
Thread Size:	3/4"-16UNF

CROSS REFERENCE

Atlas Copco	1030088200
Kaeser	6.1876.0



SO-4829

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	142 mm
Thread Size:	31/32"-20

CROSS REFERENCE

Sullair	250026-982
Sullair	250028-032



SO-4830

SPECIFICATIONS

Outer Dia.:	118 mm
OD of Seal:	103 mm
ID of Seal:	92 mm
Total Height:	361 mm
Thread Size:	1.3/4"-12

CROSS REFERENCE

Hitachi	53435850



SO-4831

SPECIFICATIONS

Outer Dia.:	118 mm
OD of Seal:	103 mm
ID of Seal:	92 mm
Total Height:	295 mm
Thread Size:	1.3/4"-12

CROSS REFERENCE

Hitachi	53435850



SO-4832

SPECIFICATIONS

Outer Dia.:	76 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	127 mm
Thread Size:	M20*1.5

CROSS REFERENCE

Jaguar	OL00719
Jaguar	324160032000



SO-4833

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	100 mm
Thread Size:	1"-12

CROSS REFERENCE

Hitachi	55175910
Kobelco	P-CE13-517



SO-4834

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	174 mm
Thread Size:	1.1/8"-16

CROSS REFERENCE

Mann Filter	W950/8
Kobelco	P-CE13-528



SO-4835

SPECIFICATIONS

Outer Dia.:	128 mm
OD of Seal:	128 mm
ID of Seal:	120 mm
Total Height:	174 mm
Thread Size:	1.1/2"-16UN

CROSS REFERENCE

Gardner Denver	2116110
Donaldson	P550387



SO-4836

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	172 mm
Thread Size:	M19.5*1.75L

CROSS REFERENCE

Bolaite	1625165631
Atlas Copco	1625185452



SO-4837

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	147 mm
Thread Size:	M24*1.75

CROSS REFERENCE

Gardner Denver	ZS1059789
Ingersoll Rand	ZS1211906



SO-4838

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	147 mm
Thread Size:	1"-12UNF

CROSS REFERENCE

Ingersoll Rand	39329602
Mann Filter	W940/5



SO-4839

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	239 mm
Thread Size:	1.3/8"-12

CROSS REFERENCE

Hitachi	51188820
Kobelco	P-CE13-533



SO-4840

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M23脳1.5

CROSS REFERENCE

SCR	25200007-005
SCR	25200007-205



SO-4841

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	Lock Type

CROSS REFERENCE

Atlas Copco	1830051911
Atlas Copco	1641003873



SO-4842

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	1"-12UNF

CROSS REFERENCE

Sullair	02250153-935



SO-4843

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	177 mm
Thread Size:	M38*2

CROSS REFERENCE

Dream	144001001



SO-4844

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M20*1.5

CROSS REFERENCE

Mann Filter	WD962/32
Atlas Copco	1202804003



SO-4845

SPECIFICATIONS

Outer Dia.:	76 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	127 mm
Thread Size:	3/4"-16

CROSS REFERENCE

Atlas Copco	1625165600
Atlas Copco	1513033701



SO-4846

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	100 mm
Thread Size:	1. 1/8"-16

CROSS REFERENCE

Kobelco	P-CE13-526



SO-4847

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M24*1.75

CROSS REFERENCE

Gardner Denver	47710806001



SO-4848

SPECIFICATIONS

Outer Dia.:	131 mm
OD of Seal:	129 mm
ID of Seal:	107 mm
Total Height:	313 mm
Thread Size:	1"1/4-BSP

CROSS REFERENCE

Sacmi	05673816/001
HiFi Filter	SH63691



SO-4849

SPECIFICATIONS

Outer Dia.:	76 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	127 mm
Thread Size:	M22*1.5

CROSS REFERENCE

Kaeser	6.3461.0
Mann Filter	W719/9



SO-4850

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	100 mm
Thread Size:	M22*1.5

CROSS REFERENCE

Kaeser	6.3462.0
Mann Filter	WD920/5



SO-4851

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M22*1.5

CROSS REFERENCE

Kobelco	PS-CE11-502
Kobelco	PS-CE11-505



SO-4852

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	230 mm
Thread Size:	1.1/8"-16

CROSS REFERENCE

Hitachi	56645910
Hitachi	59031230



SO-4853

SPECIFICATIONS

Outer Dia.:	108 mm
OD of Seal:	103 mm
ID of Seal:	92 mm
Total Height:	260 mm
Thread Size:	M28*1.5

CROSS REFERENCE

Kobelco	PS-CE11-501



SO-4854

SPECIFICATIONS

Outer Dia.:	126 mm
OD of Seal:	124 mm
ID of Seal:	115 mm
Total Height:	173 mm
Thread Size:	M48*2-6H

CROSS REFERENCE

Kobelco	P-CE13-506
Kobelco	P-F13-3003-3



SO-4855

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M26*1.5

CROSS REFERENCE

Fusheng	2605531450
Fusheng	2605539870



SO-4856

SPECIFICATIONS

Outer Dia.:	118 mm
OD of Seal:	86 mm
ID of Seal:	79 mm
Total Height:	288 mm
Thread Size:	1.3/4"-12UNF

CROSS REFERENCE

Hitachi	52815910
Hitachi	59031200



SO-4857

SPECIFICATIONS

Outer Dia.:	80 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	100 mm
Thread Size:	3/4"-16

CROSS REFERENCE

Kobelco	P-CE13-510



SO-4858

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	73 mm
ID of Seal:	54 mm
Total Height:	142 mm
Thread Size:	1.1/8"-16

CROSS REFERENCE

Kobelco	P-CE13-515
Kobelco	P-F13-3001



SO-4859

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	172 mm
Thread Size:	1"-12UNF

CROSS REFERENCE

Mann Filter	WD950
Hitachi	52305910



SO-4860

SPECIFICATIONS

Outer Dia.:	118 mm
OD of Seal:	110 mm
ID of Seal:	97 mm
Total Height:	248 mm
Thread Size:	1.1/2-12

CROSS REFERENCE

Mitsu Seiki	7112600338110
Mitsu Seiki	7112600338120



SO-4861

SPECIFICATIONS

Outer Dia.:	108 mm
OD of Seal:	72 mm
ID of Seal:	63 mm
Total Height:	210 mm
Thread Size:	1.1/8"-16UNF

CROSS REFERENCE

Airman	37438-05601
Airman	37438-03300



SO-4862

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	150 mm
Thread Size:	1.3/8"-12UN

CROSS REFERENCE

Hitachi	52655910
Hitachi	53728810



SO-4863

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M26*1.5

CROSS REFERENCE

Jaguar	OL00962
Seize	2090003



SO-4864

SPECIFICATIONS

Outer Dia.:	108 mm
OD of Seal:	103 mm
ID of Seal:	92 mm
Total Height:	260 mm
Thread Size:	M30*1.5

CROSS REFERENCE

Jaguar	OL11102
Gardner Denver	89755919



SO-4865

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	140 mm
Thread Size:	M24*1.5

CROSS REFERENCE

Ingersoll Rand	22545867
Denair	1502-G1-01



SO-4866

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	1.1/2"-20

CROSS REFERENCE

Kaishan	66135302EF



SO-4867

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	177 mm
Thread Size:	1.1/2"-20

CROSS REFERENCE

Kaishan	66135177EF



SO-4868

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M25*1.5L

CROSS REFERENCE

Atlas Copco	1625165640
Atlas Copco	1641000137



SO-4869

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	172 mm
Thread Size:	1"-16

CROSS REFERENCE

Kaishan	66094172EF
Kaishan	077099417205



SO-4870

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	1"-12L

CROSS REFERENCE

Dyna	DS-5701L
Apureda	AO0947



SO-4871

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	172 mm
Thread Size:	1"-12L

CROSS REFERENCE

Dyna	DS-3701L



SO-4872

SPECIFICATIONS

Outer Dia.:	76 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	127 mm
Thread Size:	3/4"-16L

CROSS REFERENCE

Dyna	DS-2703L
Atlas Copco	1625165630



SO-4873

SPECIFICATIONS

Outer Dia.:	108 mm
OD of Seal:	99 mm
ID of Seal:	90 mm
Total Height:	262 mm
Thread Size:	1.1/8"-16UNF

CROSS REFERENCE

Airman	37438-09700
Donaldson	P554004



SO-4874

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	142 mm
Thread Size:	3/4"-16UNF

CROSS REFERENCE

Mann Filter	W940
SCR	25200004-001



SO-4875

SPECIFICATIONS

Outer Dia.:	118 mm
OD of Seal:	110 mm
ID of Seal:	97 mm
Total Height:	262 mm
Thread Size:	1.1/2-12

CROSS REFERENCE

Mitsu Seiki	7111450355000
Komatsu	600-211-1231



SO-4875L

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	1.1/2-12

CROSS REFERENCE

Mitsu Seiki	7111450355000



SO-4876

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	1"-14UNF

CROSS REFERENCE

Hengde	506C08982
Hengde	506C08962



SO-4877

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	142 mm
Thread Size:	M20*1.5

CROSS REFERENCE

Jaguar	OL00940
Jaguar	324160003000



SO-4878

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	100 mm
Thread Size:	M23*1.5L

CROSS REFERENCE

Mann Filter	WD920/7
Atlas Copco	1625426100



SO-4879

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	G3/4

CROSS REFERENCE

Mann Filter	W962/36
Kolais	YP013050



SO-4880

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	142 mm
Thread Size:	1"-14UNF

CROSS REFERENCE

Hengde	506C08980
Hengde	506C08940



SO-4881

SPECIFICATIONS

Outer Dia.:	97 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	240 mm
Thread Size:	1"-12UNF

CROSS REFERENCE

Ingersoll Rand	24900433
HiFi Filter	SH66388



SO-4882

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	172 mm
Thread Size:	M23*1.5L

CROSS REFERENCE

Atlas Copco	1625165639
Atlas Copco	1641000136



SO-4883

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M40*1.75

CROSS REFERENCE

Denair	1502-B1-01
HiFi Filter	SH85063



SO-4884

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M25*1.75L

CROSS REFERENCE

Atlas Copco	1625165632
Atlas Copco	1625165627



SO-4885

SPECIFICATIONS

Outer Dia.:	108 mm
OD of Seal:	72 mm
ID of Seal:	63 mm
Total Height:	172 mm
Thread Size:	1.1/8"-16

CROSS REFERENCE

Airman	37438-05501
Airman	37438-02400



SO-4886

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	200 mm
Thread Size:	1.1/2"-16

CROSS REFERENCE

Ingersoll Rand	23711428
Ingersoll Rand	47576206001



SO-4887

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	1"-16

CROSS REFERENCE

Kaishan	66094212EF



SO-4888

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	72 mm
ID of Seal:	63 mm
Total Height:	143 mm
Thread Size:	G3/4-14

CROSS REFERENCE

Gardner Denver	89559379
Mann Filter	W940/51



SO-4889

SPECIFICATIONS

Outer Dia.:	121 mm
OD of Seal:	86 mm
ID of Seal:	79 mm
Total Height:	295 mm
Thread Size:	1.3/4"-12UNF

CROSS REFERENCE

Ingersoll Rand	39911631
Sullair	02250153-933



SO-4890

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M40*1.5

CROSS REFERENCE

CMN	31101060
CMN	CMN1060



SO-4891

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	100 mm
Thread Size:	M26*1.5

CROSS REFERENCE

Fusheng	2605531440
Fusheng	2605539890



SO-4892

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M25*1.5

CROSS REFERENCE

Cart	COF-90
Cart	OFC38090NF



SO-4893

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	172 mm
Thread Size:	M25*1.5

CROSS REFERENCE

Cart	COF-60
Taisheng	51808-72A



SO-4894

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M39*1.75L

CROSS REFERENCE

Atlas Copco	1094883100
Atlas Copco	1904883199



SO-4895

SPECIFICATIONS

Outer Dia.:	128 mm
OD of Seal:	128 mm
ID of Seal:	120 mm
Total Height:	270 mm
Thread Size:	1.1/2"-16UN

CROSS REFERENCE

Sullair	88291001-533
Kaishan	537705331800



SO-4896

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M26*2L

CROSS REFERENCE

Bolaite	1625165620
Bolaite	1625165615



SO-4897

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	142 mm
Thread Size:	G3/4"-14

CROSS REFERENCE

Gardner Denver	89675429
Ingersoll Rand	90303827



SO-4898

SPECIFICATIONS

Outer Dia.:	120 mm
OD of Seal:	86 mm
ID of Seal:	79 mm
Total Height:	362 mm
Thread Size:	1.3/4"-12UN

CROSS REFERENCE

Ingersoll Rand	24900458
Ingersoll Rand	24900383



SO-4899

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	1.3/8"-16

CROSS REFERENCE

Ingersoll Rand	38430906



SO-4900

SPECIFICATIONS

Outer Dia.:	73 mm
OD of Seal:	72 mm
ID of Seal:	63 mm
Total Height:	142 mm
Thread Size:	1"-16

CROSS REFERENCE

Atlas Copco	1092471700
Atlas Copco	2205176916



SO-4901

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M38*2

CROSS REFERENCE

Kaishan	OL13145
Taisheng	51806-88A



SO-4902

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M38*2L

CROSS REFERENCE

Windbell	010202120014



SO-4903

SPECIFICATIONS

Outer Dia.:	108 mm
OD of Seal:	101 mm
ID of Seal:	91 mm
Total Height:	210 mm
Thread Size:	1.1/8"-16UN

CROSS REFERENCE

Airman	37438-09400
Airman	35C40-11100



SO-4904

SPECIFICATIONS

Outer Dia.:	121 mm
OD of Seal:	86 mm
ID of Seal:	79 mm
Total Height:	361 mm
Thread Size:	1.3/4"-12UN

CROSS REFERENCE

Airman	37438-09600
Airman	37438-04600



SO-4905

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	87 mm
ID of Seal:	75 mm
Total Height:	142 mm
Thread Size:	1.1/2"-16UN

CROSS REFERENCE

Mann Filter	WD940/10
Donaldson	P779584



SO-4906

SPECIFICATIONS

Outer Dia.:	118 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	200 mm
Thread Size:	G1.1/4"-11

CROSS REFERENCE

Atlas Copco	1627411012
Quincy	128382-050



SO-4907

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M22*1.5

CROSS REFERENCE

Atlas Copco	1830031635
Atlas Copco	1837008004



SO-4908

SPECIFICATIONS

Outer Dia.:	76 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	127 mm
Thread Size:	M19.5*1.75L

CROSS REFERENCE

Atlas Copco	9097511150



SO-4909

SPECIFICATIONS

Outer Dia.:	76 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	138 mm
Thread Size:	3/4"-16UNF

CROSS REFERENCE

Atlas Copco	1513016000
Dalgakiran	1311123001



SO-4910

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	177 mm
Thread Size:	G1.1/4

CROSS REFERENCE

Compair	98262/1030
Dalgakiran	1311123200



SO-4911

SPECIFICATIONS

Outer Dia.:	99 mm
OD of Seal:	94 mm
ID of Seal:	82 mm
Total Height:	239 mm
Thread Size:	M87*2,5

CROSS REFERENCE

Donaldson	P569206
Fleetguard	HF9500



SO-4912

SPECIFICATIONS

Outer Dia.:	76 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	85 mm
Thread Size:	3/4"-20

CROSS REFERENCE

Swan	SO-4912



SO-4913

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M41*1.5

CROSS REFERENCE

Gardner Denver	ZS1215759
Gardner Denver	ZS1191574



SO-4914

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M26*1.75L

CROSS REFERENCE

Hannimike	HM962



SO-4915

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M25*1.5L

CROSS REFERENCE

Hannimike	HM23028



SO-4916

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	172 mm
Thread Size:	M22*1.5

CROSS REFERENCE

Kobelco	1000106735
Mann Filter	W950/47



SO-4917

SPECIFICATIONS

Outer Dia.:	76 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	51 mm
Thread Size:	M14*1.5

CROSS REFERENCE

Quincy	2023400100
Quincy	2023400101



SO-4918

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	M26*2

CROSS REFERENCE

Bolaite	1625165601
Bolaite	1625106475



SO-4919

SPECIFICATIONS

Outer Dia.:	93 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	212 mm
Thread Size:	31/32"-20

CROSS REFERENCE

Sullair	02250049-821
Kaishan	537705330800



SO-4920

SPECIFICATIONS

Outer Dia.:	76 mm
OD of Seal:	71 mm
ID of Seal:	62 mm
Total Height:	127 mm
Thread Size:	M20*1.75

CROSS REFERENCE

Seize	2090007
Seize	211000012



SO-4921

SPECIFICATIONS

Outer Dia.:	97 mm
OD of Seal:	72 mm
ID of Seal:	63 mm
Total Height:	150 mm
Thread Size:	M26*1.5

CROSS REFERENCE

Atlas Copco	1639000159
Liutech	1639000199



SO-4922

SPECIFICATIONS

Outer Dia.:	136 mm
OD of Seal:	111 mm
ID of Seal:	100 mm
Total Height:	302 mm
Thread Size:	M42*2

CROSS REFERENCE

Mann Filter	W13145/6
Fleetguard	LF3773



SO-4701

SPECIFICATIONS

Outer Dia.:	82 mm
Inner Diameter:	40 mm
Body Height:	175 mm
Total Height:	244 mm

CROSS REFERENCE

Atlas Copco	1622314200
Atlas Copco	1625840180



SO-4702

SPECIFICATIONS

Outer Dia.:	82 mm
Inner Diameter:	40 mm
Body Height:	345 mm
Total Height:	415 mm

CROSS REFERENCE

Atlas Copco	1622365200
Atlas Copco	1625840280



SO-4703

SPECIFICATIONS

Outer Dia.:	83 mm
Inner Diameter:	26 mm
Body Height:	157 mm
Total Height:	192 mm

CROSS REFERENCE

Kaeser	6.4778.0
HiFi Filter	SH62417



SO-4704

SPECIFICATIONS

Outer Dia.:	83 mm
Inner Diameter:	26 mm
Body Height:	300 mm
Total Height:	334 mm

CROSS REFERENCE

Kaeser	6.4493.0
HiFi Filter	SH62356



SO-4705

SPECIFICATIONS

Outer Dia.:	83 mm
Inner Diameter:	26 mm
Body Height:	403 mm
Total Height:	430 mm

CROSS REFERENCE

Kaeser	6.4693.0
HiFi Filter	SH62368



SO-4706

SPECIFICATIONS

Outer Dia.:	96 mm
Inner Diameter:	55 mm
Body Height:	256 mm
Total Height:	262 mm

CROSS REFERENCE

Sullair	02250139-995
Noitech	NO108680



SO-4707

SPECIFICATIONS

Outer Dia.:	72/62 mm
Inner Diameter:	28/26 mm
Body Height:	206 mm
Total Height:	216 mm

CROSS REFERENCE

Sullair	02250155-709
Sullair	02250155-708



SO-4708

SPECIFICATIONS

Outer Dia.:	115 mm
Inner Diameter:	57 mm
Body Height:	372 mm
Total Height:	378 mm

CROSS REFERENCE

Sullair	250008-956
Sullair	250007-842



SO-4709

SPECIFICATIONS

Outer Dia.:	114/98 mm
Inner Diameter:	54/38 mm
Body Height:	229 mm
Total Height:	232 mm

CROSS REFERENCE

Ingersoll Rand	23424922
Ingersoll Rand	23700362



SO-4710

SPECIFICATIONS

Outer Dia.:	114/98 mm
Inner Diameter:	40 mm
Body Height:	228 mm
Total Height:	228 mm

CROSS REFERENCE

CompAir	QX105047
CompAir	QX105347



SO-4711

SPECIFICATIONS

Outer Dia.:	114/98 mm
Inner Diameter:	54/38 mm
Body Height:	208 mm
Total Height:	221 mm

CROSS REFERENCE

Sullair	02250168-084
HiFi Filter	SH51407



SO-4712

SPECIFICATIONS

Outer Dia.:	72/62 mm
Inner Diameter:	28/26 mm
Body Height:	119 mm
Total Height:	128 mm

CROSS REFERENCE

Sullair	02250156-601
HiFi Filter	SH51412



SO-4713

SPECIFICATIONS

Outer Dia.:	96 mm
Inner Diameter:	55 mm
Body Height:	492 mm
Total Height:	501 mm

CROSS REFERENCE

Sullair	02250139-996
Sullair	02250121-655



SO-4714

SPECIFICATIONS

Outer Dia.:	97 mm
Inner Diameter:	56 mm
Body Height:	325 mm
Total Height:	328 mm

CROSS REFERENCE

Sullair	250031-850
Sullair	88292006-261



SO-4715

SPECIFICATIONS

Outer Dia.:	114/98 mm
Inner Diameter:	40 mm
Body Height:	228 mm
Total Height:	228 mm

CROSS REFERENCE

Sullair	88298003-408



SO-4716

SPECIFICATIONS

Outer Dia.:	53 mm
Inner Diameter:	27 mm
Body Height:	164 mm
Total Height:	164 mm

CROSS REFERENCE

Mattei	30581
Sotras	SH8173



SO-4717

SPECIFICATIONS

Outer Dia.:	118 mm
Inner Diameter:	69 mm
Body Height:	496 mm
Total Height:	498 mm

CROSS REFERENCE

Atlas Copco	8231046410
Filtrec	R662G10B0



SO-4718

SPECIFICATIONS

Outer Dia.:	83/31.5 mm
Inner Diameter:	22 mm
Body Height:	116 mm
Total Height:	125 mm

CROSS REFERENCE

Boge	558001800
Mann	H9003X



SO-4719

SPECIFICATIONS

Outer Dia.:	72 mm
Inner Diameter:	28 mm
Body Height:	121 mm
Total Height:	121 mm

CROSS REFERENCE

Bobcat	6692337
Donaldson	P575347




SO-4720

SPECIFICATIONS

Outer Dia.:	78 mm
Inner Diameter:	50 mm
Body Height:	184 mm
Total Height:	205 mm

CROSS REFERENCE

Ingersoll Rand	23935059
Ingersoll Rand	23935042



SO-4721

SPECIFICATIONS

Outer Dia.:	110 mm
Inner Diameter:	62/19 mm
Body Height:	405 mm
Total Height:	407 mm

CROSS REFERENCE

Gardner Denver	2109086
Compair	QX104006



SO-4722

SPECIFICATIONS

Outer Dia.:	83 mm
Inner Diameter:	47 mm
Body Height:	142 mm
Total Height:	142 mm

CROSS REFERENCE

Ingersoll Rand	38221479
HiFi Filter	SH70300



SO-4723

SPECIFICATIONS

Outer Dia.:	118 mm
Inner Diameter:	60 mm
Body Height:	162 mm
Total Height:	166 mm

CROSS REFERENCE

Argo	V2121708
Atlas Copco	8231101804



SO-4724

SPECIFICATIONS

Outer Dia.:	102 mm
Inner Diameter:	61 mm
Body Height:	175 mm
Total Height:	195 mm

CROSS REFERENCE

Atlas Copco	1621896000
Atlas Copco	1621808500



SO-4725

SPECIFICATIONS

Outer Dia.:	80 mm
Inner Diameter:	43 mm
Body Height:	302 mm
Total Height:	320 mm

CROSS REFERENCE

Gardner Denver	QX104002
Gardner Denver	QX103237



SO-4726

SPECIFICATIONS

Outer Dia.:	99 mm
Inner Diameter:	51 mm
Body Height:	248 mm
Total Height:	278 mm

CROSS REFERENCE

Kaishan	537705F2200



SO-4727

SPECIFICATIONS

Outer Dia.:	114/96 mm
Inner Diameter:	46 mm
Body Height:	220 mm
Total Height:	233 mm

CROSS REFERENCE

Parker	940818Q
HiFi Filter	SH51406



SO-5079

SPECIFICATIONS

Outer Dia.:	70 mm
Inner Diameter:	20 mm
Body Height:	205 mm
Total Height:	215 mm

CROSS REFERENCE

ELGI	B004804620001
ELGI	X017503



SO-5085

SPECIFICATIONS

Outer Dia.:	70 mm
Inner Diameter:	20 mm
Body Height:	73 mm
Total Height:	83 mm

CROSS REFERENCE

ELGI	B011104620003
ELGI	X018283

Note

Note

Note